

Wilsonville

CEDAR & PINE PROFILE GUIDE



ABOUT OREPAC

TABLE OF CONTENTS SOLID CEDAR NATURAL BEVELS | PATTERNS 4-9 DECKING | TRIM 10-13 ENGINEERED CEDAR SOLID PINE NATURAL



OUR HISTORY

OrePac is a family-owned and operated business, founded by the Hart family in 1977. Through strong leadership and a commitment to success, the company has grown into one of the premier distributors in the building industry.

Trust, integrity, and a dedication to excellence are the values most important to OrePac. That commitment can be found in the services we offer, the quality of the products we provide, and the way we treat our employees and customers. This dedication to our markets has enabled us to make a positive impact on the shelter industry and the communities we serve.

1

OREPAC WILSONVILLE

The Wilsonville, Oregon branch was founded with the company in 1977. Located across the street from our corporate office, it remains the oldest branch with 20 private trucks, 200,000 square feet of warehouse space, and a delivery reach that stretches to Fortuna, California.



★ CORPORATE Wilsonville, OR DISTRIBUTION CENTERS


DISTRIBUTION CENTERS

Boise, ID Bozeman, MT Denver. CO Ontario, CA Phoenix, AZ Sacramento, CA Salt Lake City, UT Spokane, WA Tacoma, WA Wilsonville, OR




SOLID CEDAR NATURAL

BEVEL GRADED TO THE RESAWN FACE KILN DRIED						
Item	Nominal Size	Grade	Species	Lengths	Stock	
CBVK606	11/16 x 6	STK	WRC	Random	•	
CBVK608	11/16 x 8	STK	WRC	Random	•	
CBVK3410	3/4 x 10	STK	WRC	Random	•	



BEVEL REVERSIBLE KILN DRIED							
Item	Nominal Size	Grade	Species	Lengths	Stock		
CBVC1206	1/2 x 6	Clear VG	WRC	Random	•		
CBVC1208	1/2 x 8	Clear VG	WRC	Random	•		
CBVC3408	3/4 x 8	Clear VG	WRC	Random	•		
CBVC3410	3/4 x 10	Clear VG	WRC	Random	•		



All profiles shown in this book are scaled to 60% unless otherwise noted.

- Resawn Face

Resawn Face

Resawn Face

Smooth Side

Smooth Side


Smooth Side

Smooth Side


SOLID CEDAR

NATURAL


CHANNEL GRADED TO THE RESAWN FACE KILN DRIED						
Item	Nominal Size	Grade	Species	Lengths	Stock	
CCHK106	1 x 6	STK	WRC	Random	•	
CCHK108K	1 x 8	STK	WRC	Random	•	
CCHK110K	1 x 10	STK	WRC	Random	•	



CHANNEL COVE GRADED TO THE RESAWN FACE KILN DRIED					
Item	Nominal Size	Grade	Species	Lengths	Stock
CCHK106P	1 x 6	STK	WRC	Random	•




SOLID CEDAR NATURAL



All profiles shown in this book are scaled to 60% unless otherwise noted.






0


SOLID CEDAR NATURAL

T&G V2E STK KILN DRIED						
Item	Nominal Size	Grade	Species	Lengths	Stock	
CTA104V2	1 x 4	CLR	WRC	Random	•	
CT104V2	1 x 4	STK	WRC	Random	•	
CTA106V2	1 x 6	CLR	WRC	Random	•	
CT106V2	1 x 6	STK	WRC	Random	•	




CTA106V2 CT106V2 1" x 6"

1" x 4"



T&G V4E TK		
Item	Nominal Size	Grade
CTL106V4	1 x 6	STK
CT108V4	1 x 8	STK



CTL106V4	
1" x 6"	
	3/8" 1/4
CT108V4	
1" x 8"	

• Stocked **★** Available regionally **▲** Special order, restrictions apply

8

0

0

All profiles shown in this book are scaled to 60% unless otherwise noted.

All profiles shown in this book are scaled to 60% unless otherwise noted.

Stock Species Lengths WRC Random ulletWRC Random ۲



SOLID CEDAR NATURAL

DECKING S4S KILN DRIED							
Item	Nominal Size	Description	Lengths	Stock			
CSU204	2 x 4	ТК	8', 10', 12', 14', 16', 18', 20'	•			
CKD206	2x6	INTERFOR REGAL	8', 10', 12', 14', 16', 18', 20'	•			
CSU206	2 x 6	INTERFOR PREMIUM	8', 10', 12', 14', 16', 18', 20'	•			



CSU204 2" x 4"

CKD206 2" x 6"

CSU206 2" x 6"

1-1/2"

1/2"		

S1S2E KI		2		
Item	Nominal Size	Grade	Lengths	Stock
CBIR103	1 x 3	ТК	8', 10', 12', 14', 16', 18', 20'	•
CBIR104	1 x 4	ТК	8', 10', 12', 14', 16', 18', 20'	•
CBIR106	1 x 6	ТК	8', 10', 12', 14', 16', 18', 20'	•
CBIR108	1 x 8	ТК	8', 10', 12', 14', 16', 18', 20'	•
CBIR110	1 x 10	ТК	8', 10', 12', 14', 16', 18', 20'	•
CBIR112	1 x 12	ТК	8', 10', 12', 14', 16', 18', 20'	•
CBI5404	5/4 x 4	ТК	8', 10', 12', 14', 16', 18', 20'	•
CBI5406	5/4 x 6	ТК	8', 10', 12', 14', 16', 18', 20'	•
CBI5408	5/4 x 8	ТК	8', 10', 12', 14', 16', 18', 20'	•
CDI204	2 x 4	ТК	8', 10', 12', 14', 16', 18', 20'	•
CDI206	2 x 6	ТК	8', 10', 12', 14', 16', 18', 20'	•
CDI208	2 x 8	ТК	8', 10', 12', 14', 16', 18', 20'	•
CDI210	2 x 10	ТК	8', 10', 12', 14', 16', 18', 20'	•
CDI212	2 x 12	ТК	8', 10', 12', 14', 16', 18', 20'	•

S1S2E GR	REEN C/BTR			
Item	Nominal Size	Grade	Lengths	Stock
CBC102	1 x 2	CLR	6', 8', 10', 12', 14', 16', 18', 20'	•
CBC103	1 x 3	CLR	8', 10', 12', 14', 16', 18', 20'	•
CBC104	1 x 4	CLR	6', 8', 10', 12', 14', 16', 18', 20'	•
CBC106	1 x 6	CLR	8', 10', 12', 14', 16', 18', 20'	•
CBC108	1 x 8	CLR	8', 10', 12', 14', 16', 18', 20'	•
CBC110	1 x 10	CLR	8', 10', 12', 14', 16', 18', 20'	•
CBC112	1 x 12	CLR	6', 8', 10', 12', 14', 16', 18', 20'	•
CBC5404	5/4 x 4	CLR	6', 7', 8', 9', 10', 11', 12', 14', 15', 16', 17', 18', 20'	•
CBC5406	5/4 x 6	CLR	6', 8', 9', 10', 11', 12', 13', 14', 15', 16',17', 18', 19', 20'	•
CBC5408	5/4 x 8	CLR	6', 8', 9', 10', 11', 12', 14', 16', 18', 20'	•
CDC208	2 x 8	CLR	8', 10', 12', 14', 16', 18', 20'	•
CDC210	2 x 10	CLR	8', 10', 12', 14', 16', 18', 20'	•
CDC212	2 x 12	CLR	8', 10', 12', 14', 16', 18', 20'	•

S1S2E GREEN APG						
Item	Nominal Size	Grade	Lengths	Stock		
CDN206	2 x 6	ТК	8', 10', 12', 14', 16', 18', 20'	•		
CDN208	2 x 8	ТК	8', 10', 12', 14', 16', 18', 20'	•		
CDN210	2 x 10	ТК	8', 10', 12', 14', 16', 18', 20'	•		
CDN212	2 x 12	ТК	8', 10', 12', 14', 16', 18', 20'	•		

SOLID CEDAR NATURAL

S1S2E GREEN APG						
Item	Nominal Size	Grade				
CBN103	1 x 3	тк				
CBN104	1 x 4	тк				
CBN106	1 x 6	тк				
CBN108	1 x 8	тк				
CBN110	1 x 10	тк				
CBN112	1 x 12	ТК				

S4S GREEN APG						
Item	Nominal Size	Grade				
CDK404	4 x 4	ТК				
CDS406	4 x 6	ТК				
CDS606	6 x 6	ТК				

S4S GRE	S4S GREEN C/BTR						
Item	Nominal Size	Grade					
CDC202	2 x 2	CLR					
CDC204	2 x 4	CLR					
CDC206	2 x 6	CLR					
CDC404	4 x 4	CLR					

BALUSTER GREEN CLEAR						
Item	Nominal Size	Grade	Lengths	Stock		
CDC202	2 x 2	CLR	36", 42", 48"	•		
CDK202	2 x 2	APG	36", 48"	•		

All profiles shown in this book are scaled to 60% unless otherwise noted.

Lengths	Stock
8', 10', 12', 14', 16', 18', 20'	•
8', 10', 12', 14', 16', 18', 20'	•
8', 10', 12', 14', 16', 18', 20'	•
8', 10', 12', 14', 16', 18', 20'	•
8', 10', 12', 14', 16', 18', 20'	•
8', 10', 12', 14', 16', 18', 20'	•

Lengths	Stock
8', 10', 12'	•
8', 10', 12'	•
8', 10', 12'	•

Lengths	Stock
8', 10', 12', 14', 16', 18', 20'	•
8', 10', 12', 14', 16', 18', 20'	•
8', 10', 12', 14', 16', 18', 20'	•
8', 10', 12'	•



ENGINEERED CEDAR NATURAL



CNG40408 CNG40410 CNG40412 4" x 4"

ENGINEERED POSTS EG APPEARANCE GRADE KD								
Item	Nominal Size	Description	Length	Quantity	Stock			
CNG40408	4 x 4	S4S NextGen Post	8' 96" net	91 Pcs/Unit	•			
CNG40410	4 x 4	S4S NextGen Post	10' 119" net	91 Pcs/Unit	•			
CNG40412	4 x 4	S4S NextGen Post	12' 143" net	91 Pcs/Unit	•			





Photo Credit: West **Bay Forest Products**

All profiles shown in this book are scaled to 60% unless otherwise noted.

NBWEST BAY **NEXTGEN CEDAR**





ENGINEERED CEDAR PRIMED




West Bay's newly developed NEXTGEN cedar has all the natural beauty of solid cedar without the inconsistencies seen in other alternative engineered products.

FEATURES

- 100% North American made
- Beautiful vertical grain appearance
- More consistent look

ENGINEERED BEVEL EG & FJ SELECT GRADE KNOTTY							
Item	Nominal Size	Description	Actual Size	Length	Quantity	Stock	
CNGBP120616	1/2 x 6	Bevel Primed Resawn	1/2 x 5-3/8	16'	240 Pcs/Unit - 10 pc Sub	*	
CNGBP340616	3/4 x 6	Bevel Primed Resawn	3/4 x 5-7/16	16'	348 Pcs/Unit - 8 pc Sub	•	
CNGBP340816	3/4 x 8	Bevel Primed Resawn	3/4 x 7-3/16	16'	144 Pcs/Unit - 8 pc Sub	•	
CNGBP341016	3/4 x 10	Bevel Primed Resawn	3/4 x 9-3/16	16'	120 Pcs/Unit - 6 pc Sub	•	




All profiles shown in this book are scaled to 60% unless otherwise noted.

- Greater stability than solid cedar • Renewable fiber supply
- Fewer SKUs for inventory


PRIMED

CHANNEL & CENTER V CLEAR REVERSIBLE							
Item	Nominal Size	Grade	Straight Side	V-Groove Side	Length	Stock	
C FJP784R	1 x 6	Reserve VG	Resawn Face	Smooth Face	16'	•	
C FJP785R	1 x 8	Reserve VG	Resawn Face	Smooth Face	16'	•	




5-3/8"

COVE CLEAR GRADED TO THE SMOOTH FACE							
Item	Nominal Size	Grade	Length	Stock			
CFJP105	1 x 6	Reserve MG	16'	•			
CFJP771	1 x 8	Reserve VG	16'	•			




ENGINEERED CEDAR PRIMED

DOUBLE A/BTR GRADED TO THE SMOOTH FACE						
Item	Nominal Size	Grade	Description	Joinery	Length	Stock
C FJP115	1 x 6	MG	Reserve	Finger-joint	16'	•
C FJP117	1 x 6	MG	Reserve	Finger-joint	16'	•



C FJP117 1" x 6"

1" x 6"




SHIPLAP A/BTR GRADED TO THE SMOOTH FACE						
Item	Nominal Size	Grade	Description	Joinery	Length	Stock
CFJP137	1 x 6	MG	Reserve	Finger-joint	16'	•
CFJP794	1×8	VG	Reserve	Finger-joint	16'	•


CFJP137 1" x 6" 23/64"

CFJP794

1" x 8"



11/32" → 1/2" ←




11/16"


▶ 17/32" ◀

T&G | A/BTR | FINELINE Item Nominal Size Grade Joinery Length Stock CFJP104FL CLR Reserve 20'/Trims 1x4 Finger-joint ullet

C FJP104FL 1" x 4"



T&G V2E A/BTR					
Item	Nominal Size	Grade	Joinery	Length	Stock
CFJP1344	1x4	CLR Reserve	Finger-joint	16'/Trims	•
CFJP1346	1x6	CLR Reserve	Finger-joint	16'/Trims	•



ENGINEERED CEDAR PRIMED


S1S2E CLEA	R RESERVE	
Item	Nominal Size	Grade
CFP102	1 x 2	CLR
CFP103	1 x 3	CLR
CFP104	1 x 4	CLR
CFP106	1 x 6	CLR
CFP108	1 x 8	CLR
CFP110	1 × 10	CLR
CFP5403	5/4 x 3	CLR
CFP5404	5/4 x 4	CLR
CFP5406	5/4 x 6	CLR
CFP5408	5/4 x 8	CLR
CFP5410	5/4 x 10	CLR
CFP5412	5/4 x 12	CLR
CFP204	2 x 4	CLR
CFP206	2 x 6	CLR
CFP208	2 x 8	CLR
CFP210	2 x 10	CLR
CFP212	2 x 12	CLR

S4S CLEAR RESERVE					
Nominal Size	Grade	Joinery	Length	Stock	
2x2	CLR	Finger-joint	20'/ with Trims	•	
	Nominal Size	Nominal Size Grade	Nominal Size Grade Joinery	Nominal Size Grade Joinery Length	

Joinery	Length	Stock
Finger-joint	20'/ with Trims	•
Finger-joint	20'/ with Trims	•
Finger-joint	20'/ with Trims	•
Finger-joint	20'/ with Trims	•
Finger-joint	20'/ with Trims	•
Finger-joint	20'/ with Trims	•
Finger-joint	20'/ with Trims	•
Finger-joint	20'/ with Trims	•
Finger-joint	20'/ with Trims	•
Finger-joint	20'/ with Trims	•
Finger-joint	20'/ with Trims	•
Finger-joint	20'/ with Trims	•
Finger-joint	20'/ with Trims	•
Finger-joint	20'/ with Trims	•
Finger-joint	20'/ with Trims	•
Finger-joint	20'/ with Trims	•
Finger-joint	20'/ with Trims	•


PRIMED

RAIL CAP CLEAR RESERVE					
Item	Nominal Size	Grade	Joinery	Length	Stock
CFJP208RC	2 x 8	CLR	Finger-joint	20'/with Trims	•




ENGINEERED CEDAR PRIMED

WINDOW S	/ SILL CLEAR RESERVE		
Item	Nominal Size	Grade	
CFPS203	2 x 3	CLR	




WATERTABLE CLEAR RESERVE						
Item	Nominal Size	Grade	Joinery	Length	Stock	
CFJP1031	2 x 4	CLR	Finger-joint	20'/with Trims	•	

90° CORNER CLEAR RESERVE					
Item	Nominal Size	Grade	Joinery	Length	Stock
CM352FJ	2 x 4	CLR	Finger-joint	20'/with Trims	•







Stock Joinery Length Finger-joint 20'/with Trims \bullet




SOLID PINE NATURAL





SOLID PINE NATURAL

LOG CA	BIN KD L.P. Pine	
Item	Nominal Size	
PLC208	2 x 8	
	7-1/8"	
	6-5/8"	-
	PLC208	
PLC208		
2" x 8"		
	9/16"	

T&G V4E TK I	KD L.P. Pine	
Item	Nominal Size	
PPN106	1 x 6	







ΚΕΥ

NOTES

Grades

2/BTR - The finest quality rough lumber A/BTR - Grade A and better APG - Appearance grade C/BTR - This grade consists of grade C Clear and B Clear CLR - Clear grain (no defects) KA - Knotty Architectural MG - Mixed Grain STK - Select Tight Knot VG - Clear Vertical Grain

Common Abbreviations

Actual Size - The dressed size after planing

FJ - Fingerjoint. FJ boards are lumber made from short pieces of wood joined together into longer boards that are used in non-structural construction projects. The joints fit together like interlacing fingers and are glued together.

Green - Undried lumber.

KD - Kiln-dried lumber, has a low moisture content and is more dimensionally stable.

Nominal Size - The rough lumber size

S1S2E - Smooth on one side with two eased edges

S4S - Smooth on four sides with a high quality appearance

T&G - Tongue and Groove

V2E - V-Joints on two edges

V4E - V-Joints on four edges

 $\boldsymbol{V}\boldsymbol{G}$ - Vertical grain

For more information, please contact your local sales representative.



