



2020 Full-Line Catalog

Building Professionals' Entry & Patio Door Directory



## Therma-Tru. Where home begins.

Choosing a Therma-Tru® door means designing an inspired entrance with the confidence that it will perform for years to come.

Whether it's Classic or Contemporary – or somewhere in between – Therma-Tru offers a wide selection to complement the architecture of a home and a homeowner's sense of style.

But it's more than beauty that makes Therma-Tru the brand builders and remodelers prefer most.\* With a complete door system engineered with craftsman precision and backed by more than 50 years of industry experience, you can be confident that it will perform as exceptionally as it looks.


**That's where the beauty of choosing Therma-Tru begins.**

\*Brand Use Studies, 2019 *Builder* and 2019 *Remodeling* magazines.

Top: Smooth-Star, Clear Glass with SDLs, Door – S82105, Finish – Onyx  
Right Page: Classic-Craft American Style Collection Door – CCA4935



# Table of Contents



Uncompromising  
quality, inside and out.

<b>Introduction</b> .....	2-21
2020 Trends .....	4-5
<b>NEW</b> Products .....	6-7
Curb Appeal .....	8
Door Selections .....	9-11
Door System Components .....	12-13
Decorative & Specialty Glass .....	14-19
Impact Products .....	20-21
<b>Classic-Craft</b> .....	22-105
Decorative & Specialty Glass .....	26-34
Accessories .....	35
American Style Collection™ .....	36-49
Mahogany Collection™ .....	50-61
Rustic Collection™ .....	62-77
Oak Collection™ .....	78-89
Canvas Collection® .....	90-105
<b>Fiber-Classic® &amp; Smooth-Star</b> .....	106-197
Decorative & Specialty Glass ....	112-119
Accessories .....	120
<b>Steel</b> .....	198-221
Profiles™ .....	198, 200-216
Traditions .....	199-202, 217-221
Decorative & Specialty Glass ....	201-202
<b>Fire Doors</b> .....	222-227
<b>Pulse</b> ® .....	228-241
<b>Hinged Patio</b> .....	242-249
<b>Finish Options</b> .....	250-254
PrismaGuard® Stain & Paint .....	251-253
Same-Day® Stain Kit .....	254
<b>Door System Components</b> .....	255-265
<b>Door Surrounds</b> .....	266-269
<b>Special Quote Program</b> .....	270
<b>3'6" Width Options Chart</b> .....	271
<b>7'0" &amp; 6'6" Height Options Charts</b> .....	272-273
<b>Product Details</b> .....	274-275
<b>Index</b> .....	276-290
<b>Trade Resources</b> .....	291

# 2020 Trends

The entry becomes a personal statement about the home in 2020. Design trends will blend together with a focus on relaxation as homeowners look to create a place of comfort and style. In addition, modern details will cross over into traditional and casual spaces with simplistic elements that add updated appeal.

Explore the 2020 Trends and the Therma-Tru® products that bring them to life at [thermatru.com/trends](http://thermatru.com/trends).




## CURATED CASUAL

CLEAN  
SOPHISTICATED  
REFINED



A refined evolution of casual.



Pure Styling | Polished Design | High Contrast




# Lively HERITAGE

FRESH  
DRAMATIC  
CLASSIC



A bold take on traditional.




Style Mixing | Streamlined Design | Bold Shapes

# modern MIX

MINIMAL  
UNEXPECTED  
ECLECTIC



A blend of contemporary  
design with unexpected  
eclectic touches.



Inviting Aesthetics | Natural Materials | Warm Accents



**NEW**

# Composite Door Frame

featuring Tru-Guard™ Composite Technology

Therma-Tru® Doors



## Design and functionality.

The uncompromising quality you've come to expect from a Therma-Tru® door, now available with a Therma-Tru composite door frame. New composite door frame featuring Tru-Guard™ composite technology provides a rot-free solution engineered to work together with rot-resistant Therma-Tru doors and components.

Available in buff grained and white smooth, starting on page 256.

**See your Therma-Tru seller for details on product availability.**

**TRU**  **GUARD**  
COMPOSITE TECHNOLOGY



Included in the Therma-Tru fiberglass door system lifetime limited warranty.

### 10-Year Transferable Full-System Rider

Available for Therma-Tru door systems with full-system Therma-Tru components.

**Frame-only** lifetime limited warranty option also available.

Note: See your Therma-Tru seller or visit [www.thermatru.com](http://www.thermatru.com) for details on limited warranties and exclusions, and Rider.

Top: Smooth-Star, Clear Glass with SDLs, Door – S82106, Sidelites – S881SL, Finish – Alpine



# NEW PrismaGuard® Premium Paint

Therma-Tru® Doors



## Finished for lasting beauty.

Add a pop of color and tailor the look of the entry with PrismaGuard® premium paint. Explore an inspirational palette of nature-inspired colors that are professionally applied in a controlled environment, and designed for optimal performance with Therma-Tru® fiberglass doors.

Available in a variety of colors, starting on page 253.

**10 YEAR** LIMITED WARRANTY  
10-Year Warranty

 Durable Topcoat

 Professional Application



Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See page 275 for important product details that may help with your purchase decision. See your Therma-Tru seller or visit [www.thermatru.com](http://www.thermatru.com) for details on limited warranties and exclusions.

# The Power of Curb Appeal

Open the door to increased value with a stylish new Therma-Tru door. A new entry door can pay for itself – and then some – giving you and your customers more bang for your buck. Learn more at [thermatru.com/curbappeal](http://thermatru.com/curbappeal).




## Perceived Value

A smart investment, a new Therma-Tru® entry door can increase a home's perceived value by **4.2%** or **\$18,750** on average.\*



## Return On Investment

Homeowners who choose a stylish new Therma-Tru® entry door can see **more than 2 times** the return on their investment.\*



## A smart investment.

### Lifetime Limited Warranty

We stand behind more parts and for longer than other door companies because we make or specify everything that goes into our door system. A Therma-Tru fiberglass door system is backed by the industry's most comprehensive lifetime limited warranty.

### Energy Efficiency

In any region or climate, energy efficiency is key. More than 80% of Therma-Tru door and glass options are ENERGY STAR® qualified and National Fenestration Rating Council (NFRC) certified, helping save money on energy costs.

### Quality Testing

Our doors, glass and components are held to high standards. We conduct thorough testing to help ensure that our products will live up to a homeowner's toughest quality and performance expectations.



\*Not based on actual home sales. Not a guarantee of investment returns, increase in value or selling price. Based on a nationwide survey of consumers' estimates of perceived home value based on exterior appearance. Results may vary based on region and home style. Therma-Tru's "National Home Valuation Study" was commissioned by Therma-Tru in 2015 and conducted by TNS, an independent provider of internet-based research.

Note: See your Therma-Tru seller or visit [www.thermatru.com](http://www.thermatru.com) for details on limited warranties and exclusions, and ENERGY STAR qualified products.

Top Right: Smooth-Star, Axis Glass, Door – S1652, Sidelite – S1652SL



# The Beauty of Choice

The architectural beauty of a Therma-Tru door is easy to see. With the look of real wood, rich panel details and intricate, handcrafted decorative glass designs, there are thousands of possibilities to suit the style of a home and express a homeowner's personal style.



## Door Selections

Find choices in design, texture and material with many configurations available to find the ideal door system. More on pages 10–11.



## Decorative & Specialty Glass

Complement any Therma-Tru door with a variety of glass shapes and designs. More on pages 14–19.



## Door System Components

Have confidence in a door system made with genuine Therma-Tru components to meet the needs of many applications. More on pages 12–13.



## Finish Options

Complete the desired look with stain or paint. Explore a variety of colors from PrismaGuard® premium finish and Same-Day® stain on pages 250–254.



## Door Surrounds

Add a beautiful, finished look to the entry with a stylish, low-maintenance door surround from Therma-Tru. More on pages 266–269.

## Selecting a Door System

Therma-Tru pays close attention to regional and consumer trends to deliver choices designed to inspire. Keep these considerations in mind when choosing from our portfolio of door system products:

- What is the size of the doorway?
- What is the style of the home?
- Does the homeowner want to stain or paint the door?
- How much light or privacy is desired?

Also consider:

- Building codes specific to applications, such as house-to-garage, as well as regional weather conditions.



# Door Selections

Choose from our many door selections to complement the architectural style of the home. The possibilities are endless from fiberglass and steel materials to wood-grained and smooth textures to stainable and paintable finishes.

## Classic-Craft® Collections Pages 22-105

Find the right style for any personality. Choose from premium fiberglass entryways in four wood grains or a smooth surface that all rival custom wood.



Both Classic-Craft and Fiber-Classic are rated a *Consumers Digest* Best Buy in the fiberglass entry doors category.

Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See your Therma-Tru seller or visit [www.thermatru.com](http://www.thermatru.com) for details on limited warranties and exclusions.



# Fiber-Classic® Collections Pages 106–197

The industry's first fiberglass door delivers the look and feel of real Mahogany and Oak with excellent performance and value.



**Mahogany Collection™**



**Oak Collection™**



# Smooth-Star® Pages 106–197

A smooth, ready-to-paint fiberglass door that offers excellent performance and value.



**Smooth-Star.**



# Steel Pages 198–221

Bring style and affordability together to create very attractive results with our steel doors.



**Profiles™**

**10 YEAR LIMITED WARRANTY**  
Door & Glass



**Traditions**

**5 YEAR LIMITED WARRANTY** Door  
**10 YEAR LIMITED WARRANTY** Glass

# Pulse® Pages 228–241


A contemporary series of door styles and glass designs that can be combined to make a bold statement.



Fiberglass




Steel



**Ari**




**Linea**





**Echo**

# Engineered to Work Together


Our complete door systems feature doors, glass and components engineered to work together to resist leaks and drafts, and help maintain energy efficiency and weather resistance.




- 1 Weatherstrip** is engineered in a variety of profiles to provide the best possible fit with our door systems, helping to deliver a precise seal between the **door** and **frame**. In addition, a rot-free new Therma-Tru **composite door frame\*** delivers extra protection from the damaging effects of moisture.



- 2 Sill and bottom sweep** form a tight seal against wind-driven moisture infiltration at the bottom of the door system and help channel moisture away from the home. **Sill pan** (recommended) adds an extra layer of protection to help keep moisture away from the subfloor.




- 3 Corner seal pads** (inswing only) complete the seal between the **sill cap**, **bottom sweep** and **weatherstrip** to help block potential pathways where wind-driven moisture can infiltrate the bottom corner of the door system.




- 4 Hinges** position the **door** to properly compress the **weatherstrip** to help form a tight, even seal against air and moisture infiltration when the door closes.





**5 Multi-point locking system** (recommended) engages the **door** and **frame** at three points from top to bottom, helping to preserve the **weatherstrip's** seal even under wind pressure.



**6 Lip-lite frame** (shown right) features a **compression seal** against weather on the outside of the **door** and an **adhesive seal** against weather on the outside of the **glass**. **Flush-glazed glass** (shown left) is built directly into the door without a Lip-lite frame, featuring a **high-performance adhesive weather seal** inside and out.

## A Complete Door System

More than beautiful doors and glass; a complete door system includes the components used to assemble it. We manufacture or specify every aspect of a complete door system. The Therma-Tru® genuine components shown here are our premium options for long-lasting durability.



**NEW**

### Composite Door Frame\*

A Therma-Tru composite door frame featuring Tru-Guard™ composite technology provides a rot-free solution engineered to work together with rot-resistant Therma-Tru doors and components.




### 7-Shape Corner Seal Pads ✚ (Inswing Only)

Innovative options include our patented jamb assembly, featuring the 7-shape corner seal pad which creates an air pocket that helps prevent a vacuum from wicking moisture up the weatherstrip.




### Composite Adjustable Sills ✚

Inswing and outswing composite sills resist rotting and insects. Inswing adjustable sills help to maintain a tight seal over time.



### Multi-Point Locking Systems ✚ (Recommended)

Increased engagement between door and frame enhances stability and the homeowner's sense of security. (Highly recommended for 8'0" and double fiberglass doors. Not recommended for steel doors.)



### Dual-Bulb / Dual-Fin Bottom Sweeps ✚ (Inswing Only)

A dual-bulb, dual-fin design helps maintain tight contact with adjustable sill caps and creates added barriers against moisture.



### Ball-Bearing Hinges ✚

Hinges with ball bearings protecting each hinge pivot, or "knuckle", offer added support and stability. (Recommended for Classic-Craft doors, 8'0" doors, doors with glass, and Impact- and Fire-rated fiberglass doors.)



### Removable Weatherstrip ✚

Resilient design compresses when closed and springs back when open, protected by a durable jacket, for long-lasting sealing power.

For more, including these additional component options, see pages 255–270:

Sill Pans ✚, Rain Protection ✚, Strike Plate and Astragals ✚.

## Tru-Defense: The Ultimate Protection

Therma-Tru fiberglass doors are available with our exclusive Tru-Defense system as an option. It integrates specific components engineered and tested to deliver outstanding protection in all kinds of weather conditions. And it's backed by a Warranty Rider that provides for cash reimbursement that may be used toward secondary damage to flooring and trim, and the labor to make repairs if water infiltration occurs.\*\* Look for the ✚ icon. For details, visit [www.thermatru.com/trudefense](http://www.thermatru.com/trudefense).

### Water Infiltration Cash Reimbursement Limit

Latch and Deadbolt Lock with Standard Assembly: with a Therma-Tru Sill Pan:	\$250 \$500
Multi-Point Lock with Standard Assembly: with a Therma-Tru Sill Pan:	\$750 \$1,500
Multi-Point Lock with NAFS-Certified Door System: with a Therma-Tru Sill Pan:	\$1,000 <b>\$2,000</b>

\*\*The Rider does not warrant workmanship of anyone who assembles or installs a Tru-Defense door system, nor any damages caused by improper handling, assembly or installation.

# Decorative & Specialty Glass

A Therma-Tru door system with decorative glass can create an entrance that makes a statement – one that says the homeowner has high standards for style, quality and craftsmanship.

- Our wide array of glass designs, from simple to intricate, reflect the home design trends and homeowner desires of today and tomorrow.
- Our glass designs are researched in the market to ensure they are highly rated in consumer preference.
- Numerous glass colors, textures, shapes and coming options are available to complement any door.
- All Low-E and clear glass panels are tempered or laminated to provide added safety.

Note: See your Therma-Tru seller or visit [www.thermatru.com](http://www.thermatru.com) for details on ENERGY STAR qualified products.  
 Bottom: Classic-Craft Rustic Collection, Borrassa Glass, Door – CCR822215, Sidelites – CCR8000XHSL



Contributes to an energy-efficient home.



## Triple-Pane Construction

All triple-pane decorative, as well as privacy and textured, glass panels are enclosed between tempered glass, offering superior quality and thermal performance.







Our decorative glass is handcrafted and built with all-glass bevels for premium quality.

From small to large, Therma-Tru offers various glass sizes and shapes. Explore options to meet homeowners' needs for natural light without compromising their privacy.



### Special Quote Program

Don't sacrifice the look you want. Talk to your Therma-Tru seller about additional glass options available in your market through our special quote program.

# EnLiten™ Flush-Glazed Designs

For Classic-Craft®, Fiber-Classic® & Smooth-Star® Doors & Sidelites

Simplified beauty. Resilient designs. With clean lines and seamless construction, EnLiten flush-glazed designs are perfect for today's homes. Built for long-term performance, these doors and sidelites feature the sleek looks homeowners want and the stylish around-the-home solutions they need. Look for the (🔥) icon.



Front Entry

## See the difference.

EnLiten flush-glazed designs provide a simple profile with no added embellishments around the glass.



Flush-Glazed Glass



Lip-Lite Frame

## Maximum views.

Create an airy, open feeling in the home with larger daylight openings. EnLiten™ flush-glazed designs offer up to a 16% increase in visible glass area than conventional lite frames.



Flush-Glazed Glass



Lip-Lite Frame

\*Comparison of U-factor values of a flush-glazed full-lite door and a Lip-lite full-lite door, both with Low-E glass.

\*\*Must be installed as part of a Therma-Tru door system in compliance with a Therma-Tru product approval. Impact-rated products not available.

Top: Classic-Craft American Style Collection, Geometric Glass with SDLs, Door – CCA2300XG, Sidelites – CCA2400XGSL

Right Page Top Left: Fiber-Classic Oak Collection, Low-E Glass with GBGs, Door – 2150, Finish – Raven

Right Page Bottom Left: Smooth-Star, Internal Blinds, Doors – S2600

Right Page Right: Smooth-Star, Clear Glass with SDLs, Door – S4814, Sidelites – S4812SL





Utility Door



Front Entry



Patio Doors

## Durable by design.

Double- or triple-pane glass is built directly into the door with a high-performance dual adhesive weather seal. This delivers a clean seamless look with no lite frame or screw plugs, and reduces the potential for air and water infiltration, among other benefits.



### Superior Sound Dampening

Doors with flush-glazed glass do a better job of dampening outside noise compared to a Lip-lite alternative.



### 11% More Energy Efficient

The Low-E glass used in flush-glazed doors delivers a clear view and is 11% more energy efficient than 1/2" Low-E glass in a Lip-lite frame.\*



### Withstands Winds Up to 167 mph

Door systems with flush-glazed glass are designed and tested to withstand wind forces up to 167 mph (DP-50).\*\* (ASTM-E330)

## Warranty riders for peace of mind.

### EnLiten™ Flush-Glazed Rider for Construction & Installation

Provides protection in case of accidental glass breakage during residential and multi-family construction or installation. Therma-Tru will replace the flush-glazed fiberglass door or sidelite.

### EnLiten™ Flush-Glazed Rider for Homeowners

Provides protection in case of glass-related failures due to manufacturer defect. Therma-Tru will furnish \$300 toward installation and replace the flush-glazed fiberglass door or sidelite.




# Convenient choices for more light.

## Privacy & Textured Glass

Therma-Tru® doors and sidelites can be fitted with our beautiful privacy and textured glass. This versatile assortment aligns with personal style and homeowner desires for privacy while allowing natural light to brighten the interior.

- Category includes diverse textures for individual design expression.
- Varying opacity levels range from 7-10.
- All privacy and textured glass options are triple-pane, providing thermal efficiency.
- Triple-pane construction also allows for an easy-to-clean surface.
- Available with two Lip-lite frame options, as well as seamless flush-glazed options, in select doors.

Available in Classic-Craft®, Fiber-Classic®, Smooth-Star®, Profiles™, Traditions and Pulse doors and sidelites.




## Low-E Glass

Factory-coated Low-E glass delivers exceptional energy efficiency. Available in Classic-Craft, Fiber-Classic, Smooth-Star, Profiles, Traditions and Pulse. Look for the (☀️) icon.



In cold weather, Low-E glass can help reduce the loss of heat by reflecting the heat back inside the home.



In warm weather, Low-E glass reflects the sun's rays off of the glass, helping to keep the interior of the home cool.

Top: Classic-Craft American Style Collection, Geometric Glass with SDLs, Doors – CCA2300XG, Finish – Raven

Bottom: Smooth-Star, Clear Glass with Fixed Grilles, Door – S262

Right Page Top: Smooth-Star, Internal Blinds, Door – S2600





## Internal Blinds

Enjoy the privacy and convenience of a cordless blind enclosed between glass. Control the desired level of light and privacy with the simplicity of a single handle.

- Protected between two panes of tempered glass for enhanced safety and performance.
- With no dangling cords, this is a kid- and pet-friendly choice.
- Blinds remain dust free, and glass is easier to clean than traditional blinds.
- Choose Low-E glass for improved energy efficiency or standard clear glass.
- EnLiten™ flush-glazed designs and Impact-rated options available.

Available in Fiber-Classic®, Smooth-Star®, Profiles™ and Traditions doors and sidelites.

## Divided Lites

Enhance the beauty of any home with a variety of divided lite options for entry and patio doors. Tailor the look with different texture, profile, width and color choices. See pages 118–119 for more.

- Coordinate with the home's window patterns for a cohesive look and increased curb appeal.
- Choose from Colonial, Craftsman or Prairie styles to suit the home's architectural details.
- Available glass options include elegant privacy and textured, as well as energy-efficient Low-E and clear glass.




# Tough When You Need It. Beautiful Always.

## High-Power Testing

Our Impact-rated doors pass a large missile impact test. We blast a 9 lb. 2" x 4" stud into the doors at 34 mph to prove they're the better choice for strength and stability.

## Impact-Rated Products


Therma-Tru offers Impact-rated doors and glass that can be used to meet high-wind and coastal region codes and regulations, offering excellent performance in extreme weather conditions while providing added protection.




### 1 Use the map as a guide to find out if you need product for WBDR or HVHZ.

Always confirm building code requirements in your area before buying.\*

### 2 Use the icons to find available Therma-Tru® product options in this catalog.



 **WBDR / HVHZ Options:** Look for this icon to find door and sidelite styles that can be configured for WBDR or HVHZ.

### 3 Verify that there is a Therma-Tru product approval specific to your area for the door system configuration before buying.\*

### 4 Make sure the product is installed in compliance with the product approval to meet building codes.

The performance of the door system depends on how it is installed. Proper installation is required to comply with building codes.

\*Product approvals show that the door system meets applicable codes when selected, assembled and installed as instructed. Note: See your Therma-Tru seller or visit [www.thermatru.com](http://www.thermatru.com) for product approvals and installation instructions. Always confirm building code requirements in your area before buying. Follow weather and news reports to assess severe weather situations and obey local authorities' shelter and evacuation orders. No product guarantees safety for persons or property, nor makes any premises hurricane- or impact-proof.



Constructed to help protect the interior of the home from flying debris and high winds associated with tropical storms and hurricanes, these products are tested to meet codes and regulations in coastal regions, including parts of Florida, Texas and the Carolinas.\*



### Impact Doors

Feature a built-in 24-gauge steel plate lining.

### Impact Glass

Features special laminated glass construction.



### Impact-Rated Internal Blinds


Features laminated glass construction and a durable, paintable aluminum lite frame with a flat profile aesthetic cover for a simple look.



### Impact Lip-Lite Frame

Features durable, paintable aluminum construction.

An attractive scrolled profile gives a thin, sleek appearance and a screw channel cover helps hide unsightly screws.



### Other Considerations

#### Fire Doors

We offer a stylish selection of 20-Minute Fire-rated fiberglass doors – with 20- and 90-Minute Fire-rated steel options available – for protection with a sense of style. See pages 222–227.

#### Noise Reduction Doors

Therma-Tru Sound Transmission Class- (STC) rated Noise Reduction doors deliver aesthetics with a commercial level of performance for residential projects. See page 196.

# Classic-Craft® Premium Entryways

Classic-Craft®



## Extraordinary in every detail.

A premium entryway that's truly unique and uncompromising in every detail. One that blends precision-engineered features with architecturally correct details to produce an entryway that performs as exceptionally as it looks – instilling confidence and peace of mind. And Classic-Craft entry doors are rated a *Consumers Digest* Best Buy for their exceptional warranty, quality of materials and construction, and resemblance to a real wood door.



### See the difference.

Discover architecturally correct designs, exclusive glass options and rich, authentic finishes.





More than 10% wider glass\*



**Classic-Craft Premium Glass**



**Standard Glass**

## Premium Glass

- An exclusive collection of 12 decorative glass families, starting on page 26.
- Close attention to detail produces truly distinctive designs you won't find anywhere else.
- More than 10% wider glass\* welcomes more light into the home and creates a distinctive entryway.
- Fiberglass lite frames are made with the same material as the door to blend seamlessly with the rest of the entryway when stained or painted.
- All sidelites are made with flush-glazed glass for a truly seamless, consistent appearance.
- All clear glass options are Low-E, providing long-term energy efficiency.

\*Comparison of Classic-Craft to other standard fiberglass doors with similar styles. Visit [www.thermatru.com](http://www.thermatru.com) for details.

Note: See your Therma-Tru seller or visit [www.thermatru.com](http://www.thermatru.com) for details on limited warranties and exclusions.

Left Page: Classic-Craft American Style Collection, Clear Glass with SDLs, Doors – CCA4940



# Compare for yourself.

## Architecturally correct for true classic beauty.

Doors designed to be architecturally correct, with proportions modeled after classic architectural principles, to create a more premium entryway.

Up to  
25% wider  
panels\*



**Classic-Craft Premium Door**



**Standard Fiberglass Door**



**Premium – right down to the edge.**  
A solid hardwood square edge delivers a genuine wood appearance.



**Standard fiberglass bullnose edge.**  
The bullnose profile, typical of other fiberglass doors, detracts from the authentic wood look.



**The look of real wood.** Realistic wood grains that are virtually indistinguishable from high-grade wood doors, thanks to Therma-Tru's AccuGrain® technology.

**Details that define a custom door.** Crisp, handcrafted elegance creates embossments that are deeper than standard fiberglass doors.



## Feel the difference.

Experience the integrity of a solid, precision-engineered entryway built for long-term durability, stability and peace of mind.



# Classic-Craft® Door Construction

Classic-Craft® doors offer the authentic look of wood. It's virtually impossible to tell the difference. But the beauty goes beyond skin deep. Discover the craftsmanship and innovation of a premium entryway that performs as exceptionally as it looks, offering long-lasting energy efficiency, durability and security.



## 1 Enhanced Weather Resistance

No more worries about rotting, warping or twisting. Classic-Craft premium entryways are tested and designed to resist extreme weather conditions and the damaging effects of moisture. Both the top and bottom of the door are protected by composite rails for a longer-lasting entryway.

## 2 Solid Security

Classic-Craft premium entryways feel solid and close with authority. A 4" wide beam of engineered lumber runs from the top to the bottom of the locking side of the door to add mass and rigidity, giving the door weight and a natural wood feel.

## 3 Excellent Durability

Built to stand up to the elements and years of wear, Classic-Craft's fiberglass skins are thicker than other standard fiberglass doors to provide added durability and better long-term performance.

## 4 Higher R-Values

Classic-Craft premium entryways contribute to an energy-efficient home. A polyurethane foam core provides up to four times the insulating R-Value of wood.\*\*

## 5 Edge-to-Edge Moisture Protection

Resist moisture at every turn – and along every edge. Classic-Craft premium entryways have hardwood and composite edges that help prevent moisture penetration.

\*Comparison of Classic-Craft to other standard fiberglass doors with similar styles. Visit [www.thermatru.com](http://www.thermatru.com) for details.

\*\*Comparison of fiberglass to wood doors (both without glass).

Note: See your Therma-Tru seller or visit [www.thermatru.com](http://www.thermatru.com) for details on limited warranties and exclusions.

Left Page: Classic-Craft Rustic Collection Door – CCR8222; Clear Glass, Sidelite – CCR8000SL, ©TheHouseDesigners.com

# Classic-Craft®

Decorative & Specialty Glass Designs



## Villager™

Villager beautifully interprets the Craftsman chevron design with ① bronze waterglass, ② seeded glass, ③ clear bevels, ④ gray artique glass and coming. Artistically authentic in every detail.

Available in:  
American Style Collection™  
Canvas Collection®

1 5 10  
Glass Privacy Rating



Black Nickel



Brushed Nickel

Note: Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit [www.thermatru.com](http://www.thermatru.com) for details on glass privacy ratings and designs.




## Homeward™

The balanced Mission-style pattern of Homeward invites light to cascade through its distinctive ① clear bevels, ② seeded glass and ③ gray artique glass.

An ideal complement for a Transitional home design.

Available in:  
 American Style Collection™  
 Mahogany Collection™  
 Rustic Collection™  
 Oak Collection™  
 Canvas Collection.



Black Nickel



Brushed Nickel

## Arcadia™

With its timeless petal design, Arcadia combines ① gray baroque glass, ② seeded glass, ③ clear curved bevels and coming for a distinctive display that evokes a simpler time.

Available in:  
 Mahogany Collection™  
 Rustic Collection™  
 Oak Collection™  
 Canvas Collection.



Black Nickel



Brushed Nickel




Brass Only available in Mahogany and Oak collections.

## Augustine

Augustine's swirl leaf design adds that touch of elegance. Made of round wrought iron and ① granite glass for the ultimate in privacy, Augustine pays homage to classic English styling.

Available in:  
 Mahogany Collection™  
 Rustic Collection™  
 Canvas Collection®




Wrought Iron

Note: Features a lite frame with an authentic wrought iron look in a black finish. Refer to the image on page 61 to see an example on a home.

## Bella™

As its name suggests, Bella's design is delicate and appealing, bringing together ① clear bevels, ② clear baroque glass, ③ rainglass, ④ seeded glass, ⑤ bronze waterglass and coming.

Available in:  
 Mahogany Collection™  
 Rustic Collection™  
 Oak Collection™  
 Canvas Collection®



Black Nickel

Note: Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit [www.thermatru.com](http://www.thermatru.com) for details on glass privacy ratings and designs.



## Arborwatch.

An eclectic interpretation of the Arts and Crafts movement, Arborwatch combines **1** narrow reed glass, **2** M seedy glass, **3** waterglass and coming in a symmetrical arrangement accented by **4** pale amber glass, **5** amber artique glass and **6** clear bevels.

Available in:  
 American Style Collection™  
 Mahogany Collection™  
 Rustic Collection™  
 Oak Collection™  
 Canvas Collection.



Black Nickel

Note: The use of pale amber and amber artique glass varies based on glass size. Refer to the image on page 90 to see an example on a home.



Brushed Nickel

## Borrassa.

A statement of strength and beauty, Borrassa combines linear and curved wrought iron with **1** hammered glass for the ultimate in privacy. Wrought iron decorative accents add an authentic Old World feel to this stately design.

Available in:  
 Mahogany Collection™  
 Rustic Collection™  
 Canvas Collection.



Wrought Iron

Note: Features a lite frame with an authentic wrought iron look in a black finish. Refer to the image on page 56 to see an example on a home.

## Provincial<sup>™</sup>

A unique diamond-based motif features **1** double waterglass, **2** clear bevels and coming surrounded by a **3** gray baroque glass border. Provincial captivates with stunning clarity.

Available in:  
 Rustic Collection<sup>™</sup>  
 Oak Collection<sup>™</sup>  
 Canvas Collection<sup>®</sup>



Black Nickel



Brushed Nickel




Brass Only available in Oak Collection.

## Longford<sup>™</sup>

The traditional design of Longford integrates a hint of a Celtic knot with **1** seeded glass, **2** clear bevels, **3** granite glass and coming. A timeless design ideal for entries where modest privacy is desired.

Available in:  
 Mahogany Collection<sup>™</sup>  
 Rustic Collection<sup>™</sup>  
 Canvas Collection<sup>®</sup>



Black Nickel



Brushed Nickel

Note: Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit [www.thermatru.com](http://www.thermatru.com) for details on glass privacy ratings and designs.




## Cambridge™


Ornate and enchanting, Cambridge exhibits a traditional 19<sup>th</sup> century-inspired elegance with modest privacy using **1** glue chip glass, **2** clear curved bevels, **3** double waterglass and coming.

Available in:  
Rustic Collection™  
Oak Collection™  
Canvas Collection.

1 **8** 10  
Glass Privacy Rating



Black Nickel



Brushed Nickel



Brass

## Zaha<sup>®</sup>

Structured right angles are offset by dynamic curves in this high-energy design. Zaha features **1** oceana and **2** seedy glass, **3** clear and **4** multifaceted bevels, and coming to create a refreshing and unexpected elegance that appeals to Contemporary home styles.

Available in:  
Mahogany Collection™  
Rustic Collection™  
Canvas Collection.

1 **3** 10  
Glass Privacy Rating



Black Nickel



Brushed Nickel

## Lucerna®

Named for the beauty of light it reflects, Lucerna glass presents an elegant, updated fleur-de-lis pattern in a spectrum of ① curved, ② diamond and ③ rectangular bevels surrounded by smooth, swirling ④ barn wood and heavily textured ⑤ diamond border glass.

Available in:  
 Mahogany Collection™  
 Rustic Collection™  
 Oak Collection™  
 Canvas Collection®

1 ————— ⑦ ————— 10  
 Glass Privacy Rating



Black Nickel



Brushed Nickel

## Privacy & Textured Glass



### Geometric

A sleek cubic texture with a unique multidimensional view and ever-changing perspectives.

1 ————— ⑦ ————— 10  
 Glass Privacy Rating



### Satin Etch

A fine-textured pearlescent glass that delivers a pure, simple design aesthetic.

1 ————— ⑩ ————— 10  
 Glass Privacy Rating

Note: Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit [www.thermatru.com](http://www.thermatru.com) for details on glass privacy ratings and designs.





### Chord

A vertical flowing pattern reminiscent of waves on the water.



Glass Privacy Rating



### Chinchilla

A free-flowing configuration, presenting quiet lines and curves.



Glass Privacy Rating



### Rainglass

An elegantly fashioned glass, featuring ripples of cascading water.



Glass Privacy Rating



### Granite

A coarse-grained arrangement with surface detail over the entirety of the glass.





Glass Privacy Rating

# Divided Lites


Enhance the beauty of any home with divided lites for entry and patio doors. Increase curb appeal by coordinating with window grid patterns for a cohesive look that suits the home's architectural details.

## Simulated Divided Lites (SDLs)



Wood-grained or smooth SDL bars adhere to the interior and exterior panes of tempered glass and can be stained or painted to complement the door and home. Look for the (  ) icon.

4-1/4" and 5-1/2" flat profile bars are also used on solid-panel doors as door divider bars (DDBs). Look for the (  ) icon.





(40.64 mm / 1.6 in.)  
Look for the (  ) icon.





(107.95 mm / 4.25 in.)  
Look for the (  )  
and (  ) icons.



(139.70 mm / 5.5 in.)  
Look for the (  )  
and (  ) icons.



Note: Some door styles use a combination of 4-1/4" and 5-1/2" divider bars. Look for the (  ) and (  ) icons.





(40.64 mm / 1.6 in.)  
Look for the (  ) icon.

Classic-Craft® American Style Collection™

Classic-Craft® Canvas Collection.

## Removable Wood Grilles

Removable wood grilles snap on and off the interior pane of tempered glass for easy cleaning. Can be stained or painted to complement the home décor. Look for the (  ) icon.



Bottom: Classic-Craft Canvas Collection, Low-E Glass with SDLs, Door – CCV960, Sidelites – CCV9020SL, Transom – 19220T



# Clavos & Strap Hinges

Add a finishing touch of rustic flavor with decorative hardware in an authentic, hand-forged wrought iron look with a black finish. Includes pyramid and round clavos, as well as strap hinges.



# Dentil Shelves

Complete the look with a dentil shelf for true Craftsman appeal or to complement other architectural elements around the house. Includes 4- and 16-block options.



Classic-Craft. American Style Collection. 4-Block Dentil Shelf



Classic-Craft. American Style Collection. 4-Block Dentil Shelf\*



Classic-Craft. American Style Collection. 16-Block Dentil Shelf



Classic-Craft. Canvas Collection. 4-Block Dentil Shelf



4-Block Dentil Shelf  
Shown on 3'6" x 8'0" door.



4-Block Dentil Shelf  
Shown on 3'0" x 8'0" door.

\*Pairs with 3'6" wide doors.



## Featured Products

---

Popular looks designed to inspire.







# Classic-Craft®

## American Style Collection™

### Vertical Fir grain.

The simple vertical lines and Shaker-style recessed panels of Classic-Craft American Style premium fiberglass entryways blend timeless looks with modern design for an entry that is the perfect complement to a variety of homes.

# Classic-Craft® American Style Collection™

Features high-definition vertical Fir grain with Shaker styling, ideal for a variety of homes from Arts and Crafts to Contemporary and Modern.



## Architectural Character


- Architecturally correct design – up to 25% wider panels.\*
- Deeper embossments.
- Solid hardwood square edges.
- More than 10% wider glass.\*
- EnLiten™ flush-glazed designs.
- Low-E glass standard.

## Heavier Construction

- 20% heavier construction.\*
- Top and bottom composite rails.
- 4" full-length engineered lumber lock stile.
- Thicker fiberglass skins.

## Available Sizes & Options

- 3'0" and 3'6" wide doors in 6'8" and 8'0" heights.
- 2-½" of height trimmability allows flexibility to fit 80"–82-½" and 96"–98-½" rough openings.

 WBDR Options: Look for this icon to find door styles that can be configured for WBDR.\*\*

## Finish Options

Classic-Craft American Style entryways can be stained or painted any color.



**See the difference finish can make.**

Explore PrismaGuard, premium finish and Same-Day. Stain color options on pages 250–254.

## Warranty Riders

- 🔥 See page 17 for details on the EnLiten™ Flush-Glazed Rider for Construction & Installation, and the EnLiten™ Flush-Glazed Rider for Homeowners.
- ⊕ Tru-Defense® Warranty Rider eligible when properly assembled and installed with all Therma-Tru specified system components, in accordance with the Rider. See page 13 for details.



\*Comparison of Classic-Craft to other standard fiberglass doors with similar styles. Visit [www.thermatru.com](http://www.thermatru.com) for details.

\*\*Please verify that there is a Therma-Tru Impact-rated product approval for the configuration before buying.

Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit [www.thermatru.com](http://www.thermatru.com) for more, including details on height trimmability, limited warranties and exclusions, Riders and ENERGY STAR qualified products.

Top: Classic-Craft American Style Collection, Low-E Glass with SDLs, Door – CCA230, Sidelites – CCA210SL, Finish – Raven  
Right Page: Classic-Craft American Style Collection Door – CCA1133; Low-E Glass, Sidelites – CCA2400SL, Finish – Wildflower Honey



## Decorative Glass Designs



**Villager™** Page 40  
Glass Privacy Rating: **5**



**Homeward™** Page 40  
Glass Privacy Rating: **4**



**Arborwatch®** Page 41  
Glass Privacy Rating: **6**

Also Available:

### Privacy & Textured Glass

Page 42, 44

### Low-E Glass

Page 43, 46

Glass Privacy Rating Scale

**1 2 3 4 5 6 7 8 9 10**

Clear


Opaque

### Caming Options


- ◆ Black Nickel Caming (1D)
- ◆ Brushed Nickel Caming (1C)

📖 Simulated divided lites (SDLs) available.

## Sticking Profiles



Craftsman-Lite 2-Panel Flush-Glazed



1-Panel Shaker



# Villager™ ◆

Classic-Craft®



CCA212  
▲ 3'0" x 6'8"

CCA8212  
▲ 3'0" x 8'0"



CCA222  
▲ 3'0" x 6'8"

CCA8222  
▲ 3'0" x 8'0"



CCA232  
▲ 3'0" x 6'8"

CCA8232  
▲ 3'0" x 8'0"



CCA3402SL  
▲ 12" x 6'8"  
14" x 6'8"



CCA3502SL  
▲ 12" x 8'0"  
14" x 8'0"



CCA212SL  
▲ 12" x 6'8"  
14" x 6'8"

# Homeward™ ◆



CCA211  
▲ 3'0" x 6'8"

CCA8211  
▲ 3'0" x 8'0"



CCA87112  
▲ 3'6" x 8'0"



CCA221  
▲ 3'0" x 6'8"

CCA8221  
▲ 3'0" x 8'0"



CCA87122  
▲ 3'6" x 8'0"



CCA231  
▲ 3'0" x 6'8"

CCA8231  
▲ 3'0" x 8'0"



CCA87132  
▲ 3'6" x 8'0"



CCA3401SL  
▲ 12" x 6'8"  
14" x 6'8"



CCA3501SL  
▲ 12" x 8'0"  
14" x 8'0"



CCA211SL  
▲ 12" x 6'8"  
14" x 6'8"



HWRT  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only



HW30T  
3'0" Door Only

\*Pairs with 3'6" wide doors.

Note: See page 275 for important product details that may help with your purchase decision.

Right Page: Classic-Craft American Style Collection, Arborwatch Glass with SDLs, Door – CCA9300, Sidelites – CCA9100SL



# Arborwatch. ♦ ❖



CCA9100  
3'0" x 6'8"

CCA89100  
3'0" x 8'0"



CCA87111  
3'6" x 8'0"



CCA9200  
3'0" x 6'8"

CCA89200  
3'0" x 8'0"



CCA87121  
3'6" x 8'0"



CCA9300  
3'0" x 6'8"

CCA89300  
3'0" x 8'0"



CCA87131  
3'6" x 8'0"



CCA1423SL  
12" x 6'8"  
14" x 6'8"



CCA81423SL  
12" x 8'0"  
14" x 8'0"



ABRT  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only




AB30T  
3'0" Door Only



## Key

- 🔥 Flush-Glazed Glass (FG)
- ♦ Black Nickel Caming (1D)
- ❖ Brushed Nickel Caming (1C)
- 🔲 Simulated Divided Lites (SDL)

## Optional Dentil Shelves



# Privacy & Textured Glass

Classic-Craft®



CCA210\_ 3'0" x 6'8"  
CCA8210\_ 3'0" x 8'0"



CCA87100XR  
3'6" x 8'0"



CCA220\_ 3'0" x 6'8"  
CCA8220\_ 3'0" x 8'0"



CCA87200XR  
3'6" x 8'0"



CCA230\_ 3'0" x 6'8"  
CCA8230\_ 3'0" x 8'0"



CCA87300XR  
3'6" x 8'0"



CCA240\_ 3'0" x 6'8"  
CCA8240\_ 3'0" x 8'0"



CCA87400XR  
3'6" x 8'0"



CCA260\_ 3'0" x 6'8"  
CCA8260\_ 3'0" x 8'0"



CCA87600XR  
3'6" x 8'0"



CCA3400\_SL  
12" x 6'8"  
14" x 6'8"



CCA3500\_SL  
12" x 8'0"  
14" x 8'0"



CCA3450\_SL  
12" x 6'8"  
14" x 6'8"



CCA3560\_SL  
12" x 8'0"  
14" x 8'0"



CCA210\_SL  
12" x 6'8"  
14" x 6'8"



CCA220\_SL  
12" x 6'8"  
14" x 6'8"

## Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 32–33.

**XG = Geometric**  
Available only for full-lite sidelites.

**XC = Chord**  
**XJ = Chinchilla**

**XR = Rainglass**  
**XN = Granite**

\*Pairs with 3'6" wide doors.

Note: See page 275 for important product details that may help with your purchase decision.

Bottom: Classic-Craft American Style Collection, Chord Glass with SDLs, Door – CCA260XC, Sidelites – CCA220XCSSL, Dentil Shelf

Right Page: Classic-Craft American Style Collection, Low-E Glass with SDLs, Door – CCA230, Sidelites – CCA3400SL, Transom – 19220T



# Low-E Glass



CCA210  
 ☀️ 3'0" x 6'8"  
 CCA8210  
 ☀️ 3'0" x 8'0"



CCA87100  
 ☀️ 3'6" x 8'0"



CCA220  
 ☀️ 3'0" x 6'8"  
 CCA8220  
 ☀️ 3'0" x 8'0"



CCA87200  
 ☀️ 3'6" x 8'0"



CCA230  
 ☀️ 3'0" x 6'8"  
 CCA8230  
 ☀️ 3'0" x 8'0"



CCA87300  
 ☀️ 3'6" x 8'0"



CCA240  
 ☀️ 3'0" x 6'8"  
 CCA8240  
 ☀️ 3'0" x 8'0"




CCA87400  
 ☀️ 3'6" x 8'0"



CCA260  
 ☀️ 3'0" x 6'8"  
 CCA8260  
 ☀️ 3'0" x 8'0"



CCA87600  
 ☀️ 3'6" x 8'0"



CCA3400SL  
 ☀️ 12" x 6'8"  
 14" x 6'8"



CCA3500SL  
 ☀️ 12" x 8'0"  
 14" x 8'0"



CCA3450SL  
 ☀️ 12" x 6'8"  
 14" x 6'8"



CCA3560SL  
 ☀️ 12" x 8'0"  
 14" x 8'0"



CCA210SL  
 ☀️ 12" x 6'8"  
 14" x 6'8"

CCA220SL  
 ☀️ 12" x 6'8"  
 14" x 6'8"



19220T  
 ☀️  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous / Boxed Sill Systems



19200T  
 ☀️  
 3'0" Door Only




19210T  
 ☀️  
 12" & 14"  
 Sidelite Only

## Key

- ☀️ Flush-Glazed Glass (FG)
- ☀️ Low-E Glass (LE)
- ☀️ Simulated Divided Lites (SDL)

## Optional Dentil Shelves



4-Block Dentil Shelf

16-Block Dentil Shelf


4-Block Dentil Shelf\*

# American Style Collection™ Shaker Doors & Sidelites

Explore premium Shaker-style entries both with and without glass. Many feature premium fiberglass divider bars to create unique styles designed to complement a wide range of architectural elements.

## Privacy & Textured Glass

Note: Product images show exterior side of door.



CCA2400  
3'0" x 6'8"

CCA82400  
3'0" x 8'0"



CCA2300  
3'0" x 6'8"




CCA82300  
3'0" x 8'0"



CCA2310  
3'0" x 6'8"




CCA82310  
3'0" x 8'0"



CCA2320  
3'0" x 6'8"




CCA82320  
3'0" x 8'0"



CCA2330  
3'0" x 6'8"



CCA82330  
3'0" x 8'0"



CCA2340  
3'0" x 6'8"




CCA82340  
3'0" x 8'0"



CCA2350\*  
3'0" x 6'8"




CCA82350\*  
3'0" x 8'0"



CCA2360\*  
3'0" x 6'8"



CCA82360\*  
3'0" x 8'0"



CCA2380  
3'0" x 6'8"



CCA82380  
3'0" x 8'0"



CCA2370\*  
3'0" x 6'8"



CCA82370\*  
3'0" x 8'0"

### Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 32–33.

**XG = Geometric**  
Available for select styles.

**XE = Satin Etch**  
**XC = Chord**

**XJ = Chinchilla**  
**XR = Rainglass**


**XN = Granite**

\*Not available with Geometric privacy and textured glass.

Note: See page 275 for important product details that may help with your purchase decision.

Bottom: Classic-Craft American Style Collection, Chord Glass, Door – CCA82400XC, Finish – Driftwood





CCA2400\_SL  
 ▲  
 12" x 6'8"  
 14" x 6'8"



CCA82400\_SL  
 ▲  
 12" x 8'0"  
 14" x 8'0"



CCA2300\_SL  
 ▲  
 12" x 6'8"  
 14" x 6'8"



CCA82300\_SL  
 ▲  
 12" x 8'0"  
 14" x 8'0"



CCA2310\_SL  
 ▲  
 12" x 6'8"  
 14" x 6'8"



CCA82310\_SL  
 ▲  
 12" x 8'0"  
 14" x 8'0"



CCA2320\_SL  
 ▲  
 12" x 6'8"  
 14" x 6'8"



CCA82320\_SL  
 ▲  
 12" x 8'0"  
 14" x 8'0"




CCA2330\_SL  
 ▲  
 12" x 6'8"  
 14" x 6'8"



CCA82330\_SL  
 ▲  
 12" x 8'0"  
 14" x 8'0"



CCA2340\_SL  
 ▲  
 12" x 6'8"  
 14" x 6'8"



CCA82340\_SL  
 ▲  
 12" x 8'0"  
 14" x 8'0"



CCA4900\_\*  
 ▲  
 3'0" x 6'8"

CCA84900\_\*  
 ▲  
 3'0" x 8'0"

CCA4910L\_\*  
 ▲  
 3'0" x 6'8"


CCA84910R\_\*  
 ▲  
 3'0" x 6'8"



CCA84910L\_\*  
 ▲  
 3'0" x 8'0"




CCA84910R\_\*  
 ▲  
 3'0" x 8'0"



CCA4920L\_\*  
 ▲  
 3'0" x 6'8"

CCA4920R\_\*  
 ▲  
 3'0" x 6'8"



CCA84920L\_\*  
 ▲  
 3'0" x 8'0"

CCA84920R\_\*  
 ▲  
 3'0" x 8'0"



CCA4930\_\*  
 ▲  
 3'0" x 6'8"

CCA84930\_\*  
 ▲  
 3'0" x 8'0"



CCA4940\_\*  
 ▲  
 3'0" x 6'8"

CCA84940\_\*  
 ▲  
 3'0" x 8'0"

**Key**


- ▲ Flush-Glazed Glass (FG)
- 3 Simulated Divided Lites (SDLF3)
- 4 Simulated Divided Lites (SDLF4)

- 5 Simulated Divided Lites (SDLF5)

# Low-E Glass

Note: Product images show exterior side of door.

Classic-Craft®



CCA2400  
3'0" x 6'8"

CCA82400  
3'0" x 8'0"



CCA2300  
3'0" x 6'8"

CCA82300  
3'0" x 8'0"




CCA2310  
3'0" x 6'8"

CCA82310  
3'0" x 8'0"



CCA2320  
3'0" x 6'8"

CCA82320  
3'0" x 8'0"



CCA2330  
3'0" x 6'8"

CCA82330  
3'0" x 8'0"




CCA2340  
3'0" x 6'8"

CCA82340  
3'0" x 8'0"



CCA2350  
3'0" x 6'8"

CCA82350  
3'0" x 8'0"



CCA2360  
3'0" x 6'8"

CCA82360  
3'0" x 8'0"



CCA2380  
3'0" x 6'8"

CCA82380  
3'0" x 8'0"



CCA2370  
3'0" x 6'8"

CCA82370  
3'0" x 8'0"

Note: See page 275 for important product details that may help with your purchase decision.

Bottom: Classic-Craft American Style Collection, Low-E Glass with SDLs, Door – CCA2340, Sidelites – CCA2400SL, Finish – Rustic Clay, ©TheHouseDesigners.com





CCA2400SL  
 ▲ \*  
 12" x 6'8"  
 14" x 6'8"



CCA82400SL  
 ▲ \*  
 12" x 8'0"  
 14" x 8'0"



CCA2300SL  
 ▲ \* 2  
 12" x 6'8"  
 14" x 6'8"



CCA82300SL  
 ▲ \* 2  
 12" x 8'0"  
 14" x 8'0"



CCA2310SL  
 ▲ \* 2  
 12" x 6'8"  
 14" x 6'8"



CCA82310SL  
 ▲ \* 2  
 12" x 8'0"  
 14" x 8'0"



CCA2320SL  
 ▲ \* 3  
 12" x 6'8"  
 14" x 6'8"



CCA82320SL  
 ▲ \* 3  
 12" x 8'0"  
 14" x 8'0"



CCA2330SL  
 ▲ \* 3  
 12" x 6'8"  
 14" x 6'8"



CCA82330SL  
 ▲ \* 3  
 12" x 8'0"  
 14" x 8'0"



CCA2340SL  
 ▲ \* 3  
 12" x 6'8"  
 14" x 6'8"



CCA82340SL  
 ▲ \* 3  
 12" x 8'0"  
 14" x 8'0"



CCA4900  
 ▲ \* 3  
 3'0" x 6'8"



CCA84900  
 ▲ \* 3  
 3'0" x 8'0"



CCA4910L  
 ▲ \* 3  
 3'0" x 6'8"



CCA4910R  
 ▲ \* 3  
 3'0" x 6'8"

CCA84910L  
 ▲ \* 3  
 3'0" x 8'0"

CCA84910R  
 ▲ \* 3  
 3'0" x 8'0"



CCA4920L  
 ▲ \* 3  
 3'0" x 6'8"



CCA4920R  
 ▲ \* 3  
 3'0" x 6'8"

CCA84920L  
 ▲ \* 3  
 3'0" x 8'0"

CCA84920R  
 ▲ \* 3  
 3'0" x 8'0"



CCA4930  
 ▲ \* 3  
 3'0" x 6'8"



CCA84930  
 ▲ \* 3  
 3'0" x 8'0"

CCA4940  
 ▲ \* 3  
 3'0" x 6'8"

CCA84940  
 ▲ \* 3  
 3'0" x 8'0"

**Key**

▲ Flush-Glazed Glass (FG)

☀ Low-E Glass (LE)

3 Simulated Divided Lites (SDLF3)


4 Simulated Divided Lites (SDLF4)

5 Simulated Divided Lites (SDLF5)

# Solid Panel

Note: Product images show exterior side of door.

Classic-Craft®



CCA1100  
3'0" x 6'8"

CCA81100  
3'0" x 8'0"



CCA1133  
3'0" x 6'8"

CCA81133  
3'0" x 8'0"



CCA1145  
3'0" x 6'8"

CCA81145  
3'0" x 8'0"



CCA1150  
3'0" x 6'8"

CCA81150  
3'0" x 8'0"



CCA1125  
3'0" x 6'8"

CCA81125  
3'0" x 8'0"



CCA1149  
3'0" x 6'8"

CCA81149  
3'0" x 8'0"



CCA1147  
3'0" x 6'8"

CCA81147  
3'0" x 8'0"



CCA1166  
3'0" x 6'8"

CCA81166  
3'0" x 8'0"



CCA1158  
3'0" x 6'8"

CCA81158  
3'0" x 8'0"



CCA1127  
3'0" x 6'8"

CCA81127  
3'0" x 8'0"

Note: See page 275 for important product details that may help with your purchase decision.


Bottom: Classic-Craft American Style Collection Door – CCA1100; Low-E Glass, Sidelites – CCA2310SL, Finish – Driftwood






CCA4905  
3 9  
3'0" x 6'8"

CCA84905  
3 9  
3'0" x 8'0"




CCA4915L  
3 9  
3'0" x 6'8"

CCA4915R  
3 9  
3'0" x 6'8"



CCA84915L  
3 9  
3'0" x 8'0"

CCA84915R  
3 9  
3'0" x 8'0"



CCA4925L  
3 9  
3'0" x 6'8"

CCA4925R  
3 9  
3'0" x 6'8"



CCA84925L  
3 9  
3'0" x 8'0"

CCA84925R  
3 9  
3'0" x 8'0"




CCA4935  
3 9  
3'0" x 6'8"

CCA84935  
3 9  
3'0" x 8'0"




CCA4945  
3 9  
3'0" x 6'8"

CCA84945  
3 9  
3'0" x 8'0"



CCA2430SL  
4 9  
12" x 6'8"  
14" x 6'8"

CCA82430SL  
4 9  
12" x 8'0"  
14" x 8'0"



CCA2420SL  
4 9  
12" x 6'8"  
14" x 6'8"

CCA82420SL  
4 9  
12" x 8'0"  
14" x 8'0"



CCA2410SL  
4 9  
12" x 6'8"  
14" x 6'8"

CCA82410SL  
4 9  
12" x 8'0"  
14" x 8'0"

Pair full-lite Shaker flush-glazed sidelites, also available in privacy and textured and Low-E glass, with solid-panel doors for natural light in the entry.

**Key**

- ▲ Flush-Glazed Glass (FG)
- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Door Divider Bars (DDBF3)
- Door Divider Bars (DDBF4)
- Door Divider Bars (DDBF5)
- 9 WBDP Options






Classic-Craft<sup>®</sup>  
Entry Doors

THERMA TRU  
DOORS



## Featured Products

Popular looks  
designed to inspire.





Classic-Craft®

Mahogany

Collection™

Rich, warm Mahogany wood tones.

Especially suited for European, Victorian and Colonial home styles, Classic-Craft Mahogany premium fiberglass entryways are a sophisticated, elegant option for homeowners looking to make a statement by creating dramatic, grand entrances.

# Classic-Craft® Mahogany Collection™

Offers rich, warm wood tones in authentic Honduran Mahogany, especially suited for European, Victorian and Colonial homes.



## Architectural Character


- Architecturally correct design – up to 25% wider panels.\*
- Deeper embossments.
- Solid hardwood square edges.
- More than 10% wider glass.\*
- EnLiten™ flush-glazed sidelites.
- Low-E glass standard.

## Heavier Construction

- 20% heavier construction.\*
- Top and bottom composite rails.
- 4" full-length engineered lumber lock stile.
- Thicker fiberglass skins.

## Available Sizes & Options

- 3'0" wide doors in 6'8" and 8'0" heights.
- 2-½" of height trimmability allows flexibility to fit 80"-82-½" and 96"-98-½" rough openings.

 WBDR / HVHZ Options: Look for this icon to find door styles that can be configured for WBDR or HVHZ.\*\*

## Finish Options



Classic-Craft Mahogany entryways can be stained or painted any color.



**See the difference finish can make.**

Explore PrismaGuard® premium finish and Same-Day. Stain color options on pages 250–254.

## Warranty Riders

-  All Classic-Craft sidelites feature EnLiten™ flush-glazed designs. See page 17 for details on the EnLiten™ Flush-Glazed Rider for Construction & Installation, and the EnLiten™ Flush-Glazed Rider for Homeowners.
-  Tru-Defense® Warranty Rider eligible when properly assembled and installed with all Therma-Tru specified system components, in accordance with the Rider. See page 13 for details.



\*Comparison of Classic-Craft to other standard fiberglass doors with similar styles. Visit [www.thermatru.com](http://www.thermatru.com) for details.

\*\*Please verify that there is a Therma-Tru Impact-rated product approval for the configuration before buying.

Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit [www.thermatru.com](http://www.thermatru.com) for more, including details on height trimmability, limited warranties and exclusions, Riders, ENERGY STAR qualified products and product approvals.

Top: Classic-Craft Mahogany Collection, Zaha Glass, Door – CCM1851, Sidelites – CCM1851SL

Right Page: Classic-Craft Mahogany Collection, Lucerna Glass, Door – CCM204, Finish – Driftwood



# Decorative Glass Designs



**Homeward™** Page 54  
Glass Privacy Rating: **4**



**Arcadia™** Page 54  
Glass Privacy Rating: **5**



**Augustine™** Page 55  
Glass Privacy Rating: **10**



**Bella™** Page 55  
Glass Privacy Rating: **6**



**Arborwatch™** Page 56  
Glass Privacy Rating: **6**



**Borrassa™** Page 56  
Glass Privacy Rating: **10**



**Longford™** Page 57  
Glass Privacy Rating: **8**



**Zaha™** Page 57  
Glass Privacy Rating: **3**



**Lucerna™** Page 58  
Glass Privacy Rating: **7**

Also Available:

**Privacy & Textured Glass** Page 58

**Low-E Glass** Page 59

## Caming Options

- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- ◆ Brass Caming (1A)
- ✗ Wrought Iron (1W)

Glass Privacy Rating Scale

1 2 3 4 5 6 7 8 9 10  
Clear Opaque



# Homeward™

Classic-Craft®



CCM9925  
3'0" x 6'8"



CCM9923  
3'0" x 6'8"



CCM89922  
3'0" x 8'0"



CCM9926  
3'0" x 6'8"



CCM9925SL  
12" x 6'8"  
14" x 6'8"

CCM89925SL  
12" x 8'0"  
14" x 8'0"



HWRT  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only



HW30T  
3'0" Door Only

# Arcadia™



CCM109  
3'0" x 6'8"



CCM209  
3'0" x 6'8"



CCM894  
3'0" x 8'0"



CCM309  
3'0" x 6'8"



CCM609  
3'0" x 6'8"



CCM709  
3'0" x 6'8"



CCM809  
3'0" x 6'8"



CCM3409SL  
12" x 6'8"  
14" x 6'8"

CCM8003SL  
12" x 8'0"  
14" x 8'0"



CCM3309SL  
10" x 6'8"  
12" x 6'8"  
14" x 6'8"



CCM3509SL  
12" x 6'8"  
14" x 6'8"



CC620T  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only



CC60T  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only



CC600T  
3'0" Door Only



# Augustine<sup>®</sup>x

Note: Product images show exterior side of door.



CCM30027  
3'0" x 6'8"




CCM1485  
3'0" x 6'8"



CCM805027  
3'0" x 8'0"



CCM1495  
3'0" x 6'8"



CCM3400XNSL  
▲ 12" x 6'8"  
▲ 14" x 6'8"

CCM8000XNSL  
▲ 12" x 8'0"  
▲ 14" x 8'0"

Note: Coordinating sidelites feature granite glass without wrought iron.

# Bella<sup>™</sup>◆



CCM110B  
3'0" x 6'8"



CCM210B  
3'0" x 6'8"



CCM895B  
3'0" x 8'0"



CCM310B  
3'0" x 6'8"



CCM610B  
3'0" x 6'8"



CCM710B  
3'0" x 6'8"



CCM810B  
3'0" x 6'8"



CCM3410BSL  
▲ 12" x 6'8"  
▲ 14" x 6'8"



CCM8004BSL  
▲ 12" x 8'0"  
▲ 14" x 8'0"



CCM3310BSL  
▲ 10" x 6'8"  
▲ 12" x 6'8"  
▲ 14" x 6'8"



CCM3510BSL  
▲ 12" x 6'8"  
▲ 14" x 6'8"



BERT-B  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only



BEET-B  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only

## Key

- ▲ Flush-Glazed Glass (FG)
- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)

- ❖ Brass Caming (1A)
- ✕ Wrought Iron (1W)

# Arborwatch®

Classic-Craft®




CCM1423  
3'0" x 6'8"



CCM1419  
3'0" x 6'8"



CCM81418  
3'0" x 8'0"



CCM1424  
3'0" x 6'8"



CCM1423SL	CCM81423SL
12" x 6'8"	12" x 8'0"
14" x 6'8"	14" x 8'0"



ABRT  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only



AB30T  
3'0" Door Only

# Borrassa®

Note: Product images show exterior side of door.



CCM1528  
3'0" x 6'8"



CCM1475  
3'0" x 6'8"



CCM81519  
3'0" x 8'0"



CCM1465  
3'0" x 6'8"



CCM3400XHSL	CCM8000XHSL
12" x 6'8"	12" x 8'0"
14" x 6'8"	14" x 8'0"

Note: Coordinating sidelites feature hammered glass without wrought iron.



Note: See page 275 for important product details that may help with your purchase decision.

Bottom: Classic-Craft Mahogany Collection, Borrassa Glass, Door – CCM81519



# Longford™ ◆ ❑

Note: Product images show exterior side of door.



CCM103  
3'0" x 6'8"



CCM203  
3'0" x 6'8"

CCM892  
3'0" x 8'0"

CCM303  
3'0" x 6'8"

CCM603  
3'0" x 6'8"

CCM703  
3'0" x 6'8"

CCM803  
3'0" x 6'8"



CCM3403SL  
▲ 12" x 6'8"  
▲ 14" x 6'8"

CCM8001SL  
▲ 12" x 8'0"  
▲ 14" x 8'0"



CCM3303SL  
▲ 10" x 6'8"  
▲ 12" x 6'8"  
▲ 14" x 6'8"



CCM3503SL  
▲ 12" x 6'8"  
▲ 14" x 6'8"



LFRT  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only



LFET  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only




LF30T  
3'0" Door Only

# Zaha◆ ❑

Note: Product images show exterior side of door.



CCM1851  
3'0" x 6'8"



CCM1844  
3'0" x 6'8"

CCM81843  
3'0" x 8'0"

CCM1842  
3'0" x 6'8"

CCM1851SL  
▲ 12" x 6'8"  
▲ 14" x 6'8"

CCM81851SL  
▲ 12" x 8'0"  
▲ 14" x 8'0"

CCM1843SL  
▲ 10" x 6'8"  
▲ 12" x 6'8"  
▲ 14" x 6'8"



ZHRT  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only

## Key

- ▲ Flush-Glazed Glass (FG)
- ◆ Black Nickel Caming (1D)
- ❑ Brushed Nickel Caming (1C)
- ✗ Wrought Iron (1W)

Lucerna®

Classic-Craft®



CCM10022  
3'0" x 6'8"




CCM204  
3'0" x 6'8"



CCM898  
3'0" x 8'0"



CCM302  
3'0" x 6'8"



CCM612  
3'0" x 6'8"



CCM702  
3'0" x 6'8"



CCM822  
3'0" x 6'8"



CCM3412SL  
▲  
12" x 6'8"  
14" x 6'8"



CCM8102SL  
▲  
12" x 8'0"  
14" x 8'0"



CCM3302SL  
▲  
10" x 6'8"  
12" x 6'8"  
14" x 6'8"



CCM3502SL  
▲  
12" x 6'8"  
14" x 6'8"



LCRT  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only



LCET  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only



LC30T  
3'0" Door Only

Privacy & Textured Glass



CCM200XC  
CCM200XN  
3'0" x 6'8"



CCM300XC  
CCM300XN  
3'0" x 6'8"



CCM600XE  
3'0" x 6'8"



CCM3400XGSL  
CCM3400XESL  
CCM3400XCGL  
CCM3400XJSL  
CCM3400XRSL  
CCM3400XNSL  
▲  
12" x 6'8"  
14" x 6'8"

CCM8000XGSL  
CCM8000XCGL  
CCM8000XJSL  
CCM8000XRSL  
CCM8000XNSL  
▲  
12" x 8'0"  
14" x 8'0"

Privacy & Textured Glass Options

The underlined codes within the style numbers indicate the available privacy and textured glass options. For details on glass options, see pages 32–33.

XG = Geometric  
XE = Satin Etch

XC = Chord  
XJ = Chinchilla

XR = Rainglass  
XN = Granite

Note: See page 275 for important product details that may help with your purchase decision.

Right Page: Classic-Craft Mahogany Collection, Low-E Glass, Door – CCM200, Sidelites – CCM3300SL



# Low-E Glass



CCM100  
★  
3'0" x 6'8"



CCM200  
★  
3'0" x 6'8"



CCM891  
★  
3'0" x 8'0"



CCM300  
★  
3'0" x 6'8"



CCM600  
★  
3'0" x 6'8"



CCM700  
★  
3'0" x 6'8"



CCM800  
★  
3'0" x 6'8"



CCM3400SL  
★  
12" x 6'8"  
14" x 6'8"



CCM8000SL  
★  
12" x 8'0"  
14" x 8'0"



CCM3300SL  
★  
10" x 6'8"  
12" x 6'8"  
14" x 6'8"



CCM3500SL  
★  
12" x 6'8"  
14" x 6'8"



19220T  
★  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous / Boxed Sill Systems



19200T  
★  
3'0" Door Only



19020T  
★  
3'0" door + (2) 12" sidelites  
Continuous Sill System Only  
3'0" door + (2) 14" sidelites  
Continuous / Boxed Sill Systems



19210T  
★  
12" & 14"  
Sidelite Only



## Key

- 🔥 Flush-Glazed Glass (FG)
- ★ Low-E Glass (LE)
- ◆ Black Nickel Caming (1D)
- ▣ Brushed Nickel Caming (1C)

# Solid Panel

Classic-Craft®



CCM890  
3'0" x 8'0"



CCM60  
3'0" x 6'8"



CCM701  
3'0" x 6'8"



CCM801  
3'0" x 6'8"



Note: See page 275 for important product details that may help with your purchase decision.

Bottom: Classic-Craft Mahogany Collection Door – CCM890; Low-E Glass, Sidelites – CCM8000SL  
Right Page: Classic-Craft Mahogany Collection, Augustine Glass, Door – CCM1485; Granite Glass, Sidelites – CCR3400XNSL, Finish – New Earth










Classic-Craft<sup>®</sup>  
Entry Doors

THERMA TRU  
DOORS



## Featured Products

Popular looks  
designed to inspire.





# Classic-Craft®

## Rustic

## Collection™

Casually elegant wood graining.

Designed to complement American Southwest and European-inspired home styles, Classic-Craft Rustic premium fiberglass entryways feature casually elegant wood graining that can be coordinated with decorative glass and accessories to create enchanting entrances.

# Classic-Craft® Rustic Collection™

Seamlessly blends Southwest and European styling with rustic wood grains to evoke Old World charm.



## Architectural Character


- Architecturally correct design – up to 25% wider panels.\*
- Deeper embossments.
- Solid hardwood square edges.
- More than 10% wider glass.\*
- EnLiten™ flush-glazed sidelites.
- Low-E glass standard.

## Heavier Construction

- 20% heavier construction.\*
- Top and bottom composite rails.
- 4" full-length engineered lumber lock stile.
- Thicker fiberglass skins.

## Available Sizes & Options

- 3'0" and 3'6" wide doors in 6'8" and 8'0" heights.
- 2-½" of height trimmability allows flexibility to fit 80"-82-½" and 96"-98-½" rough openings.

 WBDR / HVHZ Options: Look for this icon to find door styles that can be configured for WBDR or HVHZ.\*\*

## Finish Options


Classic-Craft Rustic entryways can be stained or painted any color.




### See the difference finish can make.

Explore PrismaGuard® premium finish and Same-Day. Stain color options on pages 250–254.

## Warranty Riders

 All Classic-Craft sidelites feature EnLiten™ flush-glazed designs. See page 17 for details on the EnLiten™ Flush-Glazed Rider for Construction & Installation, and the EnLiten™ Flush-Glazed Rider for Homeowners.

 Tru-Defense® Warranty Rider eligible when properly assembled and installed with all Therma-Tru specified system components, in accordance with the Rider. See page 13 for details.



\*Comparison of Classic-Craft to other standard fiberglass doors with similar styles. Visit [www.thermatru.com](http://www.thermatru.com) for details.

\*\*Please verify that there is a Therma-Tru Impact-rated product approval for the configuration before buying.

Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit [www.thermatru.com](http://www.thermatru.com) for more, including details on height trimmability, limited warranties and exclusions, Riders, ENERGY STAR qualified products and product approvals.



# Decorative Glass Designs



**Homeward™**  
Page 66  
Glass Privacy Rating: **4**



**Arcadia™** Page 66  
Glass Privacy Rating: **5**



**Augustine®** Page 67  
Glass Privacy Rating: **10**



**Bella™** Page 68  
Glass Privacy Rating: **6**



**Arborwatch®**  
Page 68  
Glass Privacy Rating: **6**



**Borrassa®** Page 69  
Glass Privacy Rating: **10**



**Provincial™** Page 70  
Glass Privacy Rating: **6**



**Longford™** Page 71  
Glass Privacy Rating: **8**



**Cambridge™**  
Page 71  
Glass Privacy Rating: **8**



**Zaha®** Page 72  
Glass Privacy Rating: **3**



**Lucerna®** Page 73  
Glass Privacy Rating: **7**

Also Available:

**Privacy & Textured Glass**  
Page 74

**Low-E Glass**  
Page 75

### Caming Options

- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- ◇ Brass Caming (1A)
- ✗ Wrought Iron (1W)

Glass Privacy Rating Scale

1 2 3 4 5 6 7 8 9 10

Clear

Opaque

# Panel Embossments



2-Panel Square Top – WS



2-Panel Soft Arch  
4-Panel Round Top  
Arched 2-Panel Soft Arch  
Radiused 4-Panel Round Top  
2-Panel Round Top  
Radiused 2-Panel Round Top



2-Panel Plank Soft Arch  
Arched 2-Panel Plank Soft Arch  
1-Panel Plank Soft Arch  
2-Panel Plank Round Top  
Radiused 2-Panel Plank Round Top



Full Plank  
Radiused Full Plank

# Homeward™ ◆ ◆

Classic-Craft®



CCR9925  
3'0" x 6'8"



CCR9921  
3'0" x 6'8"



CCR89921  
3'0" x 8'0"  
3'6" x 8'0"



CCR9918  
3'0" x 6'8"



CCR89918  
3'0" x 8'0"



CCR822218  
3'0" x 8'0"  
3'6" x 8'0"



CCR9925SL  
▲  
12" x 6'8"  
14" x 6'8"



HWRT  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only



HW30T  
3'0" Door Only

CCR89925SL  
▲  
12" x 8'0"  
14" x 8'0"

# Arcadia™ ◆ ◆



CCR30029  
3'0" x 6'8"



CCR804029  
3'0" x 8'0"



CCR820529  
3'0" x 8'0"



CCR820029  
3'0" x 8'0"



CCR822229  
3'0" x 8'0"



CCR3409SL  
▲  
12" x 6'8"  
14" x 6'8"

CCR8009SL  
▲  
12" x 8'0"  
14" x 8'0"



CC060T  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only



CC620T  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only



CC600T  
3'0" Door Only

Note: See page 275 for important product details that may help with your purchase decision.

Right Page: Classic-Craft Rustic Collection, Augustine Glass, Door – CCR04027



# Augustine<sup>®</sup>x

Note: Product images show exterior side of door.



CCR30027  
3'0" x 6'8"



CCR04027 | CCR804027  
3'0" x 6'8" | 3'0" x 8'0"  
3'6" x 8'0"



CCR04037 | CCR804037  
3'0" x 6'8" | 3'0" x 8'0"  
3'6" x 8'0"



CCR20527 | CCR820527  
3'0" x 6'8" | 3'0" x 8'0"  
3'6" x 8'0"



CCR20537 | CCR820537  
3'0" x 6'8" | 3'0" x 8'0"  
3'6" x 8'0"



CCR20537A | CCR820537A  
3'0" x 6'8" | 3'0" x 8'0"  
3'6" x 8'0"



CCR20027 | CCR820027  
3'0" x 6'8" | 3'0" x 8'0"



CCR822227  
3'0" x 8'0"  
3'6" x 8'0"



CCR20037 | CCR820037  
3'0" x 6'8" | 3'0" x 8'0"



CCR20037A | CCR820037A  
3'0" x 6'8" | 3'0" x 8'0"



CCR3400XNSL | CCR8000XNSL  
12" x 6'8" | 12" x 8'0"  
14" x 6'8" | 14" x 8'0"

Note: Coordinating sidelites feature granite glass without wrought iron.

## Key

- 🔸 Flush-Glazed Glass (FG)
- 🔹 Black Nickel Caming (1D)
- ▣ Brushed Nickel Caming (1C)
- ✂ Wrought Iron (1W)

**Bella™** ◆

Classic-Craft®



CCR30024B  
3'0" x 6'8"



CCR804024B  
3'0" x 8'0"



CCR820524B  
3'0" x 8'0"



CCR820024B  
3'0" x 8'0"



CCR822224B  
3'0" x 8'0"



CCR3410BSL | CCR8010BSL  
▲ 12" x 6'8" | 12" x 8'0"  
14" x 6'8" | 14" x 8'0"



BEET-B  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only



BERT-B  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only

**Arborwatch®** ◆ ❖



CCR1423  
3'0" x 6'8"



CCR1417  
3'0" x 6'8"



CCR81417  
3'0" x 8'0"  
3'6" x 8'0"



CCR1415  
3'0" x 6'8"



CCR81415  
3'0" x 8'0"  
3'6" x 8'0"



CCR1414  
3'0" x 6'8"



CCR81414  
3'0" x 8'0"



CCR822214  
3'0" x 8'0"  
3'6" x 8'0"



CCR1423SL | CCR81423SL  
▲ 12" x 6'8" | 12" x 8'0"  
14" x 6'8" | 14" x 8'0"



ABRT  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only



AB30T  
3'0" Door Only

Note: See page 275 for important product details that may help with your purchase decision.

Right Page: Classic-Craft Rustic Collection, Borrassa Glass, Door – CCR1515, Strap Hinges, Finish – Driftwood



# Borrassa<sup>®</sup>x

Note: Product images show exterior side of door.



CCR1528  
3'0" x 6'8"



CCR1518 | CCR81518  
3'0" x 6'8" | 3'0" x 8'0"  
3'6" x 8'0"



CCR1514 | CCR81514  
3'0" x 6'8" | 3'0" x 8'0"  
3'6" x 8'0"



CCR1516 | CCR81516  
3'0" x 6'8" | 3'0" x 8'0"  
3'6" x 8'0"



CCR1512 | CCR81512  
3'0" x 6'8" | 3'0" x 8'0"  
3'6" x 8'0"



CCR1512A | CCR81512A  
3'0" x 6'8" | 3'0" x 8'0"  
3'6" x 8'0"



CCR1515 | CCR81515  
3'0" x 6'8" | 3'0" x 8'0"



CCR822215  
3'0" x 8'0"  
3'6" x 8'0"



CCR1511 | CCR81511  
3'0" x 6'8" | 3'0" x 8'0"



CCR1511A | CCR81511A  
3'0" x 6'8" | 3'0" x 8'0"



CCR3400XHSL | CCR8000XHSL  
▲ 12" x 6'8" | ▲ 12" x 8'0"  
14" x 6'8" | 14" x 8'0"

Note: Coordinating sidelites feature hammered glass without wrought iron.

## Key

- ▲ Flush-Glazed Glass (FG)
- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- ✕ Wrought Iron (1W)

# Provincial™ ♦ ❖

Classic-Craft®



CCR30028  
3'0" x 6'8"



CCR804028  
3'0" x 8'0"



CCR820528  
3'0" x 8'0"



CCR820028  
3'0" x 8'0"



CCR822228  
3'0" x 8'0"



CCR3408SL  
12" x 6'8"  
14" x 6'8"

CCR8008SL  
12" x 8'0"  
14" x 8'0"



CC040T  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only



CC420T  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only



CC400T  
3'0" Door Only



Note: See page 275 for important product details that may help with your purchase decision.

Bottom: Classic-Craft Rustic Collection, Provincial Glass, Doors – CCR804028



# Longford™ ◆ ❖ ❖

Note: Product images show exterior side of door.



CCR30023  
3'0" x 6'8"



CCR04023  
3'0" x 6'8"



CCR804023  
3'0" x 8'0"



CCR20523  
3'0" x 6'8"



CCR820523  
3'0" x 8'0"



CCR20023  
3'0" x 6'8"



CCR820023  
3'0" x 8'0"



CCR822223  
3'0" x 8'0"



CCR3407SL  
12" x 6'8"  
14" x 6'8"



CCR8007SL  
12" x 8'0"  
14" x 8'0"



LFET  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only



LFRT  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only



LF30T  
3'0" Door Only

# Cambridge™ ◆ ❖ ❖



CCR30026  
3'0" x 6'8"



CCR804026  
3'0" x 8'0"



CCR820526  
3'0" x 8'0"



CCR820026  
3'0" x 8'0"



CCR822226  
3'0" x 8'0"



CCR3406SL  
12" x 6'8"  
14" x 6'8"



CCR8006SL  
12" x 8'0"  
14" x 8'0"



CC090T  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only



CC920T  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only



CC900T  
3'0" Door Only

## Key

- 🔥 Flush-Glazed Glass (FG)
- ◆ Black Nickel Caming (1D)
- ❖ Brushed Nickel Caming (1C)
- ◆❖ Brass Caming (1A)



CCR1851  
3'0" x 6'8"



CCR1841  
3'0" x 6'8"



CCR81841  
3'0" x 8'0"



CCR81847  
3'0" x 8'0"



CCR1839  
3'0" x 6'8"



CCR81839  
3'0" x 8'0"



CCR81846  
3'0" x 8'0"



CCR81846A  
3'0" x 8'0"



CCR1838  
3'0" x 6'8"



CCR81838  
3'0" x 8'0"



CCR822238  
3'0" x 8'0"



CCR81845  
3'0" x 8'0"



CCR81845A  
3'0" x 8'0"



CCR1851SL  
12" x 6'8"  
14" x 6'8"



CCR81851SL  
12" x 8'0"  
14" x 8'0"



ZHRT  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only

Note: See page 275 for important product details that may help with your purchase decision.

Bottom: Classic-Craft Rustic Collection, Zaha Glass, Door – CCR1851, Sidelites – CCR1851SL, Finish – New Earth  
Right Page: Classic-Craft Rustic Collection, Lucerna Glass, Door – CCR820032, Finish – Raven



Lucerna ♦ ❑



CCR10022  
3'0" x 6'8"



CCR04022 3'0" x 6'8"  
CCR804022 3'0" x 8'0"  
3'6" x 8'0"



CCR20522 3'0" x 6'8"  
CCR820522 3'0" x 8'0"  
3'6" x 8'0"



CCR20022 3'0" x 6'8"  
CCR820022 3'0" x 8'0"



CCR822222  
3'0" x 8'0"  
3'6" x 8'0"



CCR820532  
3'0" x 8'0"



CCR820532A  
3'0" x 8'0"



CCR820032  
3'0" x 8'0"



CCR820032A  
3'0" x 8'0"



CCR804032  
3'0" x 8'0"



CCR3412SL  
▲ 12" x 6'8"  
14" x 6'8"  
CCR8102SL  
▲ 12" x 8'0"  
14" x 8'0"



LCET  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only



LCRT  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only



LC30T  
3'0" Door Only

Key

- ▲ Flush-Glazed Glass (FG)
- ♦ Black Nickel Caming (1D)
- ❑ Brushed Nickel Caming (1C)

# Privacy & Textured Glass

Classic-Craft®



CCR04020XC | CCR804020XC  
 CCR04020XN | CCR804020XN  
 3'0" x 6'8" | 3'0" x 8'0"



CCR20520XC | CCR820520XC  
 CCR20520XN | CCR820520XN  
 3'0" x 6'8" | 3'0" x 8'0"



CCR20020XC | CCR820020XC  
 CCR20020XN | CCR820020XN  
 3'0" x 6'8" | 3'0" x 8'0"



CCR822220XC  
 CCR822220XN  
 3'0" x 8'0"



CCR804030XC  
 CCR804030XN  
 3'0" x 8'0"



CCR820530XC  
 CCR820530XN  
 3'0" x 8'0"



CCR820030XC  
 CCR820030XN  
 3'0" x 8'0"



CCR820530AXC  
 CCR820530AXN  
 3'0" x 8'0"



CCR820030AXC  
 CCR820030AXN  
 3'0" x 8'0"



CCR3400XGSL | CCR8000XGSL  
 CCR3400XESL | CCR8000XCGL  
 CCR3400XCGL | CCR8000XJSL  
 CCR3400XJSL | CCR8000XRSL  
 CCR3400XRSL | CCR8000XNSL  
 CCR3400XNSL  
 12" x 6'8" | 12" x 8'0"  
 14" x 6'8" | 14" x 8'0"

## Privacy & Textured Glass Options

The underlined codes within the style numbers indicate the available privacy and textured glass options. For details on glass options, see pages 32–33.

XC = Geometric  
 XE = Satin Etch

XC = Chord  
 XJ = Chinchilla

XR = Rainglass  
 XN = Granite

Note: See page 275 for important product details that may help with your purchase decision.

Bottom: Classic-Craft Rustic Collection, Granite Glass, Door – CCR20520XN, Sidelites – CCR3400XNSL  
 Right Page: Classic-Craft Rustic Collection, Low-E Glass, Door – CCR20520



# Low-E Glass



CCR30020  
 \* 3'0" x 6'8"



CCR04020 | CCR804020  
 \* 3'0" x 6'8" | \* 3'0" x 8'0" / 3'6" x 8'0"



CCR804030  
 \* 3'0" x 8'0"



CCR20520 | CCR820520  
 \* 3'0" x 6'8" | \* 3'0" x 8'0" / 3'6" x 8'0"



CCR820530  
 \* 3'0" x 8'0"



CCR820530A  
 \* 3'0" x 8'0"



CCR20020 | CCR820020  
 \* 3'0" x 6'8" | \* 3'0" x 8'0" / 3'6" x 8'0"



CCR822220  
 \* 3'0" x 8'0" / 3'6" x 8'0"



CCR820030  
 \* 3'0" x 8'0"



CCR820030A  
 \* 3'0" x 8'0"



CCR3400SL | CCR8000SL  
 \* 12" x 6'8" / 14" x 6'8" | \* 12" x 8'0" / 14" x 8'0"



19020T  
 \* 3'0" door + (2) 12" sidelites  
 Continuous Sill Systems Only  
 3'0" door + (2) 14" sidelites  
 Continuous / Boxed Sill Systems



19200T  
 \* 3'0" Door Only



19220T  
 \* 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous / Boxed Sill Systems



19210T  
 \* 12" & 14"  
 Sidelite Only

## Key

- Flush-Glazed Glass (FG)
- Low-E Glass (LE)

# Solid Panel

Classic-Craft®



CCR205  
3'0" x 6'8"  
CCR8205  
3'0" x 8'0"  
3'6" x 8'0"



CCR205A  
3'0" x 6'8"  
CCR8205A  
3'0" x 8'0"  
3'6" x 8'0"



CCR8225  
3'0" x 8'0"  
3'6" x 8'0"



CCR8225R  
3'0" x 8'0"  
3'6" x 8'0"



CCR8005  
3'0" x 8'0"



CCR8005A  
3'0" x 8'0"



CCR040  
3'0" x 6'8"  
CCR8040  
3'0" x 8'0"  
3'6" x 8'0"



CCR040R  
3'0" x 6'8"  
CCR8040R  
3'0" x 8'0"  
3'6" x 8'0"



CCR8222  
3'0" x 8'0"  
3'6" x 8'0"



CCR200  
3'0" x 6'8"  
CCR8200  
3'0" x 8'0"



CCR200A  
3'0" x 6'8"  
CCR8200A  
3'0" x 8'0"



CCR8220  
3'0" x 8'0"



CCR8220R  
3'0" x 8'0"



CCR100  
3'0" x 6'8"  
3'6" x 6'8"  
CCR8100  
3'0" x 8'0"  
3'6" x 8'0"



CCR100R  
3'0" x 6'8"  
3'6" x 6'8"  
CCR8100R  
3'0" x 8'0"  
3'6" x 8'0"

## Key

WBDR / HVHZ Options

Note: See page 275 for important product details that may help with your purchase decision.

Right Page: Classic-Craft Rustic Collection Door – CCR8222; Low-E Glass, Sidelite – CCR8000SL










## Featured Products

Popular looks designed to inspire.





Classic-Craft®

Oak

Collection™

Warm wood graining.

With warm wood graining, Classic-Craft Oak premium fiberglass entryways are designed as the perfect complement to homes with Traditional styling.



# Classic-Craft® Oak Collection™

Features warm wood grains with the look of classic Oak, suitable for homes with Traditional styling.



## Architectural Character


- Architecturally correct design – up to 25% wider panels.\*
- Deeper embossments.
- Solid hardwood square edges.
- More than 10% wider glass.\*
- EnLiten™ flush-glazed sidelites.
- Low-E glass standard.

## Heavier Construction

- 20% heavier construction.\*
- Top and bottom composite rails.
- 4" full-length engineered lumber lock stile.
- Thicker fiberglass skins.

## Available Sizes & Options

- 2'8", 3'0" and 3'6" wide doors in 6'8" and 8'0" heights.
- 2-½" of height trimmability allows flexibility to fit 80"–82-½" and 96"–98-½" rough openings.

 WBDR / HVHZ Options: Look for this icon to find door styles that can be configured for WBDR or HVHZ.\*\*

## Finish Options


Classic-Craft Oak entryways can be stained or painted any color.




**See the difference finish can make.**

Explore PrismaGuard, premium finish and Same-Day. Stain color options on pages 250–254.

## Warranty Riders

 All Classic-Craft sidelites feature EnLiten™ flush-glazed designs. See page 17 for details on the EnLiten™ Flush-Glazed Rider for Construction & Installation, and the EnLiten™ Flush-Glazed Rider for Homeowners.

 Tru-Defense® Warranty Rider eligible when properly assembled and installed with all Therma-Tru specified system components, in accordance with the Rider. See page 13 for details.



\*Comparison of Classic-Craft to other standard fiberglass doors with similar styles. Visit [www.thermatru.com](http://www.thermatru.com) for details.

\*\*Please verify that there is a Therma-Tru Impact-rated product approval for the configuration before buying.

Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit [www.thermatru.com](http://www.thermatru.com) for more, including details on height trimmability, limited warranties and exclusions, Riders, ENERGY STAR qualified products and product approvals.

Top: Classic-Craft Oak Collection, Arborwatch Glass, Door – CC1423, Sidelites – CC1423SL

Right Page: Classic-Craft Oak Collection, Provincial Glass, Door – CC97, Sidelites – CC2040SL, Transom – CC420T




# Decorative Glass Designs



**Homeward™**  
Page 82  
Glass Privacy Rating: **4**



**Arcadia™** Page 82  
Glass Privacy Rating: **5**



**Bella™** Page 83  
Glass Privacy Rating: **6**



**Arborwatch™**  
Page 83  
Glass Privacy Rating: **6**



**Provincial™** Page 84  
Glass Privacy Rating: **6**



**Cambridge™**  
Page 85  
Glass Privacy Rating: **8**



**Lucerna™** Page 86  
Glass Privacy Rating: **7**

Also Available:

**Privacy & Textured Glass**  
Page 87

**Low-E Glass**  
Page 87

Glass Privacy Rating Scale



**Caming Options**

- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- ◆ Brass Caming (1A)

▶ Removable wood grilles available.





# Homeward™ ◆◆

Classic-Craft®



CC9925  
3'0" x 6'8"



CC9922  
3'0" x 6'8"

CC89922  
3'0" x 8'0"



CC89924  
3'0" x 8'0"



CC9926  
3'0" x 6'8"



CC9925SL  
▲  
12" x 6'8"  
14" x 6'8"

CC89925SL  
▲  
12" x 8'0"  
14" x 8'0"



HWRT  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only



HW30T  
3'0" Door Only

# Arcadia™ ◆◆◆



CC109  
3'0" x 6'8"



CC99  
3'0" x 6'8"

CC899  
3'0" x 8'0"



CC839  
3'0" x 8'0"



CC45  
2'8" x 6'8"  
3'0" x 6'8"



CC79  
3'0" x 6'8"



CC19  
3'0" x 6'8"



CC2060SL  
▲  
12" x 6'8"  
14" x 6'8"

CC8009SL  
▲  
12" x 8'0"  
14" x 8'0"



CC2279SL  
▲  
12" x 6'8"  
14" x 6'8"



CC2160SL  
▲  
12" x 6'8"  
14" x 6'8"



CC1019SL  
▲  
12" x 6'8"  
14" x 6'8"



CC620T  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only



CC060T  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only



CC600T  
3'0" Door Only



**Bella™** ◆



CC111B  
3'0" x 6'8"



CC114B  
3'0" x 6'8"

CC901B  
3'0" x 8'0"



CC900B  
3'0" x 8'0"



CC110B  
3'0" x 6'8"



CC113B  
3'0" x 6'8"



CC112B  
3'0" x 6'8"



CC2080BSL  
▲ 12" x 6'8"  
◆ 14" x 6'8"



CC8010BSL  
▲ 12" x 8'0"  
◆ 14" x 8'0"



CC1020BSL  
▲ 12" x 6'8"  
◆ 14" x 6'8"



BERT-B  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only



BEET-B  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only

**Arborwatch™** ◆ ❖



CC1423  
3'0" x 6'8"



CC1418  
3'0" x 6'8"

CC81418  
3'0" x 8'0"



CC81420  
3'0" x 8'0"



CC1424  
3'0" x 6'8"



CC1423SL  
▲ 12" x 6'8"  
◆ 14" x 6'8"

CC81423SL  
▲ 12" x 8'0"  
◆ 14" x 8'0"



ABRT  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only



AB30T  
3'0" Door Only

**Key**

- ▲ Flush-Glazed Glass (FG)
- ◆ Black Nickel Caming (1D)
- ❖ Brushed Nickel Caming (1C)

- ❖ Brass Caming (1A)

**Provincial™** ◆ ◆ ◆

Classic-Craft®



CC107  
3'0" x 6'8"



CC97 3'0" x 6'8" | CC897 3'0" x 8'0"



CC837 3'0" x 8'0"



CC47 2'8" x 6'8"  
3'0" x 6'8"



CC77 3'0" x 6'8"



CC17 3'0" x 6'8"



CC2040SL 12" x 6'8"  
14" x 6'8" | CC8007SL 12" x 8'0"  
14" x 8'0"



CC2277SL 12" x 6'8"  
14" x 6'8"



CC2140SL 12" x 6'8"  
14" x 6'8"



CC1017SL 12" x 6'8"  
14" x 6'8"



CC040T  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only



CC420T  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only



CC400T  
3'0" Door Only



Note: See page 275 for important product details that may help with your purchase decision.

Bottom: Classic-Craft Oak Collection, Provincial Glass, Door – CC97, Sidelites – CC2040SL, Transom – CC420T

Right Page: Classic-Craft Oak Collection, Cambridge Glass, Door – CC96, Sidelites – CC2044SL



# Cambridge™ ◆◆◆



CC106  
3'0" x 6'8"



CC96  
3'0" x 6'8"



CC896  
3'0" x 8'0"



CC836  
3'0" x 8'0"



CC44  
2'8" x 6'8"  
3'0" x 6'8"



CC76  
3'0" x 6'8"



CC16  
3'0" x 6'8"



CC2044SL  
▲ 12" x 6'8"  
▲ 14" x 6'8"



CC8006SL  
▲ 12" x 8'0"  
▲ 14" x 8'0"



CC2276SL  
▲ 12" x 6'8"  
▲ 14" x 6'8"



CC2144SL  
▲ 12" x 6'8"  
▲ 14" x 6'8"



CC1016SL  
▲ 12" x 6'8"  
▲ 14" x 6'8"



CC090T  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only



CC920T  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only



CC900T  
3'0" Door Only



## Key

- ▲ Flush-Glazed Glass (FG)
- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- ◆ Brass Caming (1A)



CC10022  
3'0" x 6'8"



CC922 3'0" x 6'8" | CC898 3'0" x 8'0"



CC833 3'0" x 8'0"



CC612 3'0" x 6'8"



CC78 3'0" x 6'8"



CC822 3'0" x 6'8"




CC3412SL  
12" x 6'8"  
14" x 6'8"



CC8102SL  
12" x 8'0"  
14" x 8'0"



CC2272SL  
12" x 6'8"  
14" x 6'8"



CC2122SL  
12" x 6'8"  
14" x 6'8"



CC3502SL  
12" x 6'8"  
14" x 6'8"



LCRT  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only



LCET  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only



LC30T  
3'0" Door Only



Note: See page 275 for important product details that may help with your purchase decision.  
Bottom: Classic-Craft Oak Collection, Lucerna Glass, Door – CC922, Sidelites – CC3412SL



# Privacy & Textured Glass

Note: Removable wood grilles shown on interior side of door.



CC48XE  
3'0" x 6'8"



CC49XE  
3'0" x 6'8"



CC2025XGSL  
CC2025XESL  
CC2025XCGL  
CC2025XJSL  
CC2025XRSL  
CC2025XNSL  
12" x 6'8"  
14" x 6'8"



CC2020XGSL  
CC2020XESL  
CC2020XCGL  
CC2020XJSL  
CC2020XRSL  
CC2020XNSL  
12" x 6'8"  
14" x 6'8"

CC8000XGSL  
CC8000XCGL  
CC8000XJSL  
CC8000XRSL  
CC8000XNSL  
12" x 8'0"  
14" x 8'0"

# Low-E Glass with Divided Lites



CC102  
3'0" x 6'8"



CC92  
3'0" x 6'8"

CC892  
3'0" x 8'0"



CC49  
2'8" x 6'8"  
3'0" x 6'8"



CC832  
3'0" x 8'0"



CC2025SL  
12" x 6'8"  
14" x 6'8"



19020T  
3'0" door + (2) 12" sidelites  
Continuous Sill Systems Only  
3'0" door + (2) 14" sidelites  
Continuous / Boxed Sill Systems  
Grille Sticks Applied



19220T  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous / Boxed Sill Systems  
Grille Sticks Applied



19200T  
3'0" Door Only  
Grille Sticks Applied

## Privacy & Textured Glass Options

The underlined codes within the style numbers indicate the available privacy and textured glass options. For details on glass options, see pages 32–33.

XG = Geometric  
XE = Satin Etch

XC = Chord  
XJ = Chinchilla

XR = Rainglass  
XN = Granite

## Key

- 🔥 Flush-Glazed Glass (FG)
- ☀️ Low-E Glass (LE)
- ◆ Black Nickel Caming (1D)

- ▤ Brushed Nickel Caming (1C)
- Removable Wood Grilles (RG)

# Low-E Glass

Classic-Craft®



CC100  
\*  
3'0" x 6'8"



CC90  
\*  
3'0" x 6'8"

CC890  
\*  
3'0" x 8'0"



CC48  
\*  
2'8" x 6'8"  
3'0" x 6'8"



CC830  
\*  
3'0" x 8'0"



CC70  
\*  
3'0" x 6'8"



CC10  
\*  
3'0" x 6'8"



CC61  
\*  
3'0" x 6'8"



CC2020SL  
\*  
12" x 6'8"  
14" x 6'8"

CC8000SL  
\*  
12" x 8'0"  
14" x 8'0"



CC2270SL  
\*  
12" x 6'8"  
14" x 6'8"



CC2120SL  
\*  
12" x 6'8"  
14" x 6'8"



CC1010SL  
\*  
12" x 6'8"  
14" x 6'8"



19020T  
\*  
3'0" door + (2) 12" sidelites  
Continuous Sill Systems Only  
3'0" door + (2) 14" sidelites  
Continuous / Boxed Sill Systems



19220T  
\*  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous / Boxed Sill Systems



19200T  
\*  
3'0" Door Only



19210T  
\*  
12" & 14"  
Sidelite Only



# Solid Panel



CC91  
3'0" x 6'8"



CC831  
3'0" x 8'0"



CC40  
3'6" x 6'8"



CC11  
3'0" x 6'8"



CC810  
3'0" x 8'0"



CC60  
2'8" x 6'8"  
3'0" x 6'8"

CC860  
3'6" x 8'0"



## Key


-  Flush-Glazed Glass (FG)
-  Low-E Glass (LE)
-  WBDR / HVHZ Options





## Featured Products

Popular looks designed to inspire.







# Classic-Craft®

## Canvas

## Collection®

Premium paintable surfaces.

The first premium smooth, paintable fiberglass door to carry the Therma-Tru® brand name, Classic-Craft Canvas is designed for homeowners seeking the aesthetics of a sleek, modern entryway that can be adapted to suit multiple styles.

# Classic-Craft® Canvas Collection.

Creates a sleek, modern entryway with a smooth, paintable surface for virtually unlimited color options both inside and out.



## Architectural Character


- Architecturally correct design – up to 25% wider panels.\*
- Deeper embossments.
- Solid hardwood square edges.
- More than 10% wider glass.\*
- EnLiten™ flush-glazed designs.
- Low-E glass standard.

## Heavier Construction

- 20% heavier construction.\*
- Top and bottom composite rails.
- 4" full-length engineered lumber lock stile.
- Thicker fiberglass skins.

## Available Sizes

- 3'0" wide doors in 6'8" and 8'0" heights.
- 2-½" of height trimmability allows flexibility to fit 80"–82-½" and 96"–98-½" rough openings.

 WBDR / HVHZ Options: Look for this icon to find door styles that can be configured for WBDR or HVHZ.\*\*

## Finish Options


Classic-Craft Canvas entryways can be painted any color.


### See the difference finish can make.

Explore PrismaGuard® premium paint on pages 250–253.



## Warranty Riders

 All Classic-Craft sidelites feature EnLiten™ flush-glazed designs. See page 17 for details on the EnLiten™ Flush-Glazed Rider for Construction & Installation, and the EnLiten™ Flush-Glazed Rider for Homeowners.

 Tru-Defense® Warranty Rider eligible when properly assembled and installed with all Therma-Tru specified system components, in accordance with the Rider. See page 13 for details.



\*Comparison of Classic-Craft to other standard fiberglass doors with similar styles. Visit [www.thermatru.com](http://www.thermatru.com) for details.

\*\*Please verify that there is a Therma-Tru Impact-rated product approval for the configuration before buying.


Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit [www.thermatru.com](http://www.thermatru.com) for more, including details on height trimmability, limited warranties and exclusions, Riders, ENERGY STAR qualified products and product approvals.



# Decorative Glass Designs



**Villager™** Page 94  
Glass Privacy Rating: **5**




**Homeward™** Page 94  
Glass Privacy Rating: **4**



**Arcadia™** Page 95  
Glass Privacy Rating: **5**



**Augustine®** Page 96  
Glass Privacy Rating: **10**




**Bella™** Page 96  
Glass Privacy Rating: **6**



**Arborwatch®** Page 97  
Glass Privacy Rating: **6**



**Borrassa®** Page 98  
Glass Privacy Rating: **10**



**Provincial™** Page 98  
Glass Privacy Rating: **6**




**Longford™** Page 99  
Glass Privacy Rating: **8**



**Cambridge™** Page 100  
Glass Privacy Rating: **8**



**Zaha®** Page 100  
Glass Privacy Rating: **3**



**Lucerna®** Page 101  
Glass Privacy Rating: **7**

Also Available:

### Privacy & Textured Glass

Page 102

### Low-E Glass

Page 103

Glass Privacy Rating Scale

1 2 3 4 5 6 7 8 9 10

Clear

Opaque

### Caming Options

- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- ◆ Brass Caming (1A)
- ✗ Wrought Iron (1W)

▶ Simulated divided lites (SDLs) and removable wood grilles available.

## Panel Embossments



4-Panel Square Top  
6-Panel



2-Panel Plank Soft Arch



2-Panel Square  
Top - WS




2-Panel 3/4 Top  
3-Panel  
5-Panel



Craftsman-Lite  
1-Panel Plank

# Villager™

Classic-Craft®



CCV912  
3'0" x 6'8"



CCV922  
3'0" x 6'8"



CCV932  
3'0" x 6'8"



CCV912SL  
12" x 6'8"  
14" x 6'8"



CCV9012SL  
12" x 6'8"  
14" x 6'8"

CCV8112SL  
12" x 8'0"  
14" x 8'0"

# Homeward™



CCV9925  
3'0" x 6'8"



CCV9922  
3'0" x 6'8"



CCV89922  
3'0" x 8'0"



CCV9919  
3'0" x 6'8"



CCV89919  
3'0" x 8'0"



CCV9918  
3'0" x 6'8"



CCV89918  
3'0" x 8'0"




CCV9926  
3'0" x 6'8"




CCV89921  
3'0" x 8'0"



CCV89924  
3'0" x 8'0"



CCV911  
3'0" x 6'8"



CCV921  
3'0" x 6'8"



CCV931  
3'0" x 6'8"



CCV911SL  
12" x 6'8"  
14" x 6'8"



CCV8111SL  
12" x 8'0"  
14" x 8'0"



CCV9011SL  
12" x 6'8"  
14" x 6'8"



HWRT  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only



HW30T  
3'0" Door Only

Note: See page 275 for important product details that may help with your purchase decision.

Right Page: Classic-Craft Canvas Collection, Homeward Glass, Door – CCV9925, Sidelites – CCV911SL, Transom – HWRT



# Arcadia™ ◆



CCV10029  
3'0" x 6'8"



CCV05029 | CCV805029  
3'0" x 6'8" | 3'0" x 8'0"



CCV820529  
3'0" x 8'0"



CCV822029  
3'0" x 8'0"



CCV06029 | CCV806029  
3'0" x 6'8" | 3'0" x 8'0"



CCV803029  
3'0" x 8'0"



CCV109SL | CCV8109SL  
12" x 6'8" | 12" x 8'0"  
14" x 6'8" | 14" x 8'0"



CC620T  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only



CC060T  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only



CC600T  
3'0" Door Only



## Key

- ◆ Flush-Glazed Glass (FG)
- ◆ Black Nickel Caming (1D)
- ◆ Brushed Nickel Caming (1C)
- ◆ Simulated Divided Lites (SDL)

## Optional Dentil Shelf



4-Block Dentil Shelf  
Available for all Craftsman-style  
Canvas Collection doors.

# Augustine<sup>®</sup>x

Note: Product images show exterior side of door.

Classic-Craft<sup>®</sup>



CCV10027  
3'0" x 6'8"



CCV05027 | CCV805027  
3'0" x 6'8" | 3'0" x 8'0"



CCV20527 | CCV820527  
3'0" x 6'8" | 3'0" x 8'0"



CCV22027 | CCV822027  
3'0" x 6'8" | 3'0" x 8'0"



CCV20537 | CCV820537  
3'0" x 6'8" | 3'0" x 8'0"



CCV803027  
3'0" x 8'0"



CCV806027  
3'0" x 8'0"



CCV100XNSL  
▲  
12" x 6'8"  
14" x 6'8"

CCV8100XNSL  
▲  
12" x 8'0"  
14" x 8'0"

Note:  
Coordinating  
sidelites feature  
granite glass  
without  
wrought iron.

# Bella<sup>™</sup> ♦



CCV10024B  
3'0" x 6'8"



CCV05024B | CCV805024B  
3'0" x 6'8" | 3'0" x 8'0"



CCV820524B  
3'0" x 8'0"



CCV822024B  
3'0" x 8'0"



CCV06024B | CCV806024B  
3'0" x 6'8" | 3'0" x 8'0"



CCV803024B  
3'0" x 8'0"





CCV104BSL  
 ▲ 12" x 6'8"  
 ▲ 14" x 6'8"

CCV8104BSL  
 ▲ 12" x 8'0"  
 ▲ 14" x 8'0"



BERT-B  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous Sill Systems Only



BEET-B  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous Sill Systems Only

## Arborwatch® ◆ ◆



CCV1423  
 3'0" x 6'8"



CCV1418 | CCV81418  
 3'0" x 6'8" | 3'0" x 8'0"



CCV1415 | CCV81415  
 3'0" x 6'8" | 3'0" x 8'0"



CCV1414 | CCV81414  
 3'0" x 6'8" | 3'0" x 8'0"



CCV1424 | CCV81417  
 3'0" x 6'8" | 3'0" x 8'0"



CCV81420  
 3'0" x 8'0"




CCV4100  
 ▲ 3'0" x 6'8"



CCV4200  
 ▲ 3'0" x 6'8"




CCV4300  
 ▲ 3'0" x 6'8"



CCV1423SL  
 ▲ 12" x 6'8"  
 ▲ 14" x 6'8"



CCV81423SL  
 ▲ 12" x 8'0"  
 ▲ 14" x 8'0"



CCV4100SL  
 ▲ 12" x 6'8"  
 ▲ 14" x 6'8"



ABRT  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous Sill Systems Only



AB30T  
 3'0" Door Only

### Key

- ▲ Flush-Glazed Glass (FG)
- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- ✗ Wrought Iron (1W)

- Simulated Divided Lites (SDL)

### Optional Dentil Shelf



4-Block Dentil Shelf  
 Available for all Craftsman-style  
 Canvas Collection doors.

# Borrassa<sup>®</sup>x

Note: Product images show exterior side of door.

Classic-Craft<sup>®</sup>



CCV1528  
3'0" x 6'8"



CCV1519 | CCV81519  
3'0" x 6'8" | 3'0" x 8'0"



CCV1516 | CCV81516  
3'0" x 6'8" | 3'0" x 8'0"



CCV1515 | CCV81515  
3'0" x 6'8" | 3'0" x 8'0"



CCV1512 | CCV81512  
3'0" x 6'8" | 3'0" x 8'0"



CCV81518  
3'0" x 8'0"

CCV81520  
3'0" x 8'0"

CCV100XHSL  
12" x 6'8"  
14" x 6'8"

CCV8100XHSL  
12" x 8'0"  
14" x 8'0"

Note: Coordinating  
sidelites feature  
hammered glass  
without wrought iron.

# Provincial<sup>™</sup> ♦ ❖



CCV10028  
3'0" x 6'8"



CCV05028 | CCV805028  
3'0" x 6'8" | 3'0" x 8'0"



CCV820528  
3'0" x 8'0"



CCV822028  
3'0" x 8'0"




CCV06028 | CCV806028  
3'0" x 6'8" | 3'0" x 8'0"



CCV803028  
3'0" x 8'0"





CCV108SL  
▲  
12" x 6'8"  
14" x 6'8"

CCV8108SL  
▲  
12" x 8'0"  
14" x 8'0"



CC420T  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only



CC040T  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only



CC400T  
3'0" Door Only

## Longford<sup>TM</sup> ◆ ◆

Note: Product images show exterior side of door.



CCV10023  
3'0" x 6'8"



CCV05023 | CCV805023  
3'0" x 6'8" | 3'0" x 8'0"



CCV20523 | CCV820523  
3'0" x 6'8" | 3'0" x 8'0"



CCV22023 | CCV822023  
3'0" x 6'8" | 3'0" x 8'0"



CCV06023 | CCV806023  
3'0" x 6'8" | 3'0" x 8'0"



CCV803023  
3'0" x 8'0"



CCV103SL | CCV8103SL  
▲  
12" x 6'8"  
14" x 6'8" | 12" x 8'0"  
14" x 8'0"



LFRT  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only



LFET  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only



LF30T  
3'0" Door Only

### Key

- ▲ Flush-Glazed Glass (FG)
- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- ✗ Wrought Iron (1W)

# Cambridge

Classic-Craft



CCV10026  
3'0" x 6'8"



CCV05026 | CCV805026  
3'0" x 6'8" | 3'0" x 8'0"



CCV820526  
3'0" x 8'0"



CCV822026  
3'0" x 8'0"



CCV06026 | CCV806026  
3'0" x 6'8" | 3'0" x 8'0"



CCV803026  
3'0" x 8'0"



CCV106SL | CCV8106SL  
▲ 12" x 6'8" | 14" x 6'8"  
▲ 12" x 8'0" | 14" x 8'0"



CC920T  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only




CC900T  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only



CC900T  
3'0" Door Only  
3'0" Door Only

# Zaha

Note: Product images show exterior side of door.



CCV1851  
3'0" x 6'8"



CCV1843 | CCV81843  
3'0" x 6'8" | 3'0" x 8'0"



CCV1839 | CCV81839  
3'0" x 6'8" | 3'0" x 8'0"



CCV1838 | CCV81838  
3'0" x 6'8" | 3'0" x 8'0"



CCV81841  
3'0" x 8'0"






CCV81840  
3'0" x 8'0"



CCV81846  
3'0" x 8'0"



CCV1851SL  
▲ 12" x 6'8"  
14" x 6'8"

CCV81851SL  
▲ 12" x 8'0"  
14" x 8'0"



ZHRT  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only

## Lucerna ♦ ❖



CCV10022  
3'0" x 6'8"



CCV05022  
3'0" x 6'8"

CCV805022  
3'0" x 8'0"



CCV20522  
3'0" x 6'8"

CCV820522  
3'0" x 8'0"



CCV22022  
3'0" x 6'8"

CCV822022  
3'0" x 8'0"



CCV06022  
3'0" x 6'8"

CCV806022  
3'0" x 8'0"



CCV803022  
3'0" x 8'0"



CCV820532  
3'0" x 8'0"



CCV3412SL  
▲ 12" x 6'8"  
14" x 6'8"

CCV8102SL  
▲ 12" x 8'0"  
14" x 8'0"



LC30T  
3'0" Door Only



LCRT  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only



LCET  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only

### Key

- ▲ Flush-Glazed Glass (FG)
- ♦ Black Nickel Caming (1D)
- ❖ Brushed Nickel Caming (1C)
- ❖ Brass Caming (1A)

# Privacy & Textured Glass with Divided Lites



CCV05012XC  
CCV05012XN  
>  
3'0" x 6'8"



CCV822012XC  
CCV822012XN  
>  
3'0" x 8'0"



CCV820512XC  
CCV820512XN  
>  
3'0" x 8'0"



CCV0609XE  
>  
3'0" x 6'8"

CCV806012XC  
CCV806012XN  
>  
3'0" x 8'0"



CCV803012XC  
CCV803012XN  
>  
3'0" x 8'0"



CCV920XC  
CCV920XJ  
CCV920XR  
CCV920XN  
▲ ■  
3'0" x 6'8"



CCV930XC  
CCV930XJ  
CCV930XR  
CCV930XN  
▲ ■  
3'0" x 6'8"



CCV940XC  
CCV940XJ  
CCV940XR  
CCV940XN  
▲ ■  
3'0" x 6'8"



CCV960XC  
CCV960XJ  
CCV960XR  
CCV960XN  
▲ ■  
3'0" x 6'8"



CCV8950XGSL  
CCV8950XCSSL  
CCV8950XJSL  
CCV8950XRSL  
CCV8950XNSL  
▲ ■  
12" x 8'0"  
14" x 8'0"



CCV950XGSL  
CCV950XESL  
CCV950XCSSL  
CCV950XJSL  
CCV950XRSL  
CCV950XNSL  
▲ ■  
12" x 6'8"  
14" x 6'8"



CCV920XCSSL  
CCV920XJSL  
CCV920XRSL  
CCV920XNSL  
▲ ■  
12" x 6'8"  
14" x 6'8"

# Privacy & Textured Glass



CCV05020XC  
CCV05020XN  
3'0" x 6'8"



CCV20520XC  
CCV20520XN  
3'0" x 6'8"

CCV820520XC  
CCV820520XN  
3'0" x 8'0"



CCV22020XC  
CCV22020XN  
3'0" x 6'8"

CCV822020XC  
CCV822020XN  
3'0" x 8'0"



CCV06020XE  
3'0" x 6'8"

CCV806020XC  
CCV806020XN  
3'0" x 8'0"



CCV803020XC  
CCV803020XN  
3'0" x 8'0"

## Privacy & Textured Glass Options

The underlined codes within the style numbers indicate the available privacy and textured glass options. For details on glass options, see pages 32–33.

**XG = Geometric**  
Available only for full-lite sidelites.

**XE = Satin Etch**

**XC = Chord**

**XJ = Chinchilla**

**XR = Rainglass**

**XN = Granite**





CCV820530XC  
CCV820530XN  
3'0" x 8'0"



CCV910XC  
CCV910XJ  
CCV910XR  
CCV910XN  
3'0" x 6'8"



CCV100XGSL  
CCV100XESL  
CCV100XCSSL  
CCV100XJSL  
CCV100XRSL  
CCV100XNSL  
12" x 6'8"  
14" x 6'8"



CCV8100XCSSL  
CCV8100XJSL  
CCV8100XRSL  
CCV8100XNSL  
12" x 8'0"  
14" x 8'0"

CCV910XCSSL  
CCV910XJSSL  
CCV910XRSSL  
CCV910XNSL  
12" x 6'8"  
14" x 6'8"

## Low-E Glass with Divided Lites



CCV10015  
3'0" x 6'8"



CCV05012  
3'0" x 6'8"



CCV805015  
3'0" x 8'0"



CCV822012  
3'0" x 8'0"



CCV820512  
3'0" x 8'0"




CCV0609  
3'0" x 6'8"



CCV806012  
3'0" x 8'0"




CCV803012  
3'0" x 8'0"



CCV920  
3'0" x 6'8"



CCV930  
3'0" x 6'8"



CCV940  
3'0" x 6'8"



CCV960  
3'0" x 6'8"



CCV950SL  
12" x 6'8"  
14" x 6'8"



CCV8950SL  
12" x 8'0"  
14" x 8'0"



CCV9020SL  
12" x 6'8"  
14" x 6'8"



19020T  
3'0" door + (2) 12" sidelites  
Continuous Sill Systems Only  
3'0" door + (2) 14" sidelites  
Continuous / Boxed Sill Systems  
Grille Sticks Applied



19220T  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous / Boxed Sill Systems  
Grille Sticks Applied



19200T  
3'0" Door Only  
Grille Sticks Applied

### Key

- Flush-Glazed Glass (FG)
- Low-E Glass (LE)
- Simulated Divided Lites (SDL)
- Removable Wood Grilles (RG)

### Optional Dentil Shelf



**4-Block Dentil Shelf**  
Available for all Craftsman-style  
Canvas Collection doors.

# Low-E Glass

Classic-Craft®



CCV10020  
\*  
3'0" x 6'8"



CCV05020 | CCV805020  
\* | \*  
3'0" x 6'8" | 3'0" x 8'0"



CCV20520 | CCV820520  
\* | \*  
3'0" x 6'8" | 3'0" x 8'0"



CCV22020 | CCV822020  
\* | \*  
3'0" x 6'8" | 3'0" x 8'0"



CCV06020 | CCV806020  
\* | \*  
3'0" x 6'8" | 3'0" x 8'0"



CCV910  
\*  
3'0" x 6'8"



CCV803020  
\*  
3'0" x 8'0"



CCV820530  
\*  
3'0" x 8'0"



CCV100SL  
\*  
12" x 6'8"  
14" x 6'8"



CCV8100SL  
\*  
12" x 8'0"  
14" x 8'0"



CCV9010SL  
\*  
12" x 6'8"  
14" x 6'8"



19020T  
\*  
3'0" door + (2) 12" sidelites  
Continuous Sill Systems Only  
3'0" door + (2) 14" sidelites  
Continuous / Boxed Sill Systems



19220T  
\*  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous / Boxed Sill Systems



19200T  
\*  
3'0" Door Only



19210T  
\*  
12" & 14"  
Sidelite Only



# Solid Panel



CCV400  
3'0" x 6'8"



CCV205 | CCV8205  
3'0" x 6'8" | 3'0" x 8'0"



CCV220 | CCV8220  
3'0" x 6'8" | 3'0" x 8'0"



CCV200  
3'0" x 6'8"



CCV060 | CCV860  
3'0" x 6'8" | 3'0" x 8'0"



CCV831  
3'0" x 8'0"



CCV050  
3'0" x 6'8"



## Key

-  Flush-Glazed Glass (FG)
-  Low-E Glass (LE)
-  WBDR / HVHZ Options

## Optional Dentil Shelf



**4-Block Dentil Shelf**  
Available for all Craftsman-style Canvas Collection doors.

# Fiber-Classic® & Smooth-Star® Fiberglass Doors

Fiber-Classic® & Smooth-Star®




Great style for any home.

With many door styles in common and glass families that cross over between door collections, Fiber-Classic and Smooth-Star offers flexible options to fit virtually every entrance from front entry to patio to utility doors at an excellent value.

Top: Smooth-Star Door – S1100; Low-E Glass with GBGs, Sidelites – S2009SL  
Bottom: Fiber-Classic Oak Collection, Satin Etch Glass with SDLs, Doors – FC685LXE, FC685RXE, Finish – Driftwood  
Right Page: Fiber-Classic Mahogany Collection, Pembridge Glass, Door – FCM86550









### Fiber-Classic® Mahogany Collection™

Fiber-Classic Mahogany complements rich wood tones in home interiors, extending the look to the outside with beauty and elegance.



### Fiber-Classic® Oak Collection™

Fiber-Classic Oak is the door that started the fiberglass revolution and features the warm look and feel of natural Oak graining.



### Smooth-Star®

Smooth-Star fiberglass doors are ready-to-paint with crisp, clean contours making them the more attractive and durable alternative to steel.



Fiber-Classic entry doors are rated a *Consumers Digest* Best Buy for their exceptional warranty, breadth of style options and wood-grained texture.



#### See the difference color can make.

Therma-Tru offers a wide variety of finish options for our doors. Explore PrismaGuard® premium finish and Same-Day. Stain color options on pages 250–254.

## Glass Options

- Explore a portfolio of interchangeable decorative glass designs, and privacy and textured glass options starting on page 112.
- Invite light into the home for a more brilliant interior with 22" wide glass in a Lip-lite frame, as well as flush-glazed options with 25–27" wide glass – starting on page 162.
- Lite frames are heat and fade resistant, and suitable for use with a storm door.
- Low-E glass is available for internal blinds, divided lites and clear glass, providing exceptional energy efficiency.





# Door Construction

Fiber-Classic® and Smooth-Star® doors set the standard for beauty, quality and performance at an excellent value. Explore the craftsmanship and innovation of doors designed for long-lasting energy efficiency, durability and security.



## 1 Weather Resistance

Composite rails protect the door at the top and bottom edges to help block moisture that can wick into doors.

## 2 Security

An enhanced lock block combined with a 1- $\frac{1}{4}$ " engineered lumber lock stile increases rigidity and stability.

## 3 Durability


With very little maintenance, a fiberglass door can bring a home years of durability. Unlike wood, fiberglass will not warp or rot. And, unlike steel, it will not dent or rust.

## 4 R-Values

Built with a polyurethane foam core that offers up to four times the insulating R-Value of wood\*, Therma-Tru fiberglass doors insulate against cold and heat for exceptional energy efficiency.



ENERGY STAR® Qualified  
Options Available



\*Comparison of fiberglass to wood doors (both without glass).



## Vented Sidelites

More than a sidelite. Vented sidelites from Therma-Tru let the homeowner enjoy the added curb appeal of an elegant front entry unobstructed by a screen door. Choose from convenient specialty glass options or eye-catching decorative designs. In fact, only Therma-Tru offers vented sidelites with decorative glass. Look for the (●) icon.

- Sturdy stiles and hinges make the unit work as a small swinging door.
- Wide patio mullions provide dependable operation.
- Multi-point lock and continuous system help provide security and stability.
- Convenient removable screens – available in bronze and white – are designed for worry-free use.



### Available Configurations:



Single Door with Vented Sidelites (Inswing Only)



Double Doors with Vented Sidelites (Inswing Only)

Note: No Impact options available for vented sidelites.

Top: Smooth-Star Door – S8200; Granite Glass, Sidelites – S81086XNSL



	Fiber-Classic® Mahogany Collection™	Fiber-Classic® Oak Collection™	Smooth-Star®
■ = Available			
● = Not Applicable			
S = Stain			
P = Paint			
<b>Door Widths</b>			
2'0"	■	■	■
2'4"	■	■	■
2'6"	■	■	■
2'8"	■	■	■
2'10"	■	■	■
3'0"	■	■	■
3'6"	●	●	■
<b>Door Heights</b>			
6'6"	●	■	■
6'8"	■	■	■
7'0"	■	■	■
8'0"	■	■	■
<b>Glass Options</b>			
Decorative	15	15	15
Privacy & Textured	6	6	6
Internal Blinds	■	■	■
Flush-Glazed	●	■	■
Screen Vented	●	●	■
Simulated Divided Lites	■	■	■
Grilles Between Glass	■	■	■
Removable Wood Grilles	■	■	■
Fixed Grilles	■	■	■
Low-E	■	■	■
Clear	■	■	■
<b>Additional Options</b>			
Finish	S / P	S / P	P
Vented Sidelites	■	■	■





### Retrofit Hinged Patio Doors

Replacing common slider sizes? Find hinged patio door options in this section. For more about our patio door systems, see pages 242–249.

5'0" Patio Opening = (2) 2'4" Doors  
 6'0" Patio Opening = (2) 2'10" Doors



\*Please verify that there is a Therma-Tru Impact-rated product approval for the configuration before buying.  
 Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See your Therma-Tru seller or visit [www.thermatru.com](http://www.thermatru.com) for more, including details on limited warranties and exclusions, Riders, ENERGY STAR qualified products and product approvals.  
 Right: Smooth-Star, Clear Glass, Door – S8140

## Additional Options

-  WBDR Options: Look for this icon to find door styles that can be configured for WBDR.\*
-  WBDR / HVHZ Options: Look for this icon to find door styles that can be configured for WBDR or HVHZ.\*
-  Fire-Rated Options: Available on solid-panel doors. See pages 222–227.
-  Flush-Glazed Options: Look for this icon to find door styles with flush-glazed glass.

## Warranties




- Fiber-Classic® and Smooth-Star® products are backed by a lifetime limited warranty. See page 275 for more information.
-  Fiber-Classic® and Smooth-Star® products with flush-glazed glass are also backed by the EnLiten™ Flush-Glazed Rider for Construction & Installation, and the EnLiten™ Flush-Glazed Rider for Homeowners. See page 17 for more information.
-  Fiber-Classic® and Smooth-Star® door systems are eligible for the Tru-Defense® Warranty Rider when properly assembled and installed with all Therma-Tru specified system components, in accordance with the Rider. See page 13 for details.



# Decorative & Specialty Glass Designs

## Blackstone® Page 121

Traditional English design meets  
**1** clear curved bevels, **2** rainglass  
 and coming to create the distinctive  
 styling of Blackstone. Entries get  
 the best of both privacy and  
 simple refinement.



Black Nickel



Brushed Nickel

## Crystalline™ Page 124

This time-honored design features  
 geometric styling brought to life  
 with **1** glue chip glass, **2** glue chip  
 bevels, **3** clear bevels and coming.  
 Offering modest privacy, Crystalline  
 is a shining example of traditional  
 decorative glass with lasting beauty.



Black Nickel



Brushed Nickel

## Sedona Page 126

Art meets glass in Sedona where Arts  
 and Crafts simplicity is designed with  
**1** slump glass, **2** clear bevels,  
**3** clear artique glass and coming.



Black Nickel




Brushed Nickel

Note: Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit [www.thermatru.com](http://www.thermatru.com) for details on glass privacy ratings and designs.



## Salinas® Page 130

1 Oceana glass and wrought iron come together to create a cheerful entry glass design that offers the ultimate in privacy with yesterday's charm.



Wrought Iron

## Maple Park® Page 133

With hints of Mission style and the American Southwest, Maple Park provides a sophisticated appearance with 1 waterglass, 2 clear bevels, 3 granite glass and caming. The curved design adds unique appeal.



Black Nickel



Brushed Nickel

## Avonlea® Page 136

The dainty leaf design seemingly grows upward in this elegant glass design. Light pours through Avonlea's 1 clear baroque glass and 2 bronze waterglass surrounded by black nickel caming.




Black Nickel

## Saratoga™ Page 138

Saratoga evokes a certain urban sophistication while offering modest privacy with its **1** clear bevels, **2** diamond glass, **3** reed glass and coming. The geometric pattern bridges both modern and traditional designs.

1 **7** 10  
Glass Privacy Rating

Black Nickel



Brushed Nickel

## Texas Star Page 140

Beautifully crafted with **1** clear bevels, **2** curved bevels, **3** clear waterglass, **4** granite glass, **5** glue chip glass and brushed nickel coming, there's no mistaking the inspiration for this recognizable design. Strong, independent and all-American.

1 **5** 10  
Glass Privacy Rating

Brushed Nickel




## Wellesley™ Page 142

Simple yet charming, Wellesley's Victorian-inspired design uses **1** clear baroque glass, **2** clear curved bevels, **3** waterglass, **4** granite glass and coming to add beauty to any entry.

1 **6** 10  
Glass Privacy Rating

Black Nickel



Brushed Nickel



Brass

Note: Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit [www.thermatru.com](http://www.thermatru.com) for details on glass privacy ratings and designs.




## Riserva® Page 144

Riserva decorative glass features a combination of linear and curved wrought iron elements that create a simple yet graceful design. Riserva features **1** oceana glass for privacy with a look that enhances a wide variety of home styles, including Mediterranean, Old World and Southwest.



Glass Privacy Rating


Wrought Iron



## Concorde™ Page 148

There's just something friendly about Concorde's cheery four-leaf design.

**1** Glue chip glass, **2** clear curved bevels, **3** clear glass and coming make up its Old World charm.



Glass Privacy Rating

Black Nickel



Brushed Nickel




Brass

## Kensington™ Page 151

Kensington speaks European elegance while offering modest privacy with its

**1** clear bevels, **2** glue chip glass, **3** granite glass and coming.



Glass Privacy Rating

Black Nickel



Brushed Nickel


## Pembridge™ Page 154

Simplistic in its design, Pembridge features a field of **1** hammered glass framed by **2** gray baroque glass and **3** multifaceted bevels. A central diamond shape adds a decorative touch.



Note: The use of gray baroque glass varies based on glass size.

Black Nickel



Brushed Nickel



Brass

## Axis® Page 158

Simple and smart, Axis combines **1** narrow reed glass in horizontal and vertical arrangements to create contrast and modest privacy. A vertical band of **2** clear glass bevels completes this linear design, ideal for Modern home styles.



Black Nickel



## Frosted Images®

Page 161

Delicate and ornate, Frosted Images offers a high privacy rating with an elegant aesthetic achieved with the simplicity of **1** white-frosted glass.



Note: Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit [www.thermatru.com](http://www.thermatru.com) for details on glass privacy ratings and designs.



## Internal Blinds Page 172

Internal blinds provide the privacy and convenience of a cordless blind enclosed between glass. A single-hand operator opens, closes and tilts the blinds to control the desired level of privacy and light.

- ① Single-Hand Operator
- ② Privacy Bar



## Screen Vented Page 175

Screen vented lites offer a built-in screen for ventilation, featuring a gliding operation and sash locking system.




## Privacy & Textured Glass Page 162



**Geometric**



**Satin Etch**



**Chord**



**Chinchilla**



**Rainglass**



**Granite**



Also Available:  
**Low-E & Clear Glass** Page 176

### Simulated Divided Lites (SDLs) with Grilles Between Glass (GBGs)

Choose wood-grained or smooth-textured SDL bars layered over flat bronze GBG bars to achieve the most authentic divided lite look.

Look for the (🏠🍀) icons.



Shown with flat bronze GBGs, recommended.

### Simulated Divided Lites (SDLs)

Wood-grained or smooth SDL bars are adhered to the interior and exterior panes of tempered glass. Can be stained or painted any color to complement the door and home.

Look for the (🏠12) icons.



### Grilles Between Glass (GBGs)

Contour or flat GBG bars are thermally sealed between two panes of tempered glass for the convenience of a smooth, easy-to-clean glass surface.


Look for the (🍀) icon.



### Removable Wood Grilles

Removable wood grilles snap on and off the interior pane of tempered glass for easy cleaning. Can be stained or painted to complement the home décor.

Look for the (➤) icon.




Interior view.

\*Available in Special Quote Program.

Note: See page 275 for important product details that may help with your purchase decision.



### Fixed Grilles






Fixed grilles are molded as part of the lite frame on the interior and exterior panes of tempered glass. Can be stained or painted to complement the home décor.


Look for the (◆) icon.




### SDL Bar Options



### GBG Bar Options



### GBG Color Options





### Key

-  Simulated Divided Lites (SDL)
-  Simulated Divided Lites (SDLF1)
-  Simulated Divided Lites (SDLF2)
-  Flat or Contour, White or Color Grilles Between Glass (GBGF / GBGC)
-  Removable Wood Grilles (RG)
-  Fixed Grilles (FXG)

# Clavos & Strap Hinges

Add a finishing touch of rustic flavor with decorative hardware.



# Dentil Shelves

Complete the look with a dentil shelf for true Craftsman appeal.



Fiber-Classic. 4-Block Dentil Shelf\*



Smooth-Star. 4-Block Dentil Shelf\*



\*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.

Bottom: Fiber-Classic Mahogany Collection, Chord Glass with SDLs, Door – FCM608XC, Sidelites – FCM6126XCSL, Dentil Shelf



## Fiber-Classic® Mahogany



<b>FCM108</b> 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM871</b> 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FCM310</b> 6 2'6" x 6'8" ‡ 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	<b>FCM816</b> 6 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FCM765</b> 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM109</b> 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM863</b> 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FCM6032</b> 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM6052</b> 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"
--	--	---	---	--	--	--	---	---



<b>FCM110</b> 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM164</b> 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM760</b> 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM808SL</b> 6 10" x 6'8" 12" x 6'8" ‡ 14" x 6'8" ‡	<b>FCM81918SL</b> 6 12" x 8'0" 14" x 8'0"	<b>FCM871SL</b> 6 12" x 8'0" 14" x 8'0"	<b>FCM765SL</b> 6 12" x 6'8" 14" x 6'8"	<b>FCM882SL</b> 6 12" x 8'0" 14" x 8'0"	<b>FCM109SL</b> 6 12" x 6'8" 14" x 6'8"	<b>FCM863SL</b> 6 12" x 8'0" 14" x 8'0"
--	--	--	--	--	--	--	--	--	--

## Fiber-Classic® Oak



<b>FC108</b> 6 2'6" x 6'8" 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	<b>81918P</b> 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FC310</b> 6 2'6" x 6'8" ‡ 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	<b>FC816</b> 6 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FC765</b> 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FC770</b> 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>81952P</b> 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FC109</b> 6 2'6" x 6'8" 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	<b>81933P</b> 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
--	--	--	--	---	---	--	--	--

Blackstone Glass *Continues on next page.*

### Key

- No Stile Lines
- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Vented Sidelite (No Impact)  
(6'6" & 6'8" only in 12" & 14")
- ⬆ 6'6" Height Available  
(8'0" only in 14")
- ‡ 7'0" Height Available
- 6 WBDR / HVHZ Options
- 6 WBDR Options



**81975P**  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**FC129**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**FC714**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**FC164**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**FC794**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**FC801**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**FC80943**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**FC86243**  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**FC108SL**  
 10" x 6'8"  
 12" x 6'8"  
 14" x 6'8"



**81918PSL**  
 12" x 8'0"  
 14" x 8'0"



**FC808SL**  
 12" x 6'8" †  
 14" x 6'8" †



**81918SL**  
 12" x 8'0"  
 14" x 8'0"



**FC765SL**  
 12" x 6'8"  
 14" x 6'8"



**81952PSL**  
 12" x 8'0"  
 14" x 8'0"



**FC109SL**  
 12" x 6'8"  
 14" x 6'8"



**81933PSL**  
 12" x 8'0"  
 14" x 8'0"

## Smooth-Star®



**S6002**  
 2'6" x 6'8"  
 2'8" x 6'8" †  
 2'10" x 6'8" †  
 3'0" x 6'8" †



**S85892**  
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**S310**  
 2'6" x 6'8" †  
 2'8" x 6'8" †  
 2'10" x 6'8" †  
 3'0" x 6'8" †  
 3'6" x 6'8"



**S816**  
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"  
 3'6" x 8'0"



**S975**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**S979**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**S894**  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**S6000**  
 2'6" x 6'8"  
 2'8" x 6'8" †  
 2'10" x 6'8" †  
 3'0" x 6'8" †





**S81933P**  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**S6032**  
 2'6" x 6'8"  
 2'8" x 6'8" †  
 2'10" x 6'8" †  
 3'0" x 6'8" †

Note: See page 275 for important product details that may help with your purchase decision.





**BSRT**  
3'0" door + (2) 12" sidelites  
Continuous Sill Systems Only

Transoms can be stained or painted to match a Fiber-Classic or Smooth-Star door system.



**Key**

- No Stile Lines
- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- └ Flat Lite Frame
- Vented Sidelite (No Impact)  
(6'6" & 6'8" only in 12" & 14")  
(8'0" only in 14")
- 9 WBDR Options
- 9 WBDR / HVHZ Options
- Δ 6'6" Height Available
- † 7'0" Height Available

Fiber-Classic® Mahogany



<b>FCM16</b> 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM8114</b> 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FCM668</b> 6 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	<b>FCM814</b> 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FCM38</b> 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM45</b> 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM898</b> 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FCM6027</b> 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM6047</b> 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"
---	---	--	--	---	---	--	---	---



<b>FCM124</b> 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM18101SL</b> 6 10" x 6'8" 12" x 6'8" ‡ 14" x 6'8" ‡	<b>FCM81800SL</b> 6 12" x 8'0" 14" x 8'0"	<b>FCM8114SL</b> 6 12" x 8'0" 14" x 8'0"	<b>FCM38SL</b> 6 12" x 6'8" 14" x 6'8"	<b>FCM8105SL</b> 6 12" x 8'0" 14" x 8'0"	<b>FCM45SL</b> 6 12" x 6'8" 14" x 6'8"	<b>FCM898SL</b> 6 12" x 8'0" 14" x 8'0"
--	--	--	---	---	---	---	--

Fiber-Classic® Oak




<b>FC16</b> 6 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	<b>81800P</b> 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FC668</b> 6 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	<b>FC814</b> 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FC38</b> 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FC772</b> 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>81953P</b> 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FC45</b> 6 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	<b>81935P</b> 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>81977P</b> 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
--	--	---	---	--	---	--	--	--	--






<b>FC43</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FC124</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FC80941</b> 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FC86241</b> 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FC21</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FC46SL</b>   <b>81800PSL</b> 6   6 10" x 6'8"   12" x 8'0" 12" x 6'8"   14" x 8'0" 14" x 6'8"
---	--	---	---	---	--

Smooth-Star®



<b>18101SL</b> 6 12" x 6'8" Δ ‡ 14" x 6'8" Δ ‡	<b>81800SL</b> 6 12" x 8'0" 14" x 8'0"	<b>FC38SL</b> 6 12" x 6'8" 14" x 6'8"	<b>81953PSL</b> 6 12" x 8'0" 14" x 8'0"	<b>FC43SL</b> 6 12" x 6'8" 14" x 6'8"	<b>81935PSL</b> 6 12" x 8'0" 14" x 8'0"	<b>S916</b> 6 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	<b>S814</b> 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S668</b> 6 2'8" x 6'8" Δ ‡ 2'10" x 6'8" Δ ‡ 3'0" x 6'8" Δ ‡ 3'6" x 6'8"	<b>S815</b> 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
---	---	--	--	--	--	--	--	---	--



<b>S977</b> 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S981</b> 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S888</b> 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S926</b> 6 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	<b>S81935P</b> 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S6027</b> 6 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	<b>S6047</b> 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S38</b> 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S85907</b> 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
--	--	--	--	---	---	---	---	--

Crystalline Glass Continues on next page.

**Key**

- No Stile Lines
- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Vented Sidelite (No Impact)  
(6'6" & 6'8" only in 12" & 14")  
(8'0" only in 14")
- ⚙ WBDR Options
- ⚙ WBDR / HVHZ Options
- ▲ 6'6" Height Available  
(8'0" only in 14")
- ‡ 7'0" Height Available



**S930**  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



**S6113**  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



**S9341**  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



**S83141**  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



**S6123**  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



**S916SL**  
12" x 6'8"  
14" x 6'8"



**S814SL**  
12" x 8'0"  
14" x 8'0"



**S6130SL**  
10" x 6'8"  
12" x 6'8" † ‡  
14" x 6'8" † ‡



**S84586SL**  
12" x 8'0"  
14" x 8'0"



**S758SL**  
12" x 6'8"  
14" x 6'8"



**S888SL**  
12" x 8'0"  
14" x 8'0"



**S930SL**  
12" x 6'8"  
14" x 6'8"



**S85914SL**  
12" x 8'0"  
14" x 8'0"



**19820T**  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous / Boxed Sill Systems



**19810T**  
12" & 14" Sidelite Only



**19080T**  
3'0" door + (2) 12" sidelites  
Continuous Sill Systems Only  
3'0" door + (2) 14" sidelites  
Continuous / Boxed Sill Systems



**19800T**  
3'0" Door Only

Transoms can be stained or painted to match a Fiber-Classic or Smooth-Star door system.

## Sedona ♦ ::


### Fiber-Classic® Mahogany



**FCM100**  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"




**FCM872**  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



**FCM241**  
2'6" x 6'8" †  
2'8" x 6'8" †  
2'10" x 6'8" †  
3'0" x 6'8" †

**FCM822**  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



**FCM131**  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



**FCM101**  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"


**FCM864**  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



**FCM6025**  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

**FCM6045**  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"





**FCM604**  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

**FCM126**  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

**FCM816SL**  
● ●  
10" x 6'8"  
12" x 6'8" ‡  
14" x 6'8" ‡

**FCM81968SL**  
● ●  
12" x 8'0"  
14" x 8'0"

**FCM872SL**  
12" x 8'0"  
14" x 8'0"

**FCM131SL**  
12" x 6'8"  
14" x 6'8"

**FCM883SL**  
12" x 8'0"  
14" x 8'0"

**FCM101SL**  
12" x 6'8"  
14" x 6'8"

**FCM864SL**  
12" x 8'0"  
14" x 8'0"

## Fiber-Classic® Oak



**FC100**  
2'6" x 6'8"  
2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡

**81968P**  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"

**FC241**  
■  
2'6" x 6'8" △ ‡  
2'8" x 6'8" △ ‡  
2'10" x 6'8" △ ‡  
3'0" x 6'8" △ ‡

**FC822**  
■  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"

**FC131**  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

**FC773**  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

**81954P**  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"

**FC101**  
2'6" x 6'8"  
2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡

**81936P**  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



**81978P**  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"

**FC128**  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

**FC126**  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

**FC80952**  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

**FC86252**  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"

**FC100SL**  
10" x 6'8"  
12" x 6'8"  
14" x 6'8"

**81968PSL**  
12" x 8'0"  
14" x 8'0"

**Sedona Glass** Continues on next page.

### Key

- No Stile Lines
- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- └ Flat Lite Frame
- Vented Sidelite (No Impact)  
(6'6" & 6'8" only in 12" & 14")  
(8'0" only in 14")
- WBDR Options
- WBDR / HVHZ Options
- △ 6'6" Height Available
- ‡ 7'0" Height Available

### Optional Dentil Shelf\*



**4-Block Dentil Shelf**  
Available for all Craftsman-style  
Fiber-Classic Mahogany Collection doors.



**FC816SL**  
 ■ ●  
 12" x 6'8" Δ ‡  
 14" x 6'8" Δ ‡



**81968SL**  
 ■ ●  
 12" x 8'0" Δ ‡  
 14" x 8'0" Δ ‡



**FC131SL**  
 12" x 6'8" Δ ‡  
 14" x 6'8" Δ ‡



**81954PSL**  
 12" x 8'0" Δ ‡  
 14" x 8'0" Δ ‡



**FC101SL**  
 12" x 6'8" Δ ‡  
 14" x 6'8" Δ ‡



**81936PSL**  
 12" x 8'0" Δ ‡  
 14" x 8'0" Δ ‡

Smooth-Star.®



**S139**  
 2'6" x 6'8" Δ ‡  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**S241**  
 ■  
 2'6" x 6'8" Δ ‡  
 2'8" x 6'8" Δ ‡  
 2'10" x 6'8" Δ ‡  
 3'0" x 6'8" Δ ‡  
 3'6" x 6'8" Δ ‡



**S95**  
 2'8" x 6'8" Δ ‡  
 2'10" x 6'8" Δ ‡  
 3'0" x 6'8" Δ ‡



**S91**  
 2'8" x 6'8" Δ ‡  
 2'10" x 6'8" Δ ‡  
 3'0" x 6'8" Δ ‡



**S887**  
 2'8" x 8'0" Δ ‡  
 2'10" x 8'0" Δ ‡  
 3'0" x 8'0" Δ ‡



**S211**  
 2'6" x 6'8" Δ ‡  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**S81936P**  
 2'8" x 8'0" Δ ‡  
 2'10" x 8'0" Δ ‡  
 3'0" x 8'0" Δ ‡



**S6025**  
 2'6" x 6'8" Δ ‡  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**S6045**  
 2'8" x 6'8" Δ ‡  
 2'10" x 6'8" Δ ‡  
 3'0" x 6'8" Δ ‡



**S35**  
 2'8" x 6'8" Δ ‡  
 2'10" x 6'8" Δ ‡  
 3'0" x 6'8" Δ ‡



**S833**  
 2'8" x 8'0" Δ ‡  
 2'10" x 8'0" Δ ‡  
 3'0" x 8'0" Δ ‡



**S294**  
 2'8" x 6'8" Δ ‡  
 2'10" x 6'8" Δ ‡  
 3'0" x 6'8" Δ ‡



**S2650\***  
 2'8" x 6'8" Δ ‡  
 2'10" x 6'8" Δ ‡  
 3'0" x 6'8" Δ ‡



**S82650\***  
 2'8" x 8'0" Δ ‡  
 2'10" x 8'0" Δ ‡  
 3'0" x 8'0" Δ ‡



**S604**  
 2'8" x 6'8" Δ ‡  
 2'10" x 6'8" Δ ‡  
 3'0" x 6'8" Δ ‡




**S8604**  
 2'8" x 8'0" Δ ‡  
 2'10" x 8'0" Δ ‡  
 3'0" x 8'0" Δ ‡



**S12**  
 2'8" x 6'8" Δ ‡  
 2'10" x 6'8" Δ ‡  
 3'0" x 6'8" Δ ‡



**S9352**  
 2'8" x 6'8" Δ ‡  
 2'10" x 6'8" Δ ‡  
 3'0" x 6'8" Δ ‡




**S83152**  
 2'8" x 8'0" Δ ‡  
 2'10" x 8'0" Δ ‡  
 3'0" x 8'0" Δ ‡

\*Available with flat lite frame only.

\*\*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.

Note: See page 275 for important product details that may help with your purchase decision.





**19055T**  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only



**19520T**  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only

Transoms can be stained or painted to match a Fiber-Classic or Smooth-Star door system.



**Key**

- No Stile Lines
- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)

- └ Flat Lite Frame
- Vented Sidelite (No Impact)  
(6'6" & 6'8" only in 12" & 14")  
(8'0" only in 14")

- ▲ 6'6" Height Available
- † 7'0" Height Available

**Optional Dentil Shelf\*\***



**4-Block Dentil Shelf**  
Available for all Craftsman-style Smooth-Star doors.

Fiber-Classic. Mahogany



- |  |  |   |   |  |  |  |   |   |  |
|--|--|---|---|--|--|--|---|---|--|
| <b>FCM113</b><br>6<br>2'8" x 6'8"<br>2'10" x 6'8"<br>3'0" x 6'8" | <b>FCM873</b><br>6<br>2'8" x 8'0"<br>2'10" x 8'0"<br>3'0" x 8'0" | <b>FCM369</b><br>6<br>2'6" x 6'8" ‡<br>2'8" x 6'8" ‡<br>2'10" x 6'8" ‡<br>3'0" x 6'8" ‡ | <b>FCM817</b><br>6<br>2'6" x 8'0"<br>2'8" x 8'0"<br>2'10" x 8'0"<br>3'0" x 8'0" | <b>FCM115</b><br>6<br>2'8" x 6'8"<br>2'10" x 6'8"<br>3'0" x 6'8" | <b>FCM114</b><br>6<br>2'8" x 6'8"<br>2'10" x 6'8"<br>3'0" x 6'8" | <b>FCM865</b><br>6<br>2'8" x 8'0"<br>2'10" x 8'0"<br>3'0" x 8'0" | <b>FCM6031</b><br>6<br>2'8" x 6'8"<br>2'10" x 6'8"<br>3'0" x 6'8" | <b>FCM6051</b><br>6<br>2'8" x 6'8"<br>2'10" x 6'8"<br>3'0" x 6'8" | <b>FCM118</b><br>6<br>2'8" x 6'8"<br>2'10" x 6'8"<br>3'0" x 6'8" |
|--|--|---|---|--|--|--|---|---|--|

Fiber-Classic. Oak




- |  |  |  |  |  |  |  |  |  |  |  |
|--|--|--|--|--|--|--|--|--|--|--|
| <b>FCM814SL</b><br>6<br>10" x 6'8"<br>12" x 6'8" ‡<br>14" x 6'8" ‡ | <b>FCM81919SL</b><br>6<br>12" x 8'0"<br>14" x 8'0" | <b>FCM873SL</b><br>6<br>12" x 8'0"<br>14" x 8'0" | <b>FCM115SL</b><br>6<br>12" x 6'8"<br>14" x 6'8" | <b>FCM884SL</b><br>6<br>12" x 8'0"<br>14" x 8'0" | <b>FCM114SL</b><br>6<br>12" x 6'8"<br>14" x 6'8" | <b>FCM865SL</b><br>6<br>12" x 8'0"<br>14" x 8'0" | <b>FC113</b><br>6<br>2'6" x 6'8"<br>2'8" x 6'8" ‡<br>2'10" x 6'8" ‡<br>3'0" x 6'8" ‡ | <b>81919P</b><br>6<br>2'8" x 8'0"<br>2'10" x 8'0"<br>3'0" x 8'0" | <b>FC369</b><br>6<br>2'6" x 6'8" ‡<br>2'8" x 6'8" ‡<br>2'10" x 6'8" ‡<br>3'0" x 6'8" ‡ | <b>FC817</b><br>6<br>2'6" x 8'0"<br>2'8" x 8'0"<br>2'10" x 8'0"<br>3'0" x 8'0" |
|--|--|--|--|--|--|--|--|--|--|--|



- |   |   |  |  |  |  |   |   |   |
|---|---|--|--|--|--|---|---|---|
| <b>FC115</b><br>6<br>2'8" x 6'8"<br>2'10" x 6'8"<br>3'0" x 6'8" | <b>FC775</b><br>6<br>2'8" x 6'8"<br>2'10" x 6'8"<br>3'0" x 6'8" | <b>81955P</b><br>6<br>2'8" x 8'0"<br>2'10" x 8'0"<br>3'0" x 8'0" | <b>FC114</b><br>6<br>2'6" x 6'8"<br>2'8" x 6'8" ‡<br>2'10" x 6'8" ‡<br>3'0" x 6'8" ‡ | <b>81937P</b><br>6<br>2'8" x 8'0"<br>2'10" x 8'0"<br>3'0" x 8'0" | <b>81980P</b><br>6<br>2'8" x 8'0"<br>2'10" x 8'0"<br>3'0" x 8'0" | <b>FC130</b><br>6<br>2'8" x 6'8"<br>2'10" x 6'8"<br>3'0" x 6'8" | <b>FC118</b><br>6<br>2'8" x 6'8"<br>2'10" x 6'8"<br>3'0" x 6'8" | <b>FC80953</b><br>6<br>2'8" x 6'8"<br>2'10" x 6'8"<br>3'0" x 6'8" |
|---|---|--|--|--|--|---|---|---|





FC86253  
6  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"

FC113SL  
6  
10" x 6'8"  
12" x 6'8"  
14" x 6'8"

81919PSL  
6  
12" x 8'0"  
14" x 8'0"

FC814SL  
6  
12" x 6'8" Δ ‡  
14" x 6'8" Δ ‡

81919SL  
6  
12" x 8'0"  
14" x 8'0"

FC115SL  
6  
12" x 6'8"  
14" x 6'8"

81955PSL  
6  
12" x 8'0"  
14" x 8'0"

FC114SL  
6  
12" x 6'8"  
14" x 6'8"

81937PSL  
6  
12" x 8'0"  
14" x 8'0"



Salinas Glass *Continues on next page.*

**Key**

- No Stile Lines
- ✗ Wrought Iron (1W)
- Vented Sidelite (No Impact)  
(6'6" & 6'8" only in 12" & 14")  
(8'0" only in 14")
- 6 WBDR Options
- 6 WBDR / HVHZ Options
- Δ 6'6" Height Available
- ‡ 7'0" Height Available

Smooth-Star.

Fiber-Classic. & Smooth-Star.



S6008

2'6" x 6'8"  
2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡

S85893

2'6" x 8'0"  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"

S369

2'6" x 6'8" Δ ‡  
2'8" x 6'8" Δ ‡  
2'10" x 6'8" Δ ‡  
3'0" x 6'8" Δ ‡  
3'6" x 6'8"

S817

2'6" x 8'0"  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"  
3'6" x 8'0"

S6009

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

S6010

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

S895

2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"

S6006

2'6" x 6'8"  
2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡

S81937P

2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"

S6031

2'6" x 6'8"  
2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡



S6051

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

S973

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

S893

2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"

S6014

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

S6012

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

S9353

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

S83153

2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



S6008SL

12" x 6'8"  
14" x 6'8"

S85893SL

12" x 8'0"  
14" x 8'0"

S6134SL

10" x 6'8"  
12" x 6'8" Δ ‡  
14" x 6'8" Δ ‡

S85931SL

12" x 8'0"  
14" x 8'0"

S6009SL

12" x 6'8"  
14" x 6'8"

S895SL

12" x 8'0"  
14" x 8'0"

S6006SL

12" x 6'8"  
14" x 6'8"

S85916SL

12" x 8'0"  
14" x 8'0"



SART  
3'0" door + (2) 12" sidelites  
Continuous Sill Systems Only

Transoms can be stained or painted to match a Fiber-Classic or Smooth-Star door system.

\*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.  
Note: See page 275 for important product details that may help with your purchase decision.



# Maple Park

## Fiber-Classic® Mahogany



FCM900  
6  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



FCM1006  
6  
2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡




FCM902  
6  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



FCM901  
6  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



FCM886  
6  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



FCM6107  
6  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



FCM6108  
6  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



FCM609  
6  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



FCM904  
6  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



FCM736  
6  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



FCM8736  
6  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



FCM812SL  
6  
10" x 6'8"  
12" x 6'8" ‡  
14" x 6'8" ‡



FCM902SL  
6  
12" x 6'8"  
14" x 6'8"



FCM887SL  
6  
12" x 8'0"  
14" x 8'0"



FCM901SL  
6  
12" x 6'8"  
14" x 6'8"



FCM886SL  
6  
12" x 8'0"  
14" x 8'0"

## Fiber-Classic® Oak



FC900  
6  
2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡



FC1006  
6  
2'8" x 6'8" † ‡  
2'10" x 6'8" † ‡  
3'0" x 6'8" † ‡



FC902  
6  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



FC777  
6  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



81957P  
6  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



FC901  
6  
2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡



81939P  
6  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



81982P  
6  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



FC903  
6  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

### Key

- No Stile Lines
- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- ✗ Wrought Iron (1W)
- └─┘ Flat Lite Frame
- Vented Sidelite (No Impact)
- ⚡ WBDR Options
- ⚡ WBDR / HVHZ Options
- ⚡ 6'6" Height Available (6'6" & 6'8" only in 12" & 14")
- ⚡ 7'0" Height Available (8'0" only in 14")

### Optional Dentil Shelf\*

- 
- 4-Block Dentil Shelf**
- Available for all Craftsman-style Fiber-Classic Mahogany Collection doors.

Maple Park Glass *Continues on next page.*



**FC904**  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

**FC80955**  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

**FC86255**  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"

**FC736**  
2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡

**FC8736**  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"

**FC900SL**  
10" x 6'8"  
12" x 6'8"  
14" x 6'8"

**FC812SL**  
12" x 6'8" Δ ‡  
14" x 6'8" Δ ‡


**FC902SL**  
12" x 6'8"  
14" x 6'8"

**81957PSL**  
12" x 8'0"  
14" x 8'0"

**FC901SL**  
12" x 6'8"  
14" x 6'8"

**81939PSL**  
12" x 8'0"  
14" x 8'0"

Smooth-Star®



**S6100**  
2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡

**S1006**  
2'8" x 6'8" Δ ‡  
2'10" x 6'8" Δ ‡  
3'0" x 6'8" Δ ‡  
3'6" x 6'8"

**S6102**  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

**S6103**  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"


**S85898**  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"

**S6101**  
2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡

**S81939P**  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"

**S6107**  
2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡

**S6108**  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



**S6106**  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

**S85897**  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"

**S6104**  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

**S2630\***  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

**S82630\***  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"

**S609**  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

**S8609**  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"

**S6105**  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"


**S9355**  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

\*Available with flat lite frame or Impact-rated lite frame only.

\*\*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.

Note: See page 275 for important product details that may help with your purchase decision.





**S83155**  
 9  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**S736**  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡

**S8736**  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**S6100SL**  
 9  
 12" x 6'8"  
 14" x 6'8"

**S6131SL**  
 9  
 10" x 6'8"  
 12" x 6'8" ▲‡  
 14" x 6'8" ▲‡

**S6102SL**  
 9  
 12" x 6'8"  
 14" x 6'8"

**S85898SL**  
 9  
 12" x 8'0"  
 14" x 8'0"

**S6101SL**  
 9  
 12" x 6'8"  
 14" x 6'8"

**S85918SL**  
 9  
 12" x 8'0"  
 14" x 8'0"



**FWRT**  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous Sill Systems Only

Transoms can be stained or painted to match a Fiber-Classic or Smooth-Star door system.



**Key**

- No Stile Lines
- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- └ Flat Lite Frame
- Vented Sidelite (No Impact)  
(6'6" & 6'8" only in 12" & 14")  
(8'0" only in 14")
- 9 WBDR Options
- 9 WBDR / HVHZ Options
- ▲ 6'6" Height Available
- ‡ 7'0" Height Available

**Optional Dentil Shelf\*\***



## Fiber-Classic. Mahogany



**FCM758**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**FCM1027**  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡

**FCM764**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**FCM761**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**FCM896**  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**FCM968**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**FCM966**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**FCM785**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**FCM788**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**FCM800**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**FCM807SL**  
 10" x 6'8"  
 12" x 6'8" ‡  
 14" x 6'8" ‡

**FCM764SL**  
 12" x 6'8"  
 14" x 6'8"

**FCM8104SL**  
 12" x 8'0"  
 14" x 8'0"

**FCM761SL**  
 12" x 6'8"  
 14" x 6'8"

**FCM896SL**  
 12" x 8'0"  
 14" x 8'0"

## Fiber-Classic. Oak



**FC758**  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡

**FC1027**  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡

**FC764**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**FC769**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**81967P**  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**FC761**  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡

**81932P**  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**81974P**  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**FC782**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**FC785**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**FC788**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**FC792**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"





FC800  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



FC80956  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



FC86256  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



FC758SL  
10" x 6'8"  
12" x 6'8"  
14" x 6'8"



FC807SL  
12" x 6'8" † ‡  
14" x 6'8" † ‡



FC764SL  
12" x 6'8"  
14" x 6'8"



81967PSL  
12" x 8'0"  
14" x 8'0"

FC761SL  
12" x 6'8"  
14" x 6'8"

81932PSL  
12" x 8'0"  
14" x 8'0"

## Smooth-Star®




S962  
2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡



S1027  
2'8" x 6'8" † ‡  
2'10" x 6'8" † ‡  
3'0" x 6'8" † ‡  
3'6" x 6'8"



S976  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



S980  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



S85900  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



S964  
2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡



S81932P  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



S968  
2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡



S966  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



S970  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"




S85906  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



S985  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



S988  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



S991  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



S995  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



S6121  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



S9356  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

### Key

- No Stile Lines
- ◆ Black Nickel Caming (1D)
- Vented Sidelite (No Impact)  
(6'6" & 6'8" only in 12" & 14"  
8'0" only in 14")
- 6 WBDR Options
- 6 WBDR / HVHZ Options
- △ 6'6" Height Available
- ‡ 7'0" Height Available

Avonlea Glass Continues on next page.



**S83156**  
6  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**S962SL**  
16  
 12" x 6'8"  
 14" x 6'8"



**S6127SL**  
6 6  
 10" x 6'8"  
 12" x 6'8"  $\Delta$  ‡  
 14" x 6'8"  $\Delta$  ‡



**S976SL**  
6  
 12" x 6'8"  
 14" x 6'8"



**S85900SL**  
6  
 12" x 8'0"  
 14" x 8'0"

**S964SL**  
6  
 12" x 6'8"  
 14" x 6'8"

**S85911SL**  
6  
 12" x 8'0"  
 14" x 8'0"



**AVRT**  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous Sill Systems Only

Transoms can be stained or painted to match a Fiber-Classic or Smooth-Star door system.

## Saratoga™ ◆ ::

### Fiber-Classic® Mahogany



**FCM905**  
6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**FCM6093**  
6 6  
 2'6" x 6'8" ‡  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**FCM907**  
6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**FCM906**  
6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**FCM888**  
6  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**FCM6029**  
6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**FCM6049**  
6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**FCM602**  
6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**FCM909**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"




**FCM707**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**FCM8707**  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**FCM815SL**  
6 6  
 10" x 6'8"  
 12" x 6'8" ‡  
 14" x 6'8" ‡



**FCM81986SL**  
6 6  
 12" x 8'0"  
 14" x 8'0"



**FCM893SL**  
6  
 12" x 8'0"  
 14" x 8'0"



**FCM907SL**  
6  
 12" x 6'8"  
 14" x 6'8"



**FCM889SL**  
6  
 12" x 8'0"  
 14" x 8'0"



**FCM906SL**  
6  
 12" x 6'8"  
 14" x 6'8"



**FCM888SL**  
6  
 12" x 8'0"  
 14" x 8'0"

### Fiber-Classic® Oak



**FC905**  
6  
 2'6" x 6'8"  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**FCM6093**  
6  
 2'6" x 6'8"  $\Delta$  ‡  
 2'8" x 6'8"  $\Delta$  ‡  
 2'10" x 6'8"  $\Delta$  ‡  
 3'0" x 6'8"  $\Delta$  ‡





**FC907**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**FC776**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**81956P**  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**FC906**  
 2'6" x 6'8"  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡

**81938P**  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**81981P**  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**FC908**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**FC909**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**FC80954**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**FC86254**  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**FC707**  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡

**FC8707**  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**FC905SL**  
 10" x 6'8"  
 12" x 6'8"  
 14" x 6'8"

**81986PSL**  
 12" x 8'0"  
 14" x 8'0"

**FC815SL**  
 12" x 6'8" ‡ †  
 14" x 6'8" ‡ †

**81986SL**  
 12" x 8'0"  
 14" x 8'0"

**FC907SL**  
 12" x 6'8"  
 14" x 6'8"

**81956PSL**  
 12" x 8'0"  
 14" x 8'0"

**FC906SL**  
 12" x 6'8"  
 14" x 6'8"

**81938PSL**  
 12" x 8'0"  
 14" x 8'0"

Smooth-Star®



**S154**  
 2'6" x 6'8"  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡

**S6093**  
 2'6" x 6'8" †  
 2'8" x 6'8" † ‡  
 2'10" x 6'8" † ‡  
 3'0" x 6'8" † ‡  
 3'6" x 6'8"

**S6092**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**S982**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**S891**  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**S213**  
 2'6" x 6'8"  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡

**S81938P**  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**S6029**  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**S6049**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

Key

- No Stile Lines
- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- └─ Flat Lite Frame
- Vented Sidelite (No Impact)  
(6'6" & 6'8" only in 12" & 14"  
(8'0" only in 14")
- ⚙ WBDR Options
- ⚙ WBDR / HVHZ Options
- ▲ 6'6" Height Available
- ‡ 7'0" Height Available

Optional Dentil Shelf\*





## Texas Star ::

### Fiber-Classic.® Mahogany



\*Available with flat lite frame or Impact-rated lite frame only.

\*\*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.

Note: See page 275 for important product details that may help with your purchase decision.



# Fiber-Classic® Oak



- |   |   |   |  |  |  |   |   |
|---|---|---|--|--|--|---|---|
| <b>FC143</b><br>6<br>2'8" x 6'8"<br>2'10" x 6'8"<br>3'0" x 6'8" | <b>FC778</b><br>6<br>2'8" x 6'8"<br>2'10" x 6'8"<br>3'0" x 6'8" | <b>FC144</b><br>6<br>2'8" x 6'8" ‡<br>2'10" x 6'8" ‡<br>3'0" x 6'8" ‡ | <b>81940P</b><br>6<br>2'8" x 8'0"<br>2'10" x 8'0"<br>3'0" x 8'0" | <b>81983P</b><br>6<br>2'8" x 8'0"<br>2'10" x 8'0"<br>3'0" x 8'0" | <b>FC145</b><br>2'8" x 6'8"<br>2'10" x 6'8"<br>3'0" x 6'8" | <b>FC80957</b><br>6<br>2'8" x 6'8"<br>2'10" x 6'8"<br>3'0" x 6'8" | <b>FC86257</b><br>6<br>2'8" x 8'0"<br>2'10" x 8'0"<br>3'0" x 8'0" |
|---|---|---|--|--|--|---|---|

# Smooth-Star®



- |   |   |  |   |   |   |   |   |   |
|---|---|--|---|---|---|---|---|---|
| <b>FC143SL</b><br>6<br>12" x 6'8"<br>14" x 6'8" | <b>FC144SL</b><br>6<br>12" x 6'8"<br>14" x 6'8" | <b>81940PSL</b><br>6<br>12" x 8'0"<br>14" x 8'0" | <b>S6071</b><br>6<br>2'8" x 6'8"<br>2'10" x 6'8"<br>3'0" x 6'8" | <b>S6072</b><br>6<br>2'8" x 6'8"<br>2'10" x 6'8"<br>3'0" x 6'8" | <b>S6073</b><br>6<br>2'8" x 6'8" ‡<br>2'10" x 6'8" ‡<br>3'0" x 6'8" ‡ | <b>S81940P</b><br>6<br>2'8" x 8'0"<br>2'10" x 8'0"<br>3'0" x 8'0" | <b>S6075</b><br>6<br>2'8" x 6'8"<br>2'10" x 6'8"<br>3'0" x 6'8" | <b>S6074</b><br>6<br>2'8" x 6'8" ‡<br>2'10" x 6'8" ‡<br>3'0" x 6'8" ‡ |
|---|---|--|---|---|---|---|---|---|



- |   |  |   |   |  |   |   |   |
|---|--|---|---|--|---|---|---|
| <b>S6076</b><br>6<br>2'8" x 6'8"<br>2'10" x 6'8"<br>3'0" x 6'8" | <b>S81983</b><br>6<br>2'8" x 8'0"<br>2'10" x 8'0"<br>3'0" x 8'0" | <b>S6077</b><br>6<br>2'8" x 6'8"<br>2'10" x 6'8"<br>3'0" x 6'8" | <b>S9357</b><br>6<br>2'8" x 6'8"<br>2'10" x 6'8"<br>3'0" x 6'8" | <b>S83157</b><br>6<br>2'8" x 8'0"<br>2'10" x 8'0"<br>3'0" x 8'0" | <b>S6071SL</b><br>6<br>12" x 6'8"<br>14" x 6'8" | <b>S6073SL</b><br>6<br>12" x 6'8"<br>14" x 6'8" | <b>85919SL</b><br>6<br>12" x 8'0"<br>14" x 8'0" |
|---|--|---|---|--|---|---|---|

## Key

- No Stile Lines
- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- ▲ Flat Lite Frame

- Vented Sidelite (No Impact)  
(6'6" & 6'8" only in 12" & 14")  
(8'0" only in 14")
- ⊕ WBDR Options

- ⊕ WBDR / HVHZ Options
- ▲ 6'6" Height Available
- ‡ 7'0" Height Available

## Optional Dentil Shelf\*\*



Fiber-Classic® Mahogany




<b>FCM104</b> 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM874</b> 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FCM6094</b> 6 2'6" x 6'8" ‡ 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	<b>FCM821</b> 6 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FCM147</b> 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM105</b> 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM866</b> 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FCM6030</b> 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM6050</b> 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"
--	--	--	---	--	--	--	---	---



<b>FCM106</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM163</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM125</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM721</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM8721</b> 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FCM818SL</b> 6 10" x 6'8" 12" x 6'8" ‡ 14" x 6'8" ‡	<b>FCM81921SL</b> 6 12" x 8'0" 14" x 8'0"	<b>FCM874SL</b> 6 12" x 8'0" 14" x 8'0"
---	---	---	---	--	--	--	--

Fiber-Classic® Oak



<b>FCM147SL</b> 6 12" x 6'8" 14" x 6'8"	<b>FCM885SL</b> 6 12" x 8'0" 14" x 8'0"	<b>FCM105SL</b> 6 12" x 6'8" 14" x 6'8"	<b>FCM866SL</b> 6 12" x 8'0" 14" x 8'0"	<b>FC104</b> 6 2'6" x 6'8" 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	<b>81921P</b> 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FC6094</b> 6 2'6" x 6'8" ‡ ‡ 2'8" x 6'8" ‡ ‡ 2'10" x 6'8" ‡ ‡ 3'0" x 6'8" ‡ ‡	<b>FC821</b> 6 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FC147</b> 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FC779</b> 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>81959P</b> 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
--	--	--	--	--	--	---	--	---	---	--





**FC105**  
 6  
 2'6" x 6'8"  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**81941P**  
 6  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**81984P**  
 6  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**FC127**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**FC713**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**FC163**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**FC796**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**FC125**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**FC80949**  
 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**FC86249**  
 6  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**FC721**  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**FC8721**  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**FC104SL**  
 6  
 10" x 6'8"  
 12" x 6'8"  
 14" x 6'8"



**81921PSL**  
 6  
 12" x 8'0"  
 14" x 8'0"



**FC818SL**  
 6  
 12" x 6'8" ‡ ‡  
 14" x 6'8" ‡ ‡



**81921SL**  
 6  
 12" x 8'0"  
 14" x 8'0"



**FC147SL**  
 6  
 12" x 6'8"  
 14" x 6'8"



**81959PSL**  
 6  
 12" x 8'0"  
 14" x 8'0"



**FC105SL**  
 6  
 12" x 6'8"  
 14" x 6'8"



**81941PSL**  
 6  
 12" x 8'0"  
 14" x 8'0"

Smooth-Star®



**S155**  
 6  
 2'6" x 6'8"  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**S85896**  
 6  
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**S6094**  
 6  
 2'6" x 6'8" ‡  
 2'8" x 6'8" ‡ ‡  
 2'10" x 6'8" ‡ ‡  
 3'0" x 6'8" ‡ ‡  
 3'6" x 6'8"



**S821**  
 6  
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"  
 3'6" x 8'0"




**S6091**  
 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"




**S983**  
 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**S892**  
 6  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"




**S214**  
 6  
 2'6" x 6'8"  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**S81941P**  
 6  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**S6030**  
 6  
 2'6" x 6'8"  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**S6050**  
 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

Wellesley Glass Continues on next page.

Key

- No Stile Lines
- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- ◆ Brass Caming (1A)
- Vented Sidelite (No Impact)  
(6'6" & 6'8" only in 12" & 14"  
(8'0" only in 14")
- 6 WBDR Options
- 6 WBDR / HVHZ Options
- △ 6'6" Height Available
- ‡ 7'0" Height Available



<b>S42</b> 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S85909</b> 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S292</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S774</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S6082</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S999</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S6117</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S9349</b> 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S83149</b> 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
---	--	---	---	--	---	--	---	--



<b>S721</b> 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	<b>S8721</b> 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S155SL</b> 6 12" x 6'8" 14" x 6'8"	<b>S85896SL</b> 6 12" x 8'0" 14" x 8'0"	<b>S5870SL</b> 6 10" x 6'8" 12" x 6'8" † ‡ 14" x 6'8" † ‡	<b>S85934SL</b> 6 12" x 8'0" 14" x 8'0"	<b>S6091SL</b> 6 12" x 6'8" 14" x 6'8"	<b>S892SL</b> 6 12" x 8'0" 14" x 8'0"	<b>S292SL</b> 6 12" x 6'8" 14" x 6'8"	<b>S85922SL</b> 6 12" x 8'0" 14" x 8'0"	<b>19720T</b> 3'0" Door Only	<b>19730T</b> 3'0" door + (2) 12" sidelites Continuous Sill Systems Only
---	--	--	--	---	--	---	--	--	--	---------------------------------	--

Transoms can be stained or painted to match a Fiber-Classic or Smooth-Star door system.

## Riserva® x

Note: Product images show exterior side of door.


### Fiber-Classic® Mahogany



<b>FCM574</b> 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM8574</b> 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FCM571</b> 6 2'6" x 6'8" ‡ 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	<b>FCM8571</b> 6 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FCM543</b> 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM581</b> 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM8581</b> 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FCM575</b> 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM577</b> 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"
--	---	---	--	--	--	---	--	--

\*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.  
Note: See page 275 for important product details that may help with your purchase decision.





<b>FCM508</b> 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM506</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM572SL</b> 6 10" x 6'8" 12" x 6'8" ‡ 14" x 6'8" ‡	<b>FCM8572SL</b> 6 12" x 8'0" 14" x 8'0"	<b>FCM8573SL</b> 6 12" x 8'0" 14" x 8'0"	<b>FCM545SL</b> 6 12" x 6'8" 14" x 6'8"	<b>FCM8545SL</b> 6 12" x 8'0" 14" x 8'0"	<b>FCM583SL</b> 6 12" x 6'8" 14" x 6'8"	<b>FCM8583SL</b> 6 12" x 8'0" 14" x 8'0"
--	---	--	---	---	--	---	--	---

### Fiber-Classic® Oak



<b>FC574</b> 6 2'6" x 6'8" 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	<b>FC8574</b> 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FC571</b> 6 2'6" x 6'8" Δ ‡ 2'8" x 6'8" Δ ‡ 2'10" x 6'8" Δ ‡ 3'0" x 6'8" Δ ‡	<b>FC8571</b> 6 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FC543</b> 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FC529</b> 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FC8529</b> 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FC581</b> 6 2'6" x 6'8" 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	<b>FC8581</b> 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FC8579</b> 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
--	--	--	---	---	---	--	--	--	--



<b>FC585</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FC506</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FC507</b> 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FC549</b> 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FC573SL</b> 6 10" x 6'8" 12" x 6'8" 14" x 6'8"	<b>FC8573SL</b> 6 12" x 8'0" 14" x 8'0"	<b>FC572SL</b> 6 12" x 6'8" Δ ‡ 14" x 6'8" Δ ‡	<b>FC8572SL</b> 6 12" x 8'0" 14" x 8'0"
--	--	---	---	---	--	---	--

Riserva Glass Continues on next page.

#### Key

- No Stile Lines
- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- ◆ Brass Caming (1A)
- ✕ Wrought Iron (1W)
- └ Flat Lite Frame
- Vented Sidelite (No Impact)  
(6'6" & 6'8" only in 12" & 14")  
(8'0" only in 14")

- 6 WBDL Options
- 6 WBDL / HVHZ Options
- Δ 6'6" Height Available
- ‡ 7'0" Height Available


#### Optional Dentil Shelf\*




### Smooth-Star®



<b>FC545SL</b> 6	<b>FC8545SL</b> 6	<b>FC583SL</b> 6	<b>FC8583SL</b> 6
12" x 6'8"	12" x 8'0"	12" x 6'8"	12" x 8'0"
14" x 6'8"	14" x 8'0"	14" x 6'8"	14" x 8'0"



<b>S574</b> 6	<b>S8574</b> 6	<b>S571</b> 6	<b>S8571</b> 6	<b>S543</b> 6
2'6" x 6'8"	2'6" x 8'0"	2'6" x 6'8" Δ	2'6" x 8'0" Δ	2'8" x 6'8"
2'8" x 6'8" ‡	2'8" x 8'0"	2'8" x 6'8" Δ ‡	2'8" x 8'0" Δ ‡	2'10" x 6'8"
2'10" x 6'8" ‡	2'10" x 8'0"	2'10" x 6'8" Δ ‡	2'10" x 8'0" Δ ‡	3'0" x 6'8"
3'0" x 6'8" ‡	3'0" x 8'0"	3'0" x 6'8" Δ ‡	3'0" x 8'0" Δ ‡	
		3'6" x 6'8"	3'6" x 8'0"	



<b>S529</b> 6	<b>S8529</b> 6	<b>S581</b> 6	<b>S8581</b> 6	<b>S575</b> 6	<b>S577</b> 6	<b>S579</b> 6	<b>S8579</b> 6	<b>S585</b> 6
2'8" x 6'8"	2'8" x 8'0"	2'6" x 6'8"	2'8" x 8'0"	2'6" x 6'8"	2'8" x 6'8"	2'8" x 6'8"	2'8" x 8'0"	2'8" x 6'8"
2'10" x 6'8"	2'10" x 8'0"	2'8" x 6'8" ‡	2'10" x 8'0" ‡	2'8" x 6'8" ‡	2'10" x 6'8"	2'10" x 6'8"	2'10" x 8'0"	2'10" x 6'8"
3'0" x 6'8"	3'0" x 8'0"	2'10" x 6'8" ‡	3'0" x 8'0" ‡	2'10" x 6'8" ‡	3'0" x 6'8"	3'0" x 6'8"	3'0" x 8'0"	3'0" x 6'8"
		3'0" x 6'8" ‡						



<b>S2670*</b> 6	<b>S82670*</b> 6	<b>S508</b> 6	<b>S8508</b> 6	<b>S506</b> 6	<b>S507</b> 6	<b>S549</b> 6	<b>S573SL</b> 6	<b>S8573SL</b> 6
2'8" x 6'8"	2'8" x 8'0"	2'8" x 6'8"	2'8" x 8'0"	2'8" x 6'8"	2'8" x 6'8"	2'8" x 8'0"	12" x 6'8"	12" x 8'0"
2'10" x 6'8"	2'10" x 8'0"	2'10" x 6'8"	2'10" x 8'0"	2'10" x 6'8"	2'10" x 6'8"	2'10" x 8'0"	14" x 6'8"	14" x 8'0"
3'0" x 6'8"	3'0" x 8'0"	3'0" x 6'8"	3'0" x 8'0"	3'0" x 6'8"	3'0" x 6'8"	3'0" x 8'0"		

\*Available with flat lite frame or Impact-rated lite frame only.  
 \*\*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.  
 Note: See page 275 for important product details that may help with your purchase decision.





**RSRT**  
3'0" door + (2) 12" sidelites  
Continuous Sill Systems Only

S572SL

6  
10" x 6'8"  
12" x 6'8" ⚠ ‡  
14" x 6'8" ⚠ ‡

S8572SL

6  
12" x 8'0"  
14" x 8'0"

S545SL

6  
12" x 6'8"  
14" x 6'8"

S8545SL

6  
12" x 8'0"  
14" x 8'0"

S583SL

6  
12" x 6'8"  
14" x 6'8"

S8583SL

6  
12" x 8'0"  
14" x 8'0"

Transoms can be stained or painted to match a Fiber-Classic or Smooth-Star door system.



**Key**

- No Stile Lines
- ✗ Wrought Iron (1W)
- ⬇ Flat Lite Frame

- Vented Sidelite (No Impact)  
(6'6" & 6'8" only in 12" & 14")  
(8'0" only in 14")
- ⚡ WBDR Options


- ⚡ WBDR / HVHZ Options
- ⚠ 6'6" Height Available
- ‡ 7'0" Height Available

**Optional Dentil Shelf\*\***




**4-Block Dentil Shelf**  
Available for all Craftsman-style Smooth-Star doors.

## Fiber-Classic.® Mahogany



## Fiber-Classic.® Oak







<b>FC913</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FC916</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FC915</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FC797</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FC914</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FC80947</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FC86247</b> 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
--	--	--	--	--	--	--



<b>FC735</b> 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	<b>FC8735</b> 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FC917</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FC910SL</b> 10" x 6'8" 12" x 6'8" 14" x 6'8"	<b>81928PSL</b> 12" x 8'0" 14" x 8'0"	<b>FC809SL</b> 12" x 6'8" Δ ‡ 14" x 6'8" Δ ‡	<b>81928SL</b> 12" x 8'0" 14" x 8'0"	<b>FC912SL</b> 12" x 6'8" 14" x 6'8"	<b>81960PSL</b> 12" x 8'0" 14" x 8'0"	<b>FC911SL</b> 12" x 6'8" 14" x 6'8"	<b>81942PSL</b> 12" x 8'0" 14" x 8'0"
--	---	--	--	---	--	--	--	---	--	---

## Smooth-Star®



<b>S6090</b> 2'6" x 6'8" 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	<b>S85895</b> 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S6095</b> 2'6" x 6'8" Δ ‡ 2'8" x 6'8" Δ ‡ 2'10" x 6'8" Δ ‡ 3'0" x 6'8" Δ ‡ 3'6" x 6'8"	<b>S820</b> 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'6" x 8'0"	<b>S912</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S97</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S85902</b> 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S426</b> 2'6" x 6'8" 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	<b>S81942P</b> 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S6026</b> 2'6" x 6'8" 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡
---	--	--	---	---	--	---	--	--	---

Concorde Glass Continues on next page.

### Key

- No Stile Lines
- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- ◆ Brass Caming (1A)
- Vented Sidelite (No Impact)  
(6'6" & 6'8" only in 12" & 14")  
(8'0" only in 14")
- ⚠ 6'6" Height Available  
(6'6" & 6'8" only in 12" & 14")  
(8'0" only in 14")
- ‡ 7'0" Height Available
- 6 WBDR Options
- 6 WBDR / HVHZ Options



**S6046**

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

**S37**

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

**S837**

2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"

**S430**

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

**S773**

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

**S6084**

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

**S1000**

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

**S17**

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



**S9347**

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

**S83147**

2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"

**S735**

2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡

**S8735**

2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"

**S454**

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

**S416SL**

12" x 6'8"  
14" x 6'8"

**S85895SL**

12" x 8'0"  
14" x 8'0"

**S4070SL**

10" x 6'8"  
12" x 6'8" † ‡  
14" x 6'8" † ‡

**S85930SL**

12" x 8'0"  
14" x 8'0"



**S757SL**

12" x 6'8"  
14" x 6'8"

**S85902SL**

12" x 8'0"  
14" x 8'0"

**S430SL**

12" x 6'8"  
14" x 6'8"

**S85920SL**

12" x 8'0"  
14" x 8'0"



**CNRT**

3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only

Transoms can be stained or painted to match a Fiber-Classic or Smooth-Star door system.



Fiber-Classic® Mahogany



**FCM148**  
 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"




**FCM626**  
 ■ 6  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**FCM156**  
 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**FCM149** | **FCM8149**  
 6 | 6  
 2'8" x 6'8" | 2'8" x 8'0"  
 2'10" x 6'8" | 2'10" x 8'0"  
 3'0" x 6'8" | 3'0" x 8'0"



**FCM6036**  
 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**FCM6056**  
 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**FCM151**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**FCM789**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**FCM150**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**FCM813SL**  
 ■ ● ●  
 10" x 6'8"  
 12" x 6'8" ‡  
 14" x 6'8" ‡



**FCM1442SL** | **FCM8107SL**  
 6 | 6  
 12" x 6'8" | 12" x 8'0"  
 14" x 6'8" | 14" x 8'0"



**FCM149SL** | **FCM867SL**  
 6 | 6  
 12" x 6'8" | 12" x 8'0"  
 14" x 6'8" | 14" x 8'0"

Fiber-Classic® Oak



**FC148**  
 6  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**FC626**  
 ■ 6  
 2'8" x 6'8" ▲ ‡  
 2'10" x 6'8" ▲ ‡  
 3'0" x 6'8" ▲ ‡



**FC20042** | **81961P**  
 6 | 6  
 2'8" x 6'8" | 2'8" x 8'0"  
 2'10" x 6'8" | 2'10" x 8'0"  
 3'0" x 6'8" | 3'0" x 8'0"



**FC156**  
 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**FC149** | **FC8149**  
 6 | 6  
 2'8" x 6'8" ‡ | 2'8" x 8'0"  
 2'10" x 6'8" ‡ | 2'10" x 8'0"  
 3'0" x 6'8" ‡ | 3'0" x 8'0"



**FC89701**  
 6  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**FC152**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**Kensington Glass** *Continues on next page.*

**Key**

- No Stile Lines
- ◆ Black Nickel Caming (1D)
- ■ ■ Brushed Nickel Caming (1C)
- ◆ ■ ■ Brass Caming (1A)
- ⬆ Flat Lite Frame
- Vented Sidelite (No Impact)  
(6'6" & 6'8" only in 12" & 14")  
(8'0" only in 14")
- 6 WBDR Options
- ⬆ WBDR / HVHZ Options
- ▲ 6'6" Height Available
- ‡ 7'0" Height Available



**FC709**  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



**FC151**  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



**FC798**  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



**FC150**  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



**FC80942**  
 9  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"




**FC86242**  
 9  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"




**FC148SL**  
 9  
10" x 6'8"  
12" x 6'8"  
14" x 6'8"




**FC813SL**  
 9  
12" x 6'8"  $\Delta$  †  
14" x 6'8"  $\Delta$  †

### Smooth-Star.®



**FC1442SL**  9  
12" x 6'8"  
14" x 6'8"




**81961PSL**  9  
12" x 8'0"  
14" x 8'0"


**FC149SL**  9  
12" x 6'8"  
14" x 6'8"

**FC8867SL**  9  
12" x 8'0"  
14" x 8'0"



**S160**  9  
2'8" x 6'8"  $\ddagger$   
2'10" x 6'8"  $\ddagger$   
3'0" x 6'8"  $\ddagger$




**S626**  9  
2'8" x 6'8"  $\Delta$  †  
2'10" x 6'8"  $\Delta$  †  
3'0" x 6'8"  $\Delta$  †  
3'6" x 6'8"




**S20042**  9  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"




**S902**  9  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"

**S156**  9  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"




**S161**  9  
2'8" x 6'8"  $\ddagger$   
2'10" x 6'8"  $\ddagger$   
3'0" x 6'8"  $\ddagger$



**S8149**  9  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"




**S6036**  9  
2'8" x 6'8"  $\ddagger$   
2'10" x 6'8"  $\ddagger$   
3'0" x 6'8"  $\ddagger$



**S6056**  9  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



**S43**  9  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



**S89701**  9  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



**S162**  9  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

**S709**  9  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"





**S163**  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



**S1001**  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



**S6119**  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



**S9342**  
6  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



**S83142**  
6  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



**S160SL**  
6  
12" x 6'8"  
14" x 6'8"



**S6132SL**  
6  
10" x 6'8"  
12" x 6'8" Δ‡  
14" x 6'8" Δ‡



**S1442SL**  
6  
12" x 6'8"  
14" x 6'8"



**S902SL**  
6  
12" x 8'0"  
14" x 8'0"



**KNRT**  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only

**S161SL**  
6  
12" x 6'8"  
14" x 6'8"

**S867SL**  
6  
12" x 8'0"  
14" x 8'0"

Transoms can be stained or painted to match a Fiber-Classic or Smooth-Star door system.



**Key**

- No Stile Lines
- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- └ Flat Lite Frame
- Vented Sidelite (No Impact)  
(6'6" & 6'8" only in 12" & 14")  
(8'0" only in 14")
- 6 WBDR Options
- 6 WBDR / HVHZ Options
- Δ 6'6" Height Available
- ‡ 7'0" Height Available

## Fiber-Classic.® Mahogany



<b>FCM6550</b> 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM86550</b> 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FCM6500</b> 6 2'4" x 6'8" 2'6" x 6'8" ‡ 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	<b>FCM86500</b> 6 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FCM6582</b> 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM6560</b> 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM86560</b> 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FCM6565</b> 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM6568</b> 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"
---	--	---	---	---	---	--	---	---



<b>FCM6577</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM6575</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM6520</b> 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM6532</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM745</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM8745</b> 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FCM6570</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM86570</b> 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
--	--	---	--	---	--	--	---

## Fiber-Classic.® Oak









<b>FCM86550SL</b> 6 12" x 8'0" 14" x 8'0"	<b>FCM6500SL</b> 6 10" x 6'8" 12" x 6'8" ‡ 14" x 6'8" ‡	<b>FCM86500SL</b> 6 12" x 8'0" 14" x 8'0"	<b>FCM6580SL</b> 6 12" x 6'8" 14" x 6'8"	<b>FCM86580SL</b> 6 12" x 8'0" 14" x 8'0"	<b>FCM6565SL</b> 6 12" x 6'8" 14" x 6'8"	<b>FCM86560SL</b> 6 12" x 8'0" 14" x 8'0"	<b>FC6550</b> 6 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	<b>FC86550</b> 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FC6500</b> 6 2'6" x 6'8" ‡ ‡ 2'8" x 6'8" ‡ ‡ 2'10" x 6'8" ‡ ‡ 3'0" x 6'8" ‡ ‡	<b>FC86500</b> 6 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
--	---	--	---	--	---	--	--	---	---	--



\*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.  
Note: See page 275 for important product details that may help with your purchase decision.














<p><b>FC6582</b>                    2'8" x 6'8"                  2'10" x 6'8"                  3'0" x 6'8"</p>	<p><b>FC6580</b>                    2'8" x 6'8"                  2'10" x 6'8"                  3'0" x 6'8"</p>	<p><b>FC86580</b>                    2'8" x 8'0"                  2'10" x 8'0"                  3'0" x 8'0"</p>	<p><b>FC6560</b>                    2'6" x 6'8"                  2'8" x 6'8" ‡                  2'10" x 6'8" ‡                  3'0" x 6'8" ‡</p>	<p><b>FC86560</b>                    2'8" x 8'0"                  2'10" x 8'0"                  3'0" x 8'0"</p>	<p><b>FC86536</b>                    2'8" x 8'0"                  2'10" x 8'0"                  3'0" x 8'0"</p>	<p><b>FC6572</b>                  2'8" x 6'8"                  2'10" x 6'8"                  3'0" x 6'8"</p>	<p><b>FC6577</b>                  2'8" x 6'8"                  2'10" x 6'8"                  3'0" x 6'8"</p>
---	---	--	--	--	--	--	--



<p><b>FC6576</b>                  2'8" x 6'8"                  2'10" x 6'8"                  3'0" x 6'8"</p>	<p><b>FC06575</b>                  2'8" x 6'8"                  2'10" x 6'8"                  3'0" x 6'8"</p>	<p><b>FC6532</b>                  2'8" x 6'8"                  2'10" x 6'8"                  3'0" x 6'8"</p>	<p><b>FC6534</b>                    2'8" x 6'8"                  2'10" x 6'8"                  3'0" x 6'8"</p>	<p><b>FC86533</b>                    2'8" x 8'0"                  2'10" x 8'0"                  3'0" x 8'0"</p>	<p><b>FC745</b>                  2'8" x 6'8"                  2'10" x 6'8"                  3'0" x 6'8"</p>	<p><b>FC8745</b>                  2'8" x 8'0"                  2'10" x 8'0"                  3'0" x 8'0"</p>
--	---	--	---	--	---	--



<p><b>FC6570</b>                  2'6" x 6'8" ‡                  2'8" x 6'8"                  2'10" x 6'8"                  3'0" x 6'8"</p>	<p><b>FC86570</b>                  2'8" x 8'0"                  2'10" x 8'0"                  3'0" x 8'0"</p>	<p><b>FC6550SL</b>                    10" x 6'8"                  12" x 6'8"                  14" x 6'8"</p>	<p><b>FC86550SL</b>                    12" x 8'0"                  14" x 8'0"</p>	<p><b>FC6500SL</b>                    12" x 6'8" ‡ †                  14" x 6'8" ‡ †</p>	<p><b>FC86500SL</b>                    12" x 8'0"</p>	<p><b>FC6580SL</b>                    12" x 6'8"                  14" x 6'8"</p>	<p><b>FC86580SL</b>                    12" x 8'0"                  14" x 8'0"</p>	<p><b>FC6565SL</b>                    12" x 6'8"                  14" x 6'8"</p>	<p><b>FC86560SL</b>                    12" x 8'0"                  14" x 8'0"</p>
---	---	---	--	---	--	---	--	---	--

Pembridge Glass *Continues on next page.*

**Key**

-  No Stile Lines
-  Black Nickel Caming (1D)
-  Brushed Nickel Caming (1C)
-  Brass Caming (1A)
-  Vented Sidelite (No Impact)  
 (6'6" & 6'8" only in 12" & 14")  
 (8'0" only in 14")
-  WBDR Options
-  WBDR / HVHZ Options
-  6'6" Height Available
-  7'0" Height Available

**Optional Dentil Shelf\***



**4-Block Dentil Shelf**  
 Available for all Craftsman-style  
 Fiber-Classic Mahogany Collection doors.

Smooth-Star®

<b>S6550</b> 6 2'6" x 6'8" 2'8" x 6'8"‡ 2'10" x 6'8"‡ 3'0" x 6'8"‡	<b>S86550</b> 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S6500</b> 6 2'6" x 6'8" Δ ‡ 2'8" x 6'8" Δ ‡ 2'10" x 6'8" Δ ‡ 3'0" x 6'8" Δ ‡	<b>S86500</b> 6 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S6582</b> 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S6580</b> 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S86580</b> 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S6560</b> 6 2'6" x 6'8" 2'8" x 6'8"‡ 2'10" x 6'8"‡ 3'0" x 6'8"‡	<b>S86560</b> 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S6565</b> 6 2'6" x 6'8" 2'8" x 6'8"‡ 2'10" x 6'8"‡ 3'0" x 6'8"‡

<b>S6568</b> 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S6536</b> 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S86536</b> 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S6572</b> 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S6577</b> 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S6575</b> 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S6576</b> 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

<b>S2640*</b> 19 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S82640*</b> 19 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S6520</b> 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S86520</b> 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S6532</b> 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S745</b> 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S8745</b> 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S6534</b> 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S86533</b> 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

\*Available with flat lite frame or Impact-rated lite frame only.  
 \*\*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.  
 Note: See page 275 for important product details that may help with your purchase decision.





**S6570**  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

**S86570**  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



**S6550SL**  
12" x 6'8"  
14" x 6'8"

**S86550SL**  
12" x 8'0"  
14" x 8'0"



**S6500SL**  
10" x 6'8"  
12" x 6'8" Δ ‡  
14" x 6'8" Δ ‡

**S86500SL**  
12" x 8'0"  
14" x 8'0"



**S6580SL**  
12" x 6'8"  
14" x 6'8"

**S86580SL**  
12" x 8'0"  
14" x 8'0"



**S6565SL**  
12" x 6'8"  
14" x 6'8"

**S86560SL**  
12" x 8'0"  
14" x 8'0"



**PBRT**  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous / Boxed Sill Systems

Transoms can be stained or painted to match a Fiber-Classic or Smooth-Star door system.



**Key**

- No Stile Lines
- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- ◆ Brass Caming (1A)
- └ Flat Lite Frame
- Vented Sidelite (No Impact)  
(6'6" & 6'8" only in 12" & 14")  
(8'0" only in 14")
- 6 WBDR Options
- 6 WBDR / HVHZ Options
- ▲ 6'6" Height Available
- ‡ 7'0" Height Available










**Optional Dentil Shelves\*\***







**4-Block Dentil Shelf**  
Available for all Craftsman-style Smooth-Star doors.

## Fiber-Classic. Mahogany





- |  |   |  |  |  |  |   |  |  |
|--|---|--|--|--|--|---|--|--|
| <b>FCM1652</b><br> 2'8" x 6'8"<br>2'10" x 6'8"<br>3'0" x 6'8" | <b>FCM81652</b><br> 2'8" x 8'0"<br>2'10" x 8'0"<br>3'0" x 8'0" | <b>FCM1651</b><br> 2'4" x 6'8"<br>2'6" x 6'8" ‡<br>2'8" x 6'8" ‡<br>2'10" x 6'8" ‡<br>3'0" x 6'8" ‡ | <b>FCM81651</b><br> 2'6" x 8'0"<br>2'8" x 8'0"<br>2'10" x 8'0"<br>3'0" x 8'0" | <b>FCM1647</b><br> 2'8" x 6'8"<br>2'10" x 6'8"<br>3'0" x 6'8" | <b>FCM1654</b><br> 2'8" x 6'8"<br>2'10" x 6'8"<br>3'0" x 6'8" | <b>FCM81654</b><br> 2'8" x 8'0"<br>2'10" x 8'0"<br>3'0" x 8'0" | <b>FCM1656</b><br> 2'8" x 6'8"<br>2'10" x 6'8"<br>3'0" x 6'8" | <b>FCM1658</b><br> 2'8" x 6'8"<br>2'10" x 6'8"<br>3'0" x 6'8" |
|--|---|--|--|--|--|---|--|--|



- |  |  |   |  |   |   |  |   |  |   |
|--|--|---|--|---|---|--|---|--|---|
| <b>FCM1650</b><br> 2'8" x 6'8"<br>2'10" x 6'8"<br>3'0" x 6'8" | <b>FCM1645</b><br>2'8" x 6'8"<br>2'10" x 6'8"<br>3'0" x 6'8" | <b>FCM81645</b><br>2'8" x 8'0"<br>2'10" x 8'0"<br>3'0" x 8'0" | <b>FCM1651SL</b><br> 10" x 6'8"<br>12" x 6'8" ‡<br>14" x 6'8" ‡ | <b>FCM81651SL</b><br> 12" x 8'0"<br>14" x 8'0" | <b>FCM81652SL</b><br> 12" x 8'0"<br>14" x 8'0" | <b>FCM1646SL</b><br> 12" x 6'8"<br>14" x 6'8" | <b>FCM81646SL</b><br> 12" x 8'0"<br>14" x 8'0" | <b>FCM1656SL</b><br> 12" x 6'8"<br>14" x 6'8" | <b>FCM81654SL</b><br> 12" x 8'0"<br>14" x 8'0" |
|--|--|---|--|---|---|--|---|--|---|

## Fiber-Classic. Oak



- |  |  |   |   |   |   |  |  |  |
|--|--|---|---|---|---|--|--|--|
| <b>FC1652</b><br> 2'6" x 6'8"<br>2'8" x 6'8" ‡<br>2'10" x 6'8" ‡<br>3'0" x 6'8" ‡ | <b>FC81652</b><br> 2'8" x 8'0"<br>2'10" x 8'0"<br>3'0" x 8'0" | <b>FC1651</b><br> 2'4" x 6'8" †<br>2'6" x 6'8" † ‡<br>2'8" x 6'8" † ‡<br>2'10" x 6'8" † ‡<br>3'0" x 6'8" † ‡ | <b>FC81651</b><br> 2'6" x 8'0"<br>2'8" x 8'0"<br>2'10" x 8'0"<br>3'0" x 8'0" | <b>FC1647</b><br> 2'8" x 6'8"<br>2'10" x 6'8"<br>3'0" x 6'8" | <b>FC1646</b><br> 2'8" x 6'8"<br>2'10" x 6'8"<br>3'0" x 6'8" | <b>FC81646</b><br> 2'8" x 8'0"<br>2'10" x 8'0"<br>3'0" x 8'0" | <b>FC1654</b><br> 2'6" x 6'8"<br>2'8" x 6'8" ‡<br>2'10" x 6'8" ‡<br>3'0" x 6'8" ‡ | <b>FC81654</b><br> 2'8" x 8'0"<br>2'10" x 8'0"<br>3'0" x 8'0" |
|--|--|---|---|---|---|--|--|--|

\*Available with flat lite frame or Impact-rated lite frame only.

\*\*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.


Note: See page 275 for important product details that may help with your purchase decision.






<b>FC81653</b> 9 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FC1655</b> 9 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FC81649</b> 9 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FC1645</b> 9 2'6" x 6'8" ‡ 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	<b>FC81645</b> 9 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FC1661</b> 9 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FC1652SL</b> 9 10" x 6'8" 12" x 6'8" 14" x 6'8"	<b>FC81652SL</b> 9 12" x 8'0" 14" x 8'0"	<b>FC1651SL</b> 9 12" x 6'8" Δ ‡ 14" x 6'8" Δ ‡	<b>FC81651SL</b> 9 12" x 8'0" 14" x 8'0"
---	--	---	---	---	--	--	---	--	---

### Smooth-Star®



<b>FC1646SL</b> 9 12" x 6'8" 14" x 6'8"	<b>FC81646SL</b> 9 12" x 8'0" 14" x 8'0"	<b>FC1656SL</b> 9 12" x 6'8" 14" x 6'8"	<b>FC81654SL</b> 9 12" x 8'0" 14" x 8'0"	<b>S1652</b> 9 2'6" x 6'8" 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	<b>S81652</b> 9 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S1651</b> 9 2'4" x 6'8" Δ 2'6" x 6'8" Δ 2'8" x 6'8" Δ ‡ 2'10" x 6'8" Δ ‡ 3'0" x 6'8" Δ ‡ 3'6" x 6'8"	<b>S81651</b> 9 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'6" x 8'0"	<b>S1647</b> 9 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S1646</b> 9 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S81646</b> 9 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
--	---	--	---	--	---	--	--	---	---	--




<b>S1654</b> 9 2'6" x 6'8" 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	<b>S81654</b> 9 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S1656</b> 9 2'6" x 6'8" 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	<b>S1658</b> 9 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S1653</b> 9 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S81653</b> 9 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S2620*</b> 9 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S82620*</b> 9 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
--	--	--	---	---	--	--	---

Axis Glass *Continues on next page.*

### Key

- No Stile Lines
- ◆ Black Nickel Caming (1D)
- └─┘ Flat Lite Frame
- Vented Sidelite (No Impact)  
(6'6" & 6'8" only in 12" & 14")  
(8'0" only in 14")
- 9 WBDR Options
- 9 WBDR / HVHZ Options
- Δ 6'6" Height Available
- ‡ 7'0" Height Available

### Optional Dentil Shelves\*\*



**4-Block Dentil Shelf**  
Available for all Craftsman-style  
Fiber-Classic Mahogany Collection doors.

**4-Block Dentil Shelf**  
Available for all Craftsman-style  
Smooth-Star doors.



<b>S1650</b> 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S81650</b> 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S1655</b> 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S81649</b> 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S1645</b> 6 2'6" x 6'8" 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	<b>S81645</b> 6 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S1661</b> 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"
---	--	---	--	--	---	---



<b>S1652SL</b> 16 12" x 6'8" 14" x 6'8"	<b>S81652SL</b> 16 12" x 8'0" 14" x 8'0"	<b>S1651SL</b> 6 10" x 6'8" 12" x 6'8" ‡ † 14" x 6'8" ‡ †	<b>S81651SL</b> 6 12" x 8'0" 14" x 8'0"	<b>S1646SL</b> 6 12" x 6'8" 14" x 6'8"	<b>S81646SL</b> 6 12" x 8'0" 14" x 8'0"	<b>S1656SL</b> 6 12" x 6'8" 14" x 6'8"	<b>S81654SL</b> 6 12" x 8'0" 14" x 8'0"
--	---	---	--	---	--	---	--



**AXRT**  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous / Boxed Sill Systems

Transoms can be stained or painted to match a Fiber-Classic or Smooth-Star door system.



\*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.  
Note: See page 275 for important product details that may help with your purchase decision.



# Frosted Images®

## Fiber-Classic® Mahogany



FCM66  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



FCM6023  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



FCM6043  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"








FCM784  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"




FCM787  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



FCM13101SL  
   10" x 6'8"  
 12" x 6'8" ‡  
 14" x 6'8" ‡



FCM8109SL  
 12" x 8'0"  
 14" x 8'0"



FCM66SL  
 12" x 6'8"  
 14" x 6'8"

## Fiber-Classic® Oak



FC66  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



FC44  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



FC784  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



FC787  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



FC791  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



FC80945  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



FC86245  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



FC11SL  
 10" x 6'8"  
 12" x 6'8"  
 14" x 6'8"

## Smooth-Star®



13101SL  
   12" x 6'8" ‡ ‡  
 14" x 6'8" ‡ ‡






81963PSL  
 12" x 8'0"  
 14" x 8'0"






FC44SL  
 12" x 6'8"  
 14" x 6'8"



S206E  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡




S6023  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



S6043  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



S34  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



S289E  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



S989  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

### Key

 No Stile Lines

 Black Nickel Caming (1D)

 Flat Lite Frame

 Vented Sidelite (No Impact)  
 (6'6" & 6'8" only in 12" & 14")  
 (8'0" only in 14")

 WBDR Options

 WBDR / HVHZ Options

 6'6" Height Available


 7'0" Height Available

Frosted Images Glass Continues on next page.

### Optional Dentil Shelf\*



4-Block Dentil Shelf  
 Available for all Craftsman-style  
 Smooth-Star doors.




<b>S6081</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S994</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S9345</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S83145</b> 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S138SL</b> 12" x 6'8" 14" x 6'8"	<b>S2070SL</b> 10" x 6'8" 12" x 6'8" Δ ‡ 14" x 6'8" Δ ‡	<b>S884SL</b> 12" x 8'0" 14" x 8'0"	<b>S289ESL</b> 12" x 6'8" 14" x 6'8"
--	---	--	---	---	--	---	--

## EnLiten™ Flush-Glazed Privacy & Textured Glass with Divided Lites

Note: For details on divided lite options, see pages 118–119. Product images show exterior side of door.

Fiber-Classic® Oak



<b>FC1205</b> 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"	<b>FC1207</b> 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"	<b>2010</b> 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"	<b>2050</b> 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"	<b>2050_SL</b> 12" x 6'8" 14" x 6'8"	<b>FC5700</b> 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"	<b>FC85700</b> 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FC5710</b> 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"	<b>FC85710</b> 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
<b>FC5720</b> 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"	<b>FC85720</b> 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FC691</b> 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"	<b>FC8691</b> 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FC685L</b> 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"	<b>FC8685L</b> 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FC685R</b> 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"	<b>FC8685R</b> 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	

### Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 117.

**XG = Geometric**  
Available for select styles.  
**XE = Satin Etch**

**XC = Chord**  
**XJ = Chinchilla**

**XR = Rainglass**  
**XN = Granite**

\*Not available with Geometric (XG) glass.

\*\*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.

Note: See page 275 for important product details that may help with your purchase decision.



# Smooth-Star®



FC5700\_SL  
 ▲ 2  
 12" x 6'8"  
 14" x 6'8"



FC5710\_SL  
 ▲ 2  
 12" x 6'8"  
 14" x 6'8"



FC5720\_SL  
 ▲ 2  
 12" x 6'8"  
 14" x 6'8"



S1205\_  
 ▲ 2  
 2'6" x 6'8" ▲  
 2'8" x 6'8" ▲  
 2'10" x 6'8" ▲  
 3'0" x 6'8" ▲



S1207\_  
 ▲ 2  
 2'6" x 6'8" ▲  
 2'8" x 6'8" ▲  
 2'10" x 6'8" ▲  
 3'0" x 6'8" ▲




S2010\_  
 ▲ 2  
 2'6" x 6'8" ▲  
 2'8" x 6'8" ▲  
 2'10" x 6'8" ▲  
 3'0" x 6'8" ▲



S82103\_  
 ▲ 2  
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



S82105\_  
 ▲ 2  
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



S82106\_  
 ▲ 2  
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



S82107\_  
 ▲ 2  
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



S2010\_SL  
 ▲ 2  
 10" x 6'8" ▲  
 12" x 6'8" ▲  
 14" x 6'8" ▲



S4812\_\*  
 ▲ 2  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



S4813\_\*  
 ▲ 2  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



S4814\_\*  
 ▲ 2  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



S4816\_\*  
 ▲ 2  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



S2000\_SL-2C\*  
 ▲ 2  
 10" x 6'8" ▲  
 12" x 6'8" ▲  
 14" x 6'8" ▲



S2000\_SL-4C\*  
 ▲ 2  
 10" x 6'8" ▲  
 12" x 6'8" ▲  
 14" x 6'8" ▲



S4812\_SL\*  
 ▲ 2  
 12" x 6'8"  
 14" x 6'8"



S5700\_  
 ▲ 2  
 2'6" x 6'8" ▲  
 2'8" x 6'8" ▲  
 2'10" x 6'8" ▲  
 3'0" x 6'8" ▲



S5710\_  
 ▲ 2  
 2'6" x 8'0" ▲  
 2'8" x 8'0" ▲  
 2'10" x 8'0" ▲  
 3'0" x 8'0" ▲



S85710\_  
 ▲ 2  
 2'6" x 8'0" ▲  
 2'8" x 8'0" ▲  
 2'10" x 8'0" ▲  
 3'0" x 8'0" ▲

EnLiten Flush-Glazed Privacy & Textured Glass with Divided Lites *Continues on next page.*

## Key

- No Stile Lines
- ▲ Flush-Glazed Glass (FG)
- ▲ Simulated Divided Lites (SDL)
- ▲ Simulated Divided Lites (SDLF1)
- ▲ Simulated Divided Lites (SDLF2)
- ▲ Flat Lite Frame
- Vented Sidelite (No Impact)  
(6'6" & 6'8" only in 12" & 14"  
(8'0" only in 14"))
- Ⓜ WBDL Options
- Ⓜ WBDL / HVHZ Options
- ▲ 6'6" Height Available
- ⊕ 7'0" Height Available

## Optional Dentil Shelf\*\*





<b>S5720_</b> ▲ 2 2'6" x 6'8" ▲ 2'8" x 6'8" ▲ 2'10" x 6'8" ▲ 3'0" x 6'8" ▲	<b>S85720_</b> ▲ 2 2'6" x 8'0" ▲ 2'8" x 8'0" ▲ 2'10" x 8'0" ▲ 3'0" x 8'0" ▲	<b>S691_</b> ▲ 2 2'6" x 6'8" ▲ 2'8" x 6'8" ▲ 2'10" x 6'8" ▲ 3'0" x 6'8" ▲	<b>S8691_</b> ▲ 2 2'6" x 8'0" ▲ 2'8" x 8'0" ▲ 2'10" x 8'0" ▲ 3'0" x 8'0" ▲	<b>S5705_</b> ▲ 2 2'6" x 6'8" ▲ 2'8" x 6'8" ▲ 2'10" x 6'8" ▲ 3'0" x 6'8" ▲	<b>S85705_</b> ▲ 2 2'6" x 8'0" ▲ 2'8" x 8'0" ▲ 2'10" x 8'0" ▲ 3'0" x 8'0" ▲	<b>S5715_</b> ▲ 2 2'6" x 6'8" ▲ 2'8" x 6'8" ▲ 2'10" x 6'8" ▲ 3'0" x 6'8" ▲	<b>S85715_</b> ▲ 2 2'6" x 8'0" ▲ 2'8" x 8'0" ▲ 2'10" x 8'0" ▲ 3'0" x 8'0" ▲	<b>S5725_</b> ▲ 2 2'6" x 6'8" ▲ 2'8" x 6'8" ▲ 2'10" x 6'8" ▲ 3'0" x 6'8" ▲	<b>S85725_</b> ▲ 2 2'6" x 8'0" ▲ 2'8" x 8'0" ▲ 2'10" x 8'0" ▲ 3'0" x 8'0" ▲
---	--	--	---	---	--	---	--	---	--



<b>S685L_</b> ▲ 2 2'6" x 6'8" ▲ 2'8" x 6'8" ▲ 2'10" x 6'8" ▲ 3'0" x 6'8" ▲	<b>S8685L_</b> ▲ 2 2'6" x 8'0" ▲ 2'8" x 8'0" ▲ 2'10" x 8'0" ▲ 3'0" x 8'0" ▲	<b>S685R_</b> ▲ 2 2'6" x 6'8" ▲ 2'8" x 6'8" ▲ 2'10" x 6'8" ▲ 3'0" x 6'8" ▲	<b>S8685R_</b> ▲ 2 2'6" x 8'0" ▲ 2'8" x 8'0" ▲ 2'10" x 8'0" ▲ 3'0" x 8'0" ▲	<b>S85730_</b> ▲ 2 2'6" x 8'0" ▲ 2'8" x 8'0" ▲ 2'10" x 8'0" ▲ 3'0" x 8'0" ▲	<b>S5700_SL</b> ▲ 2 10" x 6'8" ▲ 12" x 6'8" ▲ 14" x 6'8" ▲	<b>S85700_SL</b> ▲ 2 12" x 8'0" ▲ 14" x 8'0" ▲	<b>S5710_SL</b> ▲ 2 10" x 6'8" ▲ 12" x 6'8" ▲ 14" x 6'8" ▲	<b>S85710_SL</b> ▲ 2 12" x 8'0" ▲ 14" x 8'0" ▲	<b>S5720_SL</b> ▲ 2 10" x 6'8" ▲ 12" x 6'8" ▲ 14" x 6'8" ▲	<b>S85720_SL</b> ▲ 2 12" x 8'0" ▲ 14" x 8'0" ▲
---	--	---	--	--	--	---	--	---	--	---



**Privacy & Textured Glass Options**

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 117.

**XG = Geometric**  
Available for select styles.  
**XE = Satin Etch**

**XC = Chord**  
**XJ = Chinchilla**

**XR = Rainglass**  
**XN = Granite**

\*Not available with Geometric (XG) glass.

\*\*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.


Note: See page 275 for important product details that may help with your purchase decision.

Bottom: Smooth-Star, Chinchilla Glass with SDLs, Door – S5700XJ, Sidelite – S5700XJSL, Finish – Cabernet



# EnLiten™ Flush-Glazed Privacy & Textured Glass

## Fiber-Classic® Oak




- |               |                |              |
|---------------|----------------|--------------|
| ▲ 2000_       | ▲ 8000_        | ▲ 2000_SL    |
| ▲ 2'6" x 6'8" | ▲ 2'6" x 8'0"  | ▲ 12" x 6'8" |
| ▲ 2'8" x 6'8" | ▲ 2'8" x 8'0"  | ▲ 14" x 6'8" |
| ▲ 3'0" x 6'8" | ▲ 2'10" x 8'0" |              |
|               | ▲ 3'0" x 8'0"  |              |

## Smooth-Star®



- |                  |                |                |                |                |
|------------------|----------------|----------------|----------------|----------------|
| ▲ S2000_         | ▲ S8000_       | ▲ S82200_      | ▲ S4810_*      | ▲ S84810_*     |
| ▲ 2'6" x 6'8" ▲  | ▲ 2'6" x 8'0"  | ▲ 2'6" x 8'0"  | ▲ 2'8" x 6'8"  | ▲ 2'8" x 8'0"  |
| ▲ 2'8" x 6'8" ▲  | ▲ 2'8" x 8'0"  | ▲ 2'8" x 8'0"  | ▲ 2'10" x 6'8" | ▲ 2'10" x 8'0" |
| ▲ 2'10" x 6'8" ▲ | ▲ 2'10" x 8'0" | ▲ 2'10" x 8'0" | ▲ 3'0" x 6'8"  | ▲ 3'0" x 8'0"  |
| ▲ 3'0" x 6'8" ▲  | ▲ 3'0" x 8'0"  |                |                |                |



- |                |              |              |              |
|----------------|--------------|--------------|--------------|
| ▲ S2000_SL     | ▲ S8000_SL   | ▲ S4810_SL*  | ▲ S84810_SL* |
| ▲ 10" x 6'8" ▲ | ▲ 12" x 8'0" | ▲ 12" x 6'8" | ▲ 12" x 8'0" |
| ▲ 12" x 6'8" ▲ | ▲ 14" x 8'0" | ▲ 14" x 6'8" | ▲ 14" x 8'0" |
| ▲ 14" x 6'8" ▲ |              |              |              |



### Key

- ▲ Flush-Glazed Glass (FG)
- 1 Simulated Divided Lites (SDLF1)
- 2 Simulated Divided Lites (SDLF2)
- Vented Sidelite (No Impact)  
(6'6" & 6'8" only in 12" & 14")  
(8'0" only in 14")
- ▲ 6'6" Height Available

### Optional Dentil Shelf\*\*



**4-Block Dentil Shelf**  
Available for all Craftsman-style Smooth-Star doors.

# Privacy & Textured Glass with Divided Lites

Note: For details on divided lite options, see pages 118-119.

Fiber-Classic® & Smooth-Star®


## Fiber-Classic® Mahogany




FCM138\_  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



FCM1285\_  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



FCM18\_  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



FCM1284\_  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



FCM82\_  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



FCM65\_  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



FCM6022\_  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



FCM6042\_  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



FCM8321\_  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



FCM12102\_SL  
 12" x 6'8" ‡  
 14" x 6'8" ‡



FCM92\_SL  
 12" x 6'8"  
 14" x 6'8"



FCM8101\_SL  
 12" x 8'0"  
 14" x 8'0"



FCM65\_SL  
 12" x 6'8"  
 14" x 6'8"



FCM3487\_SL  
 12" x 8'0"  
 14" x 8'0"



FCM605\_\*  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



FCM606\_\*  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



FCM607\_\*  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



FCM608\_\*  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



FCM6124\_SL\*  
 10" x 6'8"  
 12" x 6'8" ‡  
 14" x 6'8" ‡



FCM6125\_SL\*  
 10" x 6'8"  
 12" x 6'8" ‡  
 14" x 6'8" ‡



FCM6126\_SL\*  
 10" x 6'8"  
 12" x 6'8" ‡  
 14" x 6'8" ‡



FC138\_  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



1285\_  
 2'8" x 6'8" ‡ ‡  
 2'10" x 6'8" ‡ ‡  
 3'0" x 6'8" ‡ ‡

## Fiber-Classic® Oak

### Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 117.

XG = Geometric  
Available for select styles.  
 XE = Satin Etch

XC = Chord  
 XJ = Chinchilla

XR = Rainglass  
 XN = Granite

\*Not available with Geometric (XG) glass.

\*\*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.

Note: See page 275 for important product details that may help with your purchase decision.





FC18\_

2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡



1284\_

2'8" x 6'8" Δ ‡  
2'10" x 6'8" Δ ‡  
3'0" x 6'8" Δ ‡



FC82\_

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



FC92\_

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



81945P\_

2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



81946P\_

2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



FC65\_

2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡



FC8321\_

2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



FC832\_

2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



FC807\_

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



FC809203\_

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"




FC862203\_

2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



FC18\_SL

12" x 6'8"  
14" x 6'8"



12102\_SL

12" x 6'8" Δ ‡  
14" x 6'8" Δ ‡



FC92\_SL

12" x 6'8"  
14" x 6'8"



81946P\_SL

12" x 8'0"  
14" x 8'0"



FC63\_SL

12" x 6'8"  
14" x 6'8"



FC3487\_SL

12" x 8'0"  
14" x 8'0"



FC06188\_SL\*

10" x 6'8"  
12" x 6'8"  
14" x 6'8"



FC06184\_SL\*

12" x 6'8" Δ ‡  
14" x 6'8" Δ ‡



FC06189\_SL\*

10" x 6'8"  
12" x 6'8"  
14" x 6'8"



FC06185\_SL\*

12" x 6'8" Δ ‡  
14" x 6'8" Δ ‡



FC06190\_SL\*

10" x 6'8"  
12" x 6'8"  
14" x 6'8"



FC06186\_SL\*

12" x 6'8" Δ ‡  
14" x 6'8" Δ ‡

**Privacy & Textured Glass with Divided Lites** *Continues on next page.*

Look for the (🔥) for flush-glazed options on pages 162–165.

**Key**

🔴 No Stile Lines

🔥 Simulated Divided Lites (SDL)

🟢 Vented Sidelite (No Impact)  
(6'6" & 6'8" only in 12" & 14")  
(8'0" only in 14")

Δ 6'6" Height Available

‡ 7'0" Height Available

**Optional Dentil Shelf\*\***



**4-Block Dentil Shelf**  
Available for all Craftsman-style  
Fiber-Classic Mahogany Collection doors.

Smooth-Star®



**S128\_**  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**S141\_**  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡  
 3'6" x 6'8"



**S108\_**  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**S6063\_**  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡  
 3'6" x 6'8"



**S82\_**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**S92\_**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**S881\_**  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**S822\_**  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**S262\_**  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**S6022\_**  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**S6042\_**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**S32\_**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**S8321\_**  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**S832\_**  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**S807\_**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**S93203\_**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**S831203\_**  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**S308\_SL**  
 12" x 6'8"  
 14" x 6'8"



**S1170\_SL**  
 10" x 6'8"  
 12" x 6'8" ‡  
 14" x 6'8" ‡



**S82\_SL**  
 12" x 6'8"  
 14" x 6'8"



**S881\_SL**  
 12" x 8'0"  
 14" x 8'0"



**S263\_SL**  
 12" x 6'8"  
 14" x 6'8"



**S3487\_SL**  
 12" x 8'0"  
 14" x 8'0"

**Privacy & Textured Glass Options**

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 117.

**XG = Geometric**  
 Available for select styles.  
**XE = Satin Etch**

**XC = Chord**  
**XJ = Chinchilla**

**XR = Rainglass**  
**XN = Granite**

\*Not available with Geometric (XG) glass.  
 \*\*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.  
 Note: See page 275 for important product details that may help with your purchase decision.





**S605\_\***  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**S8605\_\***  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**S606\_\***  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**S8606\_\***  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**S607\_\***  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**S8607\_\***  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**S608\_\***  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**S8608\_\***  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**S605\_SL\***  
 12" x 6'8"  
 14" x 6'8"



**S6124\_SL\***  
 10" x 6'8"  
 12" x 6'8" Δ‡  
 14" x 6'8" Δ‡



**S606\_SL\***  
 12" x 6'8"  
 14" x 6'8"



**S6125\_SL\***  
 10" x 6'8"  
 12" x 6'8" Δ‡  
 14" x 6'8" Δ‡



**S607\_SL\***  
 12" x 6'8"  
 14" x 6'8"



**S6126\_SL\***  
 10" x 6'8"  
 12" x 6'8" Δ‡  
 14" x 6'8" Δ‡


## Privacy & Textured Glass

Fiber-Classic® Mahogany



**FCM10\_**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**FCM870\_**  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**FCM1283\_**  
 2'8" x 6'8"‡  
 2'10" x 6'8"‡  
 3'0" x 6'8"‡

**FCM81200\_**  
 2'6" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**FCM32\_**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**FCM62\_**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**FCM862\_**  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**FCM6021\_**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**FCM6041\_**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

Privacy & Textured Glass *Continues on next page.*

Look for the (🔥) for flush-glazed options on pages 162–165.

### Key

- No Stile Lines
- Simulated Divided Lites (SDL)
- Vented Sidelite (No Impact)  
 (6'6" & 6'8" only in 12" & 14")  
 (8'0" only in 14")

- WBDR / HVHZ Options
- 6'6" Height Available
- 7'0" Height Available

### Optional Dentil Shelf\*\*



**4-Block Dentil Shelf**  
 Available for all Craftsman-style  
 Smooth-Star doors.

## Privacy & Textured Glass *Continued*

Fiber-Classic® & Smooth-Star®



**FCM104\_**  
■ 6  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡

**FCM601\_\***  
6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**FCM61\_**  
6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**FCM861\_**  
6  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**FCM670\_SL**  
6  
 12" x 8'0"  
 14" x 8'0"


**FCM32\_SL**  
6  
 12" x 6'8"  
 14" x 6'8"

**FCM881\_SL**  
6  
 12" x 8'0"  
 14" x 8'0"

**FCM62\_SL**  
6  
 12" x 6'8"  
 14" x 6'8"

**FCM862\_SL**  
6  
 12" x 8'0"  
 14" x 8'0"

## Fiber-Classic® Oak



**FCM12101\_SL**  
■ 6  
 10" x 6'8"  
 12" x 6'8" ‡  
 14" x 6'8" ‡

**FCM81200\_SL**  
■ 6  
 12" x 8'0"  
 14" x 8'0"

**FC10\_**  
6  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡

**81200P\_**  
6  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**1283\_**  
■ 6  
 2'8" x 6'8" Δ ‡  
 2'10" x 6'8" Δ ‡  
 3'0" x 6'8" Δ ‡

**81200\_**  
■ 6  
 2'6" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**FC766\_**  
6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**81943P\_**  
6  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**FC32\_**  
6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**FC62\_**  
6  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡

**81929P\_**  
6  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**FC104\_**  
■ 6  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡

**81971P\_**  
6  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**FC48\_**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**FC80920\_**  
6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**FC86220\_**  
6  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

### Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 117.

**XG = Geometric**  
 Available for select styles.  
**XE = Satin Etch**

**XC = Chord**  
**XJ = Chinchilla**

**XR = Rainglass**  
**XN = Granite**

\*Not available with Geometric (XG) glass.

\*\*Available with flat lite frame or Impact-rated lite frame only. Not available with Geometric (XG) glass.

\*\*\*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.


Note: See page 275 for important product details that may help with your purchase decision.





FC61\_ 2'6" x 6'8" ‡  
2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡

FC861\_ 2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



FC47\_SL 6  
10" x 6'8"  
12" x 6'8"  
14" x 6'8"

81200P\_SL 6  
12" x 8'0"  
14" x 8'0"



12101\_SL 6  
12" x 6'8" Δ ‡  
14" x 6'8" Δ ‡

81200\_SL 6  
12" x 8'0"  
14" x 8'0"



FC32\_SL 6  
12" x 6'8"  
14" x 6'8"

81943P\_SL 6  
12" x 8'0"  
14" x 8'0"



FC48\_SL 6  
12" x 6'8"  
14" x 6'8"


81929P\_SL 6  
12" x 8'0"  
14" x 8'0"

## Smooth-Star®



S118\_ 6  
2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡

S818\_ 6  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"




S140\_ 6  
2'8" x 6'8" Δ ‡  
2'10" x 6'8" Δ ‡  
3'0" x 6'8" Δ ‡  
3'6" x 6'8"

S8140\_ 6  
2'6" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"  
3'6" x 8'0"



S90\_ 6  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

S880\_ 6  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



S80\_ 6  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



S206\_ 6  
2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡

S81929P\_ 6  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



S6021\_ 6  
2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡



S6041\_ 6  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



S104\_ 6  
2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡




S30\_ 6  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

S830\_ 6  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



S289\_ 6  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



S2610\_\*\* 6  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



S82610\_\*\* 6  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"

S601\_\* 6  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

S8600\_\* 6  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"

Privacy & Textured Glass *Continues on next page.*

Look for the (🔥) for flush-glazed options on pages 162–165.

### Key

- No Stile Lines
- ▤ Flat Lite Frame
- Vented Sidelite (No Impact)  
(6'6" & 6'8" only in 12" & 14"  
8'0" only in 14")
- 6 WBDR Options
- 6 WBDR / HVHZ Options
- Δ 6'6" Height Available
- ‡ 7'0" Height Available

### Optional Dentil Shelves\*\*\*




**4-Block Dentil Shelf**  
Available for all Craftsman-style  
Fiber-Classic Mahogany Collection doors.



**4-Block Dentil Shelf**  
Available for all Craftsman-style  
Smooth-Star doors.

Privacy & Textured Glass *Continued*

Fiber-Classic® & Smooth-Star®



## EnLiten™ Flush-Glazed Internal Blinds

Note: Product images show exterior side of door.

Smooth-Star®



<b>S2600</b> 6 2'6" x 6'8" † 2'8" x 6'8" † 2'10" x 6'8" † 3'0" x 6'8" †	<b>S82600</b> 6 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
--	---



\*Select sizes available with elevated 10" bottom rail.  
Note: See page 275 for important product details that may help with your purchase decision.  
Bottom: Smooth-Star, Internal Blinds, Door – S82600



# Internal Blinds


Note: Product images show exterior side of door.

## Fiber-Classic® Mahogany

Fiber-Classic® & Smooth-Star®



<b>FCM141</b> * 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM8115</b> * 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FCM1286</b> * 6 2'4" x 6'8" 2'6" x 6'8" ‡ 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	<b>FCM81225</b> * 6 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FCM5425</b> * 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM678</b> * 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM8678</b> * 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FCM6035</b> * 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM6055</b> * 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"
--	---	---	---	---	--	---	---	---



<b>FCM116</b> * 6 2'6" x 6'8" ‡ 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	<b>FCM8115SL</b> * 6 12" x 8'0" 14" x 8'0"	<b>FCM1286SL</b> * 6 10" x 6'8" 12" x 6'8" ‡ 14" x 6'8" ‡	<b>FCM81225SL</b> * 6 12" x 8'0" 14" x 8'0"	<b>FCM5425SL</b> * 6 12" x 6'8" 14" x 6'8"	<b>FCM8110SL</b> * 6 12" x 8'0" 14" x 8'0"	<b>FCM678SL</b> * 6 12" x 6'8" 14" x 6'8"	<b>FCM8678SL</b> * 6 12" x 8'0" 14" x 8'0"
---	---	---	--	---	---	--	---

## Fiber-Classic® Oak



<b>FC141</b> * 6 2'6" x 6'8" 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	<b>81225P</b> * 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>1286</b> * 6 2'4" x 6'8" Δ 2'6" x 6'8" Δ ‡ 2'8" x 6'8" Δ ‡ 2'10" x 6'8" Δ ‡ 3'0" x 6'8" Δ ‡	<b>81225</b> * 6 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>1964P</b> * 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>81964P</b> * 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FC5425</b> * 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FC678</b> * 6 2'6" x 6'8" 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	<b>FC8678</b> * 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FC116</b> * 6 2'6" x 6'8" ‡ 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡
--	--	--	--	---	--	--	--	--	--

**Internal Blinds** *Continues on next page.*

### Key

- No Stile Lines
- Flush-Glazed Glass (FG)
- ★ Low-E Glass (LE)
- ▤ Flat Lite Frame
- Vented Sidelite (No Impact)  
(6'6" & 6'8" only in 12" & 14"  
8'0" only in 14")
- 6 WBDR Options
- 6 WBDR / HVHZ Options
- Δ 6'6" Height Available
- ‡ 7'0" Height Available
- E Elevated 10" Bottom Rail\*

## Internal Blinds *Continued*



**FC8971**  
 ✨ 6  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**FC925**  
 ✨ 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**FC8972**  
 ✨ 6  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**FC141SL**  
 ✨ 6  
 10" x 6'8"  
 12" x 6'8"  
 14" x 6'8"



**81225PSL**  
 ✨ 6  
 12" x 8'0"  
 14" x 8'0"



**1286SL**  
 ✨ 6  
 12" x 6'8" Δ ‡  
 14" x 6'8" Δ ‡



**81225SL**  
 ✨ 6  
 12" x 8'0"  
 14" x 8'0"



**FC5425SL**  
 ✨ 6  
 12" x 6'8"  
 14" x 6'8"



**81964PSL**  
 ✨ 6  
 12" x 8'0"  
 14" x 8'0"



**FC678SL**  
 ✨ 6  
 12" x 6'8"  
 14" x 6'8"



**FC8678SL**  
 ✨ 6  
 12" x 8'0"  
 14" x 8'0"

## Smooth-Star.®



**S130**  
 ✨ 6  
 2'6" x 6'8"  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**S829**  
 ✨ 6  
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**S6061**  
 ✨ 6  
 2'4" x 6'8" Δ ‡  
 2'6" x 6'8" Δ ‡  
 2'8" x 6'8" Δ ‡  
 2'10" x 6'8" Δ ‡  
 3'0" x 6'8" Δ ‡  
 3'6" x 6'8"



**S81225**  
 ✨ 6  
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"  
 3'6" x 8'0"



**S682**  
 ✨ 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**S8682**  
 ✨ 6  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**S5425**  
 ✨ 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**S132**  
 ✨ 6  
 2'6" x 6'8"  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡




**S8132**  
 ✨ 6  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**S6035**  
 ✨ 6  
 2'6" x 6'8"  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡




**S6055**  
 ✨ 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**S131**  
 ✨ 6  
 2'6" x 6'8"  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡




**S971**  
 ✨ 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**S8971**  
 ✨ 6  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**S925**  
 ✨ 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**S8972**  
 ✨ 6  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**S130SL**  
 ✨ 6  
 12" x 6'8"  
 14" x 6'8"



**S829SL**  
 ✨ 6  
 12" x 8'0"  
 14" x 8'0"

\*Features a gliding operation and sash locking system.  
 Note: See page 275 for important product details that may help with your purchase decision.  
 Right Page: Smooth-Star, Internal Blinds, Door – S130






<b>S6128SL</b> ● ● ● ● ● ● 10" x 6'8" 12" x 6'8" † ‡ 14" x 6'8" † ‡	<b>S85928SL</b> ● ● ● ● ● ● 12" x 8'0" 14" x 8'0"	<b>S5425SL</b> ● ● ● ● ● ● 12" x 6'8" 14" x 6'8"	<b>S8682SL</b> ● ● ● ● ● ● 12" x 8'0" 14" x 8'0"
---	--	---	---



<b>S132SL</b> ● ● ● ● ● ● 12" x 6'8" 14" x 6'8"	<b>S8132SL</b> ● ● ● ● ● ● 12" x 8'0" 14" x 8'0"
--	---



## Screen Vented Lites\*

Smooth-Star®



<b>S243</b> 2'8" x 6'8" † 2'10" x 6'8" † 3'0" x 6'8" †	<b>S6034</b> 2'8" x 6'8" † 2'10" x 6'8" † 3'0" x 6'8" †	<b>S6054</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S137</b> ● 2'8" x 6'8" † 2'10" x 6'8" † 3'0" x 6'8" †
---	--	--	--

### Key

- No Stile Lines
- Vented Sidelite (No Impact)  
(6'6" & 6'8" only in 12" & 14")  
(8'0" only in 14")
- ☀ Low-E Glass (LE)
- ⬇ Flat Lite Frame
- Ⓜ WBD / HVHZ Options
- Ⓜ WBDR Options
- Ⓜ 6'6" Height Available  
(8'0" only in 14")
- Ⓜ 7'0" Height Available

# EnLiten™ Flush-Glazed Clear

## Glass with Divided Lites

Note: For details on divided lite options, see pages 118–119.

Fiber-Classic.® & Smooth-Star.®

### Fiber-Classic.® Oak



**FC1205**  
  
 2'6" x 6'8"  
 2'8" x 6'8"  
 3'0" x 6'8"




**FC1206**  
  
 2'6" x 6'8"  
 2'8" x 6'8"  
 3'0" x 6'8"



**FC1207**  
  
 2'6" x 6'8"  
 2'8" x 6'8"  
 3'0" x 6'8"



**2010**  
  
 2'6" x 6'8"  
 2'8" x 6'8"  
 3'0" x 6'8"



**FC1204**  
  
 2'6" x 6'8"  
 2'8" x 6'8"  
 3'0" x 6'8"



**2050**  
  
 2'6" x 6'8"  
 2'8" x 6'8"  
 3'0" x 6'8"



**8000-12**  
  
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**8000-18**  
  
 2'0" x 8'0"  
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**FC1350**  
  
 2'6" x 6'8"  
 2'8" x 6'8"  
 3'0" x 6'8"



**2150**  
  
 2'6" x 6'8"  
 2'8" x 6'8"  
 3'0" x 6'8"



**FC1205SL**  
  
 12" x 6'8"  
 14" x 6'8"



**FC1206SL**  
  
 12" x 6'8"  
 14" x 6'8"



**FC1204SL**  
  
 12" x 6'8"  
 14" x 6'8"



**2050SL**  
  
 12" x 6'8"  
 14" x 6'8"



**2009** | **8000-9**  
 |   
 2'0" x 6'8" | 2'6" x 8'0"  
 2'6" x 6'8" | 2'8" x 8'0"  
 2'8" x 6'8" | 2'10" x 8'0"  
 3'0" x 6'8" | 3'0" x 8'0"



**FC1409**  
  
 2'6" x 6'8"  
 2'8" x 6'8"  
 3'0" x 6'8"



**2009SL**  
  
 12" x 6'8"  
 14" x 6'8"



**FC5700**  
  
 2'6" x 6'8"  
 2'8" x 6'8"  
 3'0" x 6'8"



**FC85700**  
  
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"




**FC5710**  
  
 2'6" x 6'8"  
 2'8" x 6'8"  
 3'0" x 6'8"




**FC85710**  
  
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"




**FC5720**  
  
 2'6" x 6'8"  
 2'8" x 6'8"  
 3'0" x 6'8"




**FC85720**  
  
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**FC691**  
  
 2'6" x 6'8"  
 2'8" x 6'8"  
 3'0" x 6'8"




**FC8691**  
  
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



<b>FC685L</b> ▲ 2 ▲ 2 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"	<b>FC8685L</b> ▲ 2 ▲ 2 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FC685R</b> ▲ 2 ▲ 2 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"	<b>FC8685R</b> ▲ 2 ▲ 2 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FC5700SL</b> ▲ 2 ▲ 2 12" x 6'8" 14" x 6'8"	<b>FC5710SL</b> ▲ 2 ▲ 2 12" x 6'8" 14" x 6'8"	<b>FC5720SL</b> ▲ 2 ▲ 2 12" x 6'8" 14" x 6'8"
--	---	--	---	---	---	---

### Smooth-Star®



<b>S1205</b> ▲ 2 ▲ 2 ▲ 2 ▲ 2 ▲ 2 2'6" x 6'8" ▲ 2'8" x 6'8" ▲ 2'10" x 6'8" ▲ 3'0" x 6'8" ▲	<b>S1206</b> ▲ 2 ▲ 2 ▲ 2 2'6" x 6'8" ▲ 2'8" x 6'8" ▲ 2'10" x 6'8" ▲ 3'0" x 6'8" ▲	<b>S1207</b> ▲ 2 ▲ 2 ▲ 2 2'6" x 6'8" ▲ 2'8" x 6'8" ▲ 2'10" x 6'8" ▲ 3'0" x 6'8" ▲	<b>S2010</b> ▲ 2 ▲ 2 ▲ 2 ▲ 2 2'6" x 6'8" ▲ 2'8" x 6'8" ▲ 2'10" x 6'8" ▲ 3'0" x 6'8" ▲	<b>S1204</b> ▲ 2 ▲ 2 ▲ 2 2'6" x 6'8" ▲ 2'8" x 6'8" ▲ 2'10" x 6'8" ▲ 3'0" x 6'8" ▲	<b>S2050</b> ▲ 2 ▲ 2 ▲ 2 ▲ 2 2'6" x 6'8" ▲ 2'8" x 6'8" ▲ 2'10" x 6'8" ▲ 3'0" x 6'8" ▲	<b>S8000-12</b> ▲ 2 ▲ 2 ▲ 2 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"			
<b>S8000-18</b> ▲ 2 ▲ 2 ▲ 2 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S2103</b> ▲ 2 ▲ 2 ▲ 2 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S82103</b> ▲ 2 ▲ 2 ▲ 2 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S2104</b> ▲ 2 ▲ 2 ▲ 2 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S82104</b> ▲ 2 ▲ 2 ▲ 2 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S2105</b> ▲ 2 ▲ 2 ▲ 2 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S82105</b> ▲ 2 ▲ 2 ▲ 2 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S2250</b> ▲ 2 ▲ 2 ▲ 2 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S82250</b> ▲ 2 ▲ 2 ▲ 2 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S82106</b> ▲ 2 ▲ 2 ▲ 2 ▲ 2 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

**EnLiten Flush-Glazed Clear Glass with Divided Lites** *Continues on next page.*

#### Key

- ▲ Flush-Glazed Glass (FG)
- ▲ Low-E Glass (LE)
- ▲ Simulated Divided Lites (SDL)
- 1 Simulated Divided Lites (SDLF1)
- 2 Simulated Divided Lites (SDLF2)
- ◆ Flat or Contour, White or Color Grilles Between Glass (GBGF / GBGC)
- ▶ Removable Wood Grilles (RG)
- ▲ 6'6" Height Available





**S82107**  
 ▲ ★ ◆ ◆  
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**S1350**  
 ▲ ★ ◆ ◆  
 2'6" x 6'8"  
 2'8" x 6'8"  
 3'0" x 6'8"



**S2150**  
 ▲ ★ ◆ ◆ ◆  
 2'6" x 6'8"  
 2'8" x 6'8"  
 3'0" x 6'8"



**S1205SL**  
 ▲ ★ ◆ ◆  
 10" x 6'8" ▲  
 12" x 6'8" ▲  
 14" x 6'8" ▲



**S1206SL**  
 ▲ ★ ◆ ◆  
 10" x 6'8" ▲  
 12" x 6'8" ▲  
 14" x 6'8" ▲



**S1204SL**  
 ▲ ★ ◆ ◆  
 10" x 6'8" ▲  
 12" x 6'8" ▲  
 14" x 6'8" ▲



**S2010SL**  
 ▲ ★ ◆ ◆ ◆  
 10" x 6'8" ▲  
 12" x 6'8" ▲  
 14" x 6'8" ▲



**S84886SL**  
 ▲ ★ ◆ ◆  
 12" x 8'0"  
 14" x 8'0"



**S2103SL**  
 ▲ ★ ◆ ◆  
 12" x 6'8"  
 14" x 6'8"




**S2104SL**  
 ▲ ★ ◆ ◆  
 12" x 6'8"  
 14" x 6'8"




**S92SL**  
 ▲ ★ ◆ ◆ ◆  
 12" x 6'8"  
 14" x 6'8"




**S4812**  
 ▲ ★ ◆ ◆ E  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**S84812**  
 ▲ ★ ◆ ◆  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**S4813**  
 ▲ ★ ◆ ◆ E  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**S84813**  
 ▲ ★ ◆ ◆  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**S4814**  
 ▲ ★ ◆ ◆ E  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**S84814**  
 ▲ ★ ◆ ◆  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**S4816**  
 ▲ ★ ◆ ◆ E  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**S84816**  
 ▲ ★ ◆ ◆  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"




**S2000SL-2C**  
 ▲ ★ ◆ ◆ ◆ ◆  
 10" x 6'8" ▲  
 12" x 6'8" ▲  
 14" x 6'8" ▲



**S2000SL-4C**  
 ▲ ★ ◆ ◆ ◆ ◆  
 10" x 6'8" ▲  
 12" x 6'8" ▲  
 14" x 6'8" ▲



**S4812SL**  
 ▲ ★ ◆ ◆  
 12" x 6'8"  
 14" x 6'8"



**S84812SL**  
 ▲ ★ ◆ ◆  
 12" x 8'0"  
 14" x 8'0"



**S2009**  
 ▲ ★ ◆ ◆ ◆  
 2'0" x 6'8" ▲  
 2'6" x 6'8" ▲  
 2'8" x 6'8" ▲  
 2'10" x 6'8" ▲  
 3'0" x 6'8" ▲



**S8000-9**  
 ▲ ★ ◆ ◆ ◆  
 2'0" x 8'0"  
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**S1401**  
 ▲ ★ ◆ ◆  
 2'6" x 6'8"  
 2'8" x 8'0"  
 2'10" x 6'8"  
 3'0" x 6'8"



**S81401**  
 ▲ ★ ◆ ◆ ◆  
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**S1409**  
 ▲ ★ ◆ ◆  
 2'6" x 6'8"  
 2'8" x 6'8"  
 3'0" x 6'8"



**S2009SL**  
 ▲ ★ ◆ ◆ ◆  
 10" x 6'8" ▲  
 12" x 6'8" ▲  
 14" x 6'8" ▲



**S1401SL**  
 ▲ ★ ◆ ◆  
 12" x 6'8"  
 14" x 6'8"

\*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.  
 Note: See page 275 for important product details that may help with your purchase decision.



**S5705**  
 ▲ ★ 1  
 2'6" x 6'8" ▲  
 2'8" x 6'8" ▲  
 2'10" x 6'8" ▲  
 3'0" x 6'8" ▲



**S85705**  
 ▲ ★ 1  
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**S5700**  
 ▲ ★ 2  
 2'6" x 6'8" ▲  
 2'8" x 6'8" ▲  
 2'10" x 6'8" ▲  
 3'0" x 6'8" ▲

**S85700**  
 ▲ ★ 2  
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**S5715**  
 ▲ ★ 1  
 2'6" x 6'8" ▲  
 2'8" x 6'8" ▲  
 2'10" x 6'8" ▲  
 3'0" x 6'8" ▲

**S85715**  
 ▲ ★ 1  
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**S5710**  
 ▲ ★ 2  
 2'6" x 6'8" ▲  
 2'8" x 6'8" ▲  
 2'10" x 6'8" ▲  
 3'0" x 6'8" ▲

**S85710**  
 ▲ ★ 2  
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**S5725**  
 ▲ ★ 1  
 2'6" x 6'8" ▲  
 2'8" x 6'8" ▲  
 2'10" x 6'8" ▲  
 3'0" x 6'8" ▲

**S85725**  
 ▲ ★ 1  
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**S5720**  
 ▲ ★ 2  
 2'6" x 6'8" ▲  
 2'8" x 6'8" ▲  
 2'10" x 6'8" ▲  
 3'0" x 6'8" ▲



**S85720**  
 ▲ ★ 2  
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**S691**  
 ▲ ★ 2  
 2'6" x 6'8" ▲  
 2'8" x 6'8" ▲  
 2'10" x 6'8" ▲  
 3'0" x 6'8" ▲

**S8691**  
 ▲ ★ 2  
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**S685L**  
 ▲ ★ 2  
 2'6" x 6'8" ▲  
 2'8" x 6'8" ▲  
 2'10" x 6'8" ▲  
 3'0" x 6'8" ▲

**S8685L**  
 ▲ ★ 2  
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**S685R**  
 ▲ ★ 2  
 2'6" x 6'8" ▲  
 2'8" x 6'8" ▲  
 2'10" x 6'8" ▲  
 3'0" x 6'8" ▲

**S8685R**  
 ▲ ★ 2  
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"




**S5730**  
 ▲ ★ 2  
 2'6" x 6'8" ▲  
 2'8" x 6'8" ▲  
 2'10" x 6'8" ▲  
 3'0" x 6'8" ▲

**S85730**  
 ▲ ★ 2  
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**S5700SL**  
 ▲ ★ 2  
 10" x 6'8"  
 12" x 8'0"  
 12" x 6'8"  
 14" x 6'8"



**S85700SL**  
 ▲ ★ 2  
 12" x 8'0"  
 14" x 8'0"



**S5710SL**  
 ▲ ★ 2  
 10" x 6'8"  
 12" x 8'0"  
 12" x 6'8"  
 14" x 6'8"



**S85710SL**  
 ▲ ★ 2  
 12" x 8'0"  
 14" x 8'0"



**S5720SL**  
 ▲ ★ 2  
 10" x 6'8"  
 12" x 8'0"  
 12" x 6'8"  
 14" x 6'8"



**S85720SL**  
 ▲ ★ 2  
 12" x 8'0"  
 14" x 8'0"

**Key**

- ▲ Flush-Glazed Glass (FG)
- ★ Low-E Glass (LE)
- 1 Simulated Divided Lites (SDL)
- 2 Simulated Divided Lites (SDLF2)

- ◆ Flat White Grilles Between Glass Only (GBGFW)
- ◇ Flat or Contour, White or Color Grilles Between Glass (GBGF / GBGC)
- Removable Wood Grilles (RG)

- Vented Sidelite (No Impact)  
(6'6" & 6'8" only in 12" & 14")  
(8'0" only in 14")
- ▲ 6'6" Height Available
- E Elevated 10" Bottom Rail

**Optional Dentil Shelf\***



# EnLiten™ Flush-Glazed Clear Glass

Fiber-Classic® & Smooth-Star®

## Fiber-Classic® Oak



<b>2000</b> 🔥🌟 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"	<b>8000</b> 🔥🌟 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>2100</b> 🔥🌟 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"	<b>2000SL</b> 🔥🌟 12" x 6'8" 14" x 6'8"
--	--	--	---

## Smooth-Star®



<b>S2000</b> 🔥🌟 2'6" x 6'8" † 2'8" x 6'8" † 2'10" x 6'8" † 3'0" x 6'8" †	<b>S8000</b> 🔥🌟 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S2200</b> 🔥🌟 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S82200</b> 🔥🌟 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S2100</b> 🔥🌟 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"
---	---	---	--	---



<b>S4810</b> 🔥🌟E 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S84810</b> 🔥🌟 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S2000SL</b> 🔥🌟🟢 10" x 6'8" † 12" x 6'8" † 14" x 6'8" †	<b>S8000SL</b> 🔥🌟 12" x 8'0" 14" x 8'0"	<b>S90SL</b> 🔥🌟 12" x 6'8" 14" x 6'8"	<b>S4810SL</b> 🔥🌟 12" x 6'8" 14" x 6'8"	<b>S84810SL</b> 🔥🌟 12" x 8'0" 14" x 8'0"
---	---	---	--	--	--	---

## Clear Glass with Divided Lites

Note: For details on divided lite options, see pages 118–119.

## Fiber-Classic® Mahogany



<b>FCM1209</b> 🌟🟢 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM1201</b> 🌟🟢🟡 2'6" x 6'8" † 2'8" x 6'8" † 2'10" x 6'8" † 3'0" x 6'8" †	<b>FCM1211</b> 🌟🟢 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM1202</b> 🌟🟢🟡 2'6" x 6'8" † 2'8" x 6'8" † 2'10" x 6'8" † 3'0" x 6'8" †	<b>FCM1212</b> 🌟🟢 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM1203</b> 🌟🟢🟡 2'6" x 6'8" † 2'8" x 6'8" † 2'10" x 6'8" † 3'0" x 6'8" †	<b>FCM138</b> 🌟🟢🟡🟠 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"
--	--	--	--	--	--	---

\*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.  
Note: See page 275 for important product details that may help with your purchase decision.





**FCM1285**  
 6  
 2'6" x 6'8" ‡  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**FCM1208**  
 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**FCM1200**  
 6  
 2'6" x 6'8" ‡  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**FCM18**  
 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**FCM1284**  
 6  
 2'6" x 6'8" ‡  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡




**FCM828**  
 6  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**FCM81828**  
 6  
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**FCM81208P**  
 6  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**FCM81829**  
 6  
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**FCM2106**  
 2  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**FCM2107**  
 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**FCM2108**  
 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**FCM82**  
 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**FCM63**  
 2  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**FCM6097**  
 2  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**FCM811**  
 2  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**FCM8322**  
 2  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**FCM8323**  
 6  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**FCM8324**  
 6  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**FCM65**  
 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**FCM6022**  
 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

Clear Glass with Divided Lites *Continues on next page.*

Look for the (🔥) for flush-glazed options on pages 176–180.

**Key**



- No Stile Lines
- Flush-Glazed Glass (FG)
- Low-E Glass (LE)
- Simulated Divided Lites (SDL)

- Flat or Contour, White or Color Grilles Between Glass (GBGF / GBGC)
- Removable Wood Grilles (RG)
- Vented Sidelite (No Impact)  
(6'6" & 6'8" only in 12" & 14"  
(8'0" only in 14")

- WBDR / HVHZ Options
- 6'6" Height Available
- 7'0" Height Available
- Elevated 10" Bottom Rail

**Optional Dentil Shelf\***





\*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.  
Note: See page 275 for important product details that may help with your purchase decision.



FCM81949SL  
 ✨ 🗡️  
 12" x 8'0"  
 14" x 8'0"

FCM198  
 ✨ ⬆️  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

FCM1289  
 ✨ ⬆️ ⬆️ ⬆️  
 2'6" x 6'8" ‡  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡

FCM1402  
 ✨ ⬆️  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

FCM1408  
 ✨ ⬆️  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

FCM8145  
 ✨ ⬆️  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

FCM1405  
 ✨ ⬆️  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

FCM1406  
 ✨ ⬆️  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



FCM704  
 ✨ ⬆️  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

FCM8704  
 ✨ ⬆️  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

FCM1289SL  
 ✨ ⬆️ ⬆️ ⬆️  
 10" x 6'8"  
 12" x 6'8" ‡  
 14" x 6'8" ‡


FCM1400SL  
 ✨ ⬆️  
 12" x 6'8"  
 14" x 6'8"

FCM81944SL  
 ✨ ⬆️  
 12" x 8'0"  
 14" x 8'0"

FCM1405SL  
 ✨ ⬆️  
 12" x 6'8"  
 14" x 6'8"

FCM8145SL  
 ✨ ⬆️  
 12" x 8'0"  
 14" x 8'0"

## Fiber-Classic® Oak



FC1209  
 ✨ ⬆️  
 2'6" x 6'8"  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡

FC1201  
 ✨ ⬆️ ⬆️  
 2'6" x 6'8" ‡  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡

FC1211  
 ✨ ⬆️  
 2'6" x 6'8"  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡

FC1202  
 ✨ ⬆️ ⬆️  
 2'6" x 6'8" ‡  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡

FC1212  
 ✨ ⬆️  
 2'6" x 6'8"  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡

FC1203  
 ✨ ⬆️ ⬆️  
 2'6" x 6'8" ‡  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡

FC138  
 ✨ 🗡️ ⬆️ ⬆️  
 2'6" x 6'8"  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡

Clear Glass with Divided Lites *Continues on next page.*

Look for the (🔥) for flush-glazed options on pages 176–180.

### Key

- 🔴 No Stile Lines
- 🌟 Low-E Glass (LE)
- 🗡️ Simulated Divided Lites (SDL)
- 🍀 Flat or Contour, White or Color Grilles Between Glass (GBGF / GBGC)

- ➡️ Removable Wood Grilles (RG)
- 🔵 Fixed Grilles (FXG)
- 🟢 Vented Sidelite (No Impact)  
(6'6" & 6'8" only in 12" & 14")  
(8'0" only in 14")

- 🌀 WBDR Options
- 🌀 WBDR / HVHZ Options
- ⚠️ 6'6" Height Available
- ‡ 7'0" Height Available

### Optional Dentil Shelf\*

  
 4-Block Dentil Shelf  
 Available for all Craftsman-style  
 Fiber-Classic Mahogany Collection doors.





**1285**  
 2'6" x 6'8" Δ ‡  
 2'8" x 6'8" Δ ‡  
 2'10" x 6'8" Δ ‡  
 3'0" x 6'8" Δ ‡



**FC1208**  
 2'6" x 6'8"  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**FC1200**  
 2'6" x 6'8" Δ ‡  
 2'8" x 6'8" Δ ‡  
 2'10" x 6'8" Δ ‡  
 3'0" x 6'8" Δ ‡



**FC18**  
 2'6" x 6'8"  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**1284**  
 2'6" x 6'8" Δ ‡  
 2'8" x 6'8" Δ ‡  
 2'10" x 6'8" Δ ‡  
 3'0" x 6'8" Δ ‡



**FC828**  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**81828**  
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**81208P**  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**81208**  
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**FC2106**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**FC2107**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**FC2108**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**FC82**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**FC1089**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**FC8311**  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**FC2101**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**FC8313**  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"




**FC2102**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**FC8316**  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**FC92**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**FC8310**  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**81945P**  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**81946P**  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**FC8322**  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



FC8323  
 \* 6  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



FC8324  
 \* 6  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



FC63  
 \* >  
 2'6" x 6'8"  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



FC65  
 \* > 6  
 2'6" x 6'8"  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡




FC8321  
 \* 6  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



FC8318  
 \* 6  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



FC8319  
 \* 6  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



FC8320  
 \* 6  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



FC832  
 \* 6  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



FC807  
 \* > 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



FC809203  
 \* > 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



FC862203  
 \* > 6  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"




FC752  
 \* 6  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



FC8752  
 \* 6  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



FC23  
 \* 6  
 2'6" x 6'8"  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



FC1209SL  
 \* 6  
 10" x 6'8"  
 12" x 6'8"  
 14" x 6'8"



FC1201SL  
 \* 6  
 12" x 6'8" ‡  
 14" x 6'8" ‡



FC1211SL  
 \* 6  
 10" x 6'8"  
 12" x 6'8"  
 14" x 6'8"



FC1202SL  
 \* 6  
 12" x 6'8" ‡  
 14" x 6'8" ‡



FC1208SL  
 \* 6  
 10" x 6'8"  
 12" x 6'8"  
 14" x 6'8"



FC1200SL  
 \* 6  
 12" x 6'8" ‡  
 14" x 6'8" ‡



FC18SL  
 \* 6  
 10" x 6'8"  
 12" x 6'8"  
 14" x 6'8"



12102SL  
 \* 6  
 12" x 6'8" ‡  
 14" x 6'8" ‡



81208PSL  
 \* 6  
 12" x 8'0"  
 14" x 8'0"



81208SL  
 \* 6  
 12" x 8'0"  
 14" x 8'0"

Clear Glass with Divided Lites *Continues on next page.*

Look for the ( ) for flush-glazed options on pages 176–180.

**Key**

■ No Stile Lines

☀ Low-E Glass (LE)

▭ Simulated Divided Lites (SDL)

◆ Flat or Contour, White or Color Grilles Between Glass (GBGF / GBGC)

➤ Removable Wood Grilles (RG)

◆ Fixed Grilles (FXG)


● Vented Sidelite (No Impact)  
 (6'6" & 6'8" only in 12" & 14")  
 (8'0" only in 14")

6 WBDL Options


6 WBDL / HVHZ Options

⚠ 6'6" Height Available

‡ 7'0" Height Available



**FC1089SL**  
 ✨ ⬆️ ⬇️  
 12" x 6'8"  
 14" x 6'8"



**FC8311SL**  
 ✨ ⬆️ ⬇️  
 12" x 8'0"  
 14" x 8'0"



**FC2101SL**  
 ✨ ⬆️ ⬇️  
 12" x 6'8"  
 14" x 6'8"



**FC8313SL**  
 ✨ ⬆️ ⬇️  
 12" x 8'0"  
 14" x 8'0"



**FC92SL**  
 ✨ ⬆️ ⬇️  
 12" x 6'8"  
 14" x 6'8"



**FC8310SL**  
 ✨ ⬆️ ⬇️  
 12" x 8'0"  
 14" x 8'0"



**81946PSL**  
 ✨ ⬆️ ⬇️  
 12" x 8'0"  
 14" x 8'0"



**FC8675SL**  
 ✨ ⬆️ ⬇️  
 12" x 8'0"  
 14" x 8'0"



**FC63SL**  
 ✨ ⬆️ ⬇️  
 12" x 6'8"  
 14" x 6'8"



**FC7125SL**  
 ✨ ⬆️ ⬇️  
 12" x 8'0"  
 14" x 8'0"



**FC3487SL**  
 ✨ ⬆️ ⬇️  
 12" x 8'0"  
 14" x 8'0"



**FC06188SL**  
 ✨ ⬆️ ⬇️  
 10" x 6'8"  
 12" x 6'8"  
 14" x 6'8"



**FC06184SL**  
 ✨ ⬆️ ⬇️  
 12" x 6'8" †  
 14" x 6'8" †



**FC06189SL**  
 ✨ ⬆️ ⬇️  
 10" x 6'8"  
 12" x 6'8"  
 14" x 6'8"



**FC06185SL**  
 ✨ ⬆️ ⬇️  
 12" x 6'8" †  
 14" x 6'8" †



**FC06190SL**  
 ✨ ⬆️ ⬇️  
 10" x 6'8"  
 12" x 6'8"  
 14" x 6'8"



**FC06186SL**  
 ✨ ⬆️ ⬇️  
 12" x 6'8" †  
 14" x 6'8" †



**81900PSL**  
 ✨ ⬆️ ⬇️  
 12" x 8'0"  
 14" x 8'0"



**81947PSL**  
 ✨ ⬆️ ⬇️  
 12" x 8'0"  
 14" x 8'0"



**81949PSL**  
 ✨ ⬆️ ⬇️  
 12" x 8'0"  
 14" x 8'0"



**FC198**  
 ✨ ⬆️ ⬇️  
 2'6" x 6'8"  
 2'8" x 6'8" †  
 2'10" x 6'8" †  
 3'0" x 6'8" †



**1289**  
 ✨ ⬆️ ⬇️  
 2'6" x 6'8" †  
 2'8" x 6'8" †  
 2'10" x 6'8" †  
 3'0" x 6'8" †



**FC1402**  
 ✨ ⬆️ ⬇️  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**FC1400**  
 ✨ ⬆️ ⬇️  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"




**81944P**  
 ✨ ⬆️ ⬇️  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"




**FC1408**  
 ✨ ⬆️ ⬇️  
 2'6" x 6'8"  
 2'8" x 6'8" †  
 2'10" x 6'8" †  
 3'0" x 6'8" †



**FC8145**  
 ✨ ⬆️ ⬇️  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"




**FC8144**  
 ✨ ⬆️ ⬇️  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"




**FC1411**  
 ✨ ⬆️ ⬇️  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"





### Smooth-Star®



Clear Glass with Divided Lites *Continues on next page.*

Look for the (🔥) for flush-glazed options on pages 176–180.

#### Key

- No Stile Lines
- ☀ Low-E Glass (LE)
- ▭ Simulated Divided Lites (SDL)
- ♦ Flat or Contour, White or Color Grilles Between Glass (GBGF / GBGC)
- ▶ Removable Wood Grilles (RG)
- ◆ Fixed Grilles (FXG)
- Vented Sidelite (No Impact)  
(6'6" & 6'8" only in 12" & 14")  
(8'0" only in 14")
- ⤵ WBDR Options
- ⤴ WBDR / HVHZ Options
- ▲ 6'6" Height Available
- ‡ 7'0" Height Available




<b>S2106</b> ★ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S2107</b> ★ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S2108</b> ★ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S82</b> ★ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S1089</b> ★ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S8311</b> ★ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S2101</b> ★ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S8313</b> ★ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S2102</b> ★ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S8316</b> ★ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
---	---	---	---	---	---	---	---	---	---



<b>S881</b> ★ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S92</b> ★ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S8310</b> ★ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S882</b> ★ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S63</b> ★ 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	<b>S6097</b> ★ 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	<b>S811</b> ★ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S262</b> ★ 2'6" x 6'8" 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡
--	---	---	--	---	---	--	---



<b>S6022</b> ★ 2'6" x 6'8" 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	<b>S6042</b> ★ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S8322</b> ★ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S8323</b> ★ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S8324</b> ★ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S8321</b> ★ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S8318</b> ★ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S8319</b> ★ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
--	---	---	---	---	---	---	---



**S8320**  
 \* ♦ 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**S32**  
 \* ♦ ◆ 6 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**S832**  
 \* ♦ ◆ 6 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**S807**  
 \* ◆ 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"


**S93203**  
 \* ◆ ◆ 6 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**S831203**  
 \* ◆ ◆ 6 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**S115**  
 \* ◆ ◆ 2'6" x 6'8"  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡

**S752**  
 \* ◆ ◆ 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡

**S8752**  
 \* ◆ ◆ 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**S255**  
 \* ◆ ◆ 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**S236**  
 ◆ 2'6" x 6'8"  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**S8317**  
 ◆ 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**S237**  
 \* ◆ 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"  
 (Scalloped Lite Frame)


**S1209SL**  
 \* ◆ 12" x 6'8"  
 14" x 6'8"

**S1201SL**  
 \* ◆ ◆ 10" x 6'8"  
 12" x 6'8" † ‡  
 14" x 6'8" † ‡

**S1211SL**  
 \* ◆ ◆ 12" x 6'8"  
 14" x 6'8"

**S1202SL**  
 \* ◆ ◆ ◆ 10" x 6'8"  
 12" x 6'8" † ‡  
 14" x 6'8" † ‡

**S1208SL**  
 \* ◆ ◆ 12" x 6'8"  
 14" x 6'8"



**S1200SL**  
 \* ◆ ◆ ◆ 6 10" x 6'8"  
 12" x 6'8" † ‡  
 14" x 6'8" † ‡

**S308SL**  
 \* ◆ ◆ ◆ 6 12" x 6'8"  
 14" x 6'8"

**S1170SL**  
 \* ◆ ◆ ◆ 6 10" x 6'8"  
 12" x 6'8" † ‡  
 14" x 6'8" † ‡

**S808SL**  
 \* ◆ ◆ 12" x 8'0"  
 14" x 8'0"

**S81186SL**  
 \* ◆ ◆ ◆ 6 12" x 8'0"  
 14" x 8'0"

**S1089SL**  
 \* ◆ 12" x 6'8"  
 14" x 6'8"

**S8311SL**  
 \* ◆ 12" x 8'0"  
 14" x 8'0"

**S2101SL**  
 \* ◆ ◆ 6 12" x 6'8"  
 14" x 6'8"

**S8313SL**  
 \* ◆ 12" x 8'0"  
 14" x 8'0"

**S8310SL**  
 \* ◆ ◆ 6 12" x 8'0"  
 14" x 8'0"

**S82SL**  
 \* ◆ ◆ ◆ 6 12" x 6'8"  
 14" x 6'8"

Clear Glass with Divided Lites *Continues on next page.*

Look for the ( ) for flush-glazed options on pages 176–180.

**Key**

- No Stile Lines
- ★ Low-E Glass (LE)
- ◆ Simulated Divided Lites (SDL)
- ◆ Flat or Contour, White or Color Grilles Between Glass (GBGF / GBGC)
- ▶ Removable Wood Grilles (RG)
- ◆ Fixed Grilles (FXG)
- Vented Sidelite (No Impact)  
 (6'6" & 6'8" only in 12" & 14")  
 (8'0" only in 14")
- 6 WBDR Options
- 6 WBDR / HVHZ Options
- † 6'6" Height Available
- ‡ 7'0" Height Available





<b>S881SL</b> ★ ◆6 12" x 8'0" 14" x 8'0"	<b>S8675SL</b> ★ ◆6 12" x 8'0" 14" x 8'0"	<b>S263SL</b> ★ ◆6 12" x 6'8" 14" x 6'8"	<b>S7125SL</b> ★ ◆6 12" x 8'0" 14" x 8'0"	<b>S3487SL</b> ★ ◆6 12" x 8'0" 14" x 8'0"	<b>S605</b> ★ ◆6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S8605</b> ★ ◆6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S606</b> ★ ◆6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S8606</b> ★ ◆6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S607</b> ★ ◆6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S8607</b> ★ ◆6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
--	---	--	---	---	--	---	--	---	--	---



<b>S608</b> ★ ◆6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S8608</b> ★ ◆6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S605SL</b> ★ ◆6 12" x 6'8" 14" x 6'8"	<b>S8605SL</b> ★ ◆6 12" x 8'0" 14" x 8'0"	<b>S6124SL</b> ★ ◆6 10" x 6'8" 12" x 6'8" † 14" x 6'8" †	<b>S85924SL</b> ★ ◆6 12" x 8'0" 14" x 8'0"	<b>S606SL</b> ★ ◆6 12" x 6'8" 14" x 6'8"	<b>S8606SL</b> ★ ◆6 12" x 8'0" 14" x 8'0"	<b>S6125SL</b> ★ ◆6 10" x 6'8" 12" x 6'8" † 14" x 6'8" †	<b>S85925SL</b> ★ ◆6 12" x 8'0" 14" x 8'0"	<b>S607SL</b> ★ ◆6 12" x 6'8" 14" x 6'8"	<b>S8607SL</b> ★ ◆6 12" x 8'0" 14" x 8'0"	<b>S6126SL</b> ★ ◆6 10" x 6'8" 12" x 6'8" † 14" x 6'8" †	<b>S85926SL</b> ★ ◆6 12" x 8'0" 14" x 8'0"
--	---	--	---	---	--	--	---	---	--	--	---	---	--



<b>S8207SL</b> ★ ◆6 12" x 8'0" 14" x 8'0"	<b>S8202SL</b> ★ ◆6 12" x 8'0" 14" x 8'0"	<b>S8204SL</b> ★ ◆6 12" x 8'0" 14" x 8'0"	<b>S198</b> ★ ◆6 2'6" x 6'8" 2'8" x 6'8" † 2'10" x 6'8" † 3'0" x 6'8" †	<b>S6062</b> ★ ◆6 2'6" x 6'8" † 2'8" x 6'8" † 2'10" x 6'8" † 3'0" x 6'8" † 3'6" x 6'8"	<b>S1402</b> ★ ◆6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S1400</b> ★ ◆6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S898</b> ★ ◆6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S1408</b> ★ ◆6 2'6" x 6'8" 2'8" x 6'8" † 2'10" x 6'8" † 3'0" x 6'8" †	<b>S8145</b> ★ ◆6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
---	---	---	---	---	---	---	--	--	---

\*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.  
Note: See page 275 for important product details that may help with your purchase decision.



- |  |   |   |   |   |   |   |  |   |
|--|---|---|---|---|---|---|--|---|
| <b>S1405</b><br>★ ◆<br>2'6" x 6'8"<br>2'8" x 6'8" ‡<br>2'10" x 6'8" ‡<br>3'0" x 6'8" ‡ | <b>S1406</b><br>★ ◆<br>2'8" x 6'8"<br>2'10" x 6'8"<br>3'0" x 6'8" | <b>S1407</b><br>★ ◆<br>2'8" x 6'8"<br>2'10" x 6'8"<br>3'0" x 6'8" | <b>S8144</b><br>★ ◆<br>2'8" x 8'0"<br>2'10" x 8'0"<br>3'0" x 8'0" | <b>S1411</b><br>★ ◆<br>2'8" x 6'8"<br>2'10" x 6'8"<br>3'0" x 6'8" | <b>S1404</b><br>★ ◆<br>2'8" x 6'8"<br>2'10" x 6'8"<br>3'0" x 6'8" | <b>S8141</b><br>★ ◆<br>2'8" x 8'0"<br>2'10" x 8'0"<br>3'0" x 8'0" | <b>S704</b><br>★ ◆<br>2'8" x 6'8" ‡<br>2'10" x 6'8" ‡<br>3'0" x 6'8" ‡ | <b>S8704</b><br>★ ◆<br>2'8" x 8'0"<br>2'10" x 8'0"<br>3'0" x 8'0" |
|--|---|---|---|---|---|---|--|---|



- |  |   |   |  |   |   |
|--|---|---|--|---|---|
| <b>S198SL</b><br>★ ◆<br>12" x 6'8"<br>14" x 6'8" | <b>S6062SL</b><br>★ ◆ ●<br>10" x 6'8"<br>12" x 6'8" ‡ ‡<br>14" x 6'8" ‡ ‡ | <b>S1400SL</b><br>★ ◆<br>12" x 6'8"<br>14" x 6'8" | <b>S898SL</b><br>★ ◆<br>12" x 8'0"<br>14" x 8'0" | <b>S1405SL</b><br>★ ◆<br>12" x 6'8"<br>14" x 6'8" | <b>S8145SL</b><br>★ ◆<br>12" x 8'0"<br>14" x 8'0" |
|--|---|---|--|---|---|



- 19020T**  
★  
3'0" door + (2) 12" sidelites  
Continuous Sill Systems Only  
3'0" door + (2) 14" sidelites  
Continuous / Boxed Sill Systems  
Grille Sticks Applied



- 19220T**  
★  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous / Boxed Sill Systems  
Grille Sticks Applied



- 19200T**  
★  
3'0" Door Only  
Grille Sticks Applied

Transoms can be stained or painted to match a Fiber-Classic or Smooth-Star door system.



Look for the (★) for flush-glazed options on pages 176–180.

**Key**

- No Stile Lines
- ★ Low-E Glass (LE)
- ▭ Simulated Divided Lites (SDL)
- ◆ Flat or Contour, White or Color Grilles Between Glass (GBGF / GBGC)

- Removable Wood Grilles (RG)
- ◆ Fixed Grilles (FXG)
- Vented Sidelite (No Impact)  
(6'6" & 6'8" only in 12" & 14")  
(8'0" only in 14")

- 6 WBDR Options
- 6 WBDR / HVHZ Options
- ▲ 6'6" Height Available
- ‡ 7'0" Height Available

**Optional Dentil Shelf\***

- 4-Block Dentil Shelf
- Available for all Craftsman-style Smooth-Star doors.

# Clear Glass

## Fiber-Classic® Mahogany



<b>FCM10</b> * 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM870</b> * 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FCM1283</b> * 6 2'0" x 6'8" ▽ 2'4" x 6'8" 2'6" x 6'8" ‡ 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	<b>FCM81200</b> * 6 2'0" x 8'0" ▽ 2'4" x 8'0" ▽ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FCM32</b> * 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM62</b> * 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM862</b> * 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FCM6021</b> * 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM6041</b> * 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM670</b> * 6 2'4" x 6'8" 2'6" x 6'8" ‡ 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡
---	--	--	---	---	---	--	---	---	--



<b>FCM80</b> * 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM160</b> * 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM601</b> * 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM132</b> * 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM708</b> * 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM8708</b> * 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FCM61</b> * 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM861</b> * 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FCM12101SL</b> * 6 10" x 6'8" 12" x 6'8" ‡ 14" x 6'8" ‡	<b>FCM81200SL</b> * 6 12" x 8'0" 14" x 8'0"
---	--	--	--	--	---	---	--	--	--

## Fiber-Classic® Oak



<b>FCM870SL</b> * 6 12" x 8'0" 14" x 8'0"	<b>FCM32SL</b> * 6 12" x 6'8" 14" x 6'8"	<b>FCM881SL</b> * 6 12" x 8'0" 14" x 8'0"	<b>FCM62SL</b> * 6 12" x 6'8" 14" x 6'8"	<b>FCM862SL</b> * 6 12" x 8'0" 14" x 8'0"	<b>FC10</b> * 6 2'6" x 6'8" 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	<b>81200P</b> * 6 2'0" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>1283</b> * 6 2'0" x 6'8" ▽ 2'4" x 6'8" ▽ 2'6" x 6'8" ‡ 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	<b>81200</b> * 6 2'0" x 8'0" ▽ 2'4" x 8'0" ▽ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FC32</b> * 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"
--	---	--	---	--	---	--	---	--	--

\*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.  
Note: See page 275 for important product details that may help with your purchase decision.





<b>FC766</b> ★ 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>81943P</b> ★ 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FC62</b> ★ 6 2'6" x 6'8" 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	<b>81929P</b> ★ 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FC670</b> ★ 6 2'6" x 6'8" ‡ 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	<b>81971P</b> ★ 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FC48</b> ★ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FC710</b> ★ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FC160</b> ★ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"
---	--	---	--	--	--	--	---	---



<b>FC789</b> ★ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FC132</b> ★ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FC80920</b> ★ 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FC86220</b> ★ 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FC708</b> ★ 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	<b>FC8708</b> ★ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FC803</b> ★ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FC61</b> ★ 2'6" x 6'8" ‡ 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	<b>FC861</b> ★ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
---	---	---	---	---	--	---	---	---



<b>FC47SL</b> ★ 6 10" x 6'8" 12" x 6'8" 14" x 6'8"	<b>81200PSL</b> ★ 6 12" x 8'0" 14" x 8'0"	<b>12101SL</b> ★ 6 12" x 6'8" Δ ‡ 14" x 6'8" Δ ‡	<b>81200SL</b> ★ 6 12" x 8'0" 14" x 8'0"	<b>FC32SL</b> ★ 6 12" x 6'8" 14" x 6'8"	<b>81943PSL</b> ★ 6 12" x 8'0" 14" x 8'0"	<b>FC48SL</b> ★ 6 12" x 6'8" 14" x 6'8"	<b>81929PSL</b> ★ 6 12" x 8'0" 14" x 8'0"
--	--	---	---	--	--	--	--

Clear Glass *Continues on next page.*

Look for the (★) for flush-glazed options on pages 176–180.

**Key**

- No Stile Lines
- ★ Low-E Glass (LE)
- 🐢 Turtle Glass
- 🌀 WBDR Options
- 🌀 WBDR / HVHZ Options
- 🌀 Vented Sidelite (No Impact)  
(6'6" & 6'8" only in 12" & 14")  
(8'0" only in 14")
- Δ 6'6" Height Available
- ‡ 7'0" Height Available
- 🔷 PVC Doorlite Frame\*

**Optional Dentil Shelf\***



Smooth-Star®



- |   |   |  |   |   |   |  |   |   |   |
|---|---|--|---|---|---|--|---|---|---|
| <p><b>S118</b><br/> <br/>                 2'6" x 6'8"<br/>                 2'8" x 6'8" ‡<br/>                 2'10" x 6'8" ‡<br/>                 3'0" x 6'8" ‡</p> | <p><b>S818</b><br/> <br/>                 2'6" x 8'0"<br/>                 2'8" x 8'0"<br/>                 2'10" x 8'0"<br/>                 3'0" x 8'0"</p> | <p><b>S140</b><br/> <br/>                 2'0" x 6'8" Δ<br/>                 2'4" x 6'8" Δ<br/>                 2'6" x 6'8" Δ<br/>                 2'8" x 6'8" Δ ‡<br/>                 2'10" x 6'8" Δ ‡<br/>                 3'0" x 6'8" Δ ‡<br/>                 3'6" x 6'8"</p> | <p><b>S8140</b><br/> <br/>                 2'0" x 8'0" Δ<br/>                 2'4" x 8'0" Δ<br/>                 2'6" x 8'0"<br/>                 2'8" x 8'0"<br/>                 2'10" x 8'0"<br/>                 3'0" x 8'0"<br/>                 3'6" x 8'0"</p> | <p><b>S80</b><br/> <br/>                 2'8" x 6'8"<br/>                 2'10" x 6'8"<br/>                 3'0" x 6'8"</p> | <p><b>S90</b><br/> <br/>                 2'8" x 6'8"<br/>                 2'10" x 6'8"<br/>                 3'0" x 6'8"</p> | <p><b>S880</b><br/> <br/>                 2'8" x 8'0"<br/>                 2'10" x 8'0"<br/>                 3'0" x 8'0"</p> | <p><b>S206</b><br/> <br/>                 2'6" x 6'8"<br/>                 2'8" x 6'8" ‡<br/>                 2'10" x 6'8" ‡<br/>                 3'0" x 6'8" ‡</p> | <p><b>S81929P</b><br/> <br/>                 2'8" x 8'0"<br/>                 2'10" x 8'0"<br/>                 3'0" x 8'0"</p> | <p><b>S6021</b><br/> <br/>                 2'8" x 6'8" ‡<br/>                 2'10" x 6'8" ‡<br/>                 3'0" x 6'8" ‡</p> |
|---|---|--|---|---|---|--|---|---|---|



- |   |  |   |  |  |  |   |  |
|---|--|---|--|--|--|---|--|
| <p><b>S6041</b><br/> <br/>                 2'8" x 6'8"<br/>                 2'10" x 6'8"<br/>                 3'0" x 6'8"</p> | <p><b>S104</b><br/> <br/>                 2'4" x 6'8"<br/>                 2'6" x 6'8"<br/>                 2'8" x 6'8" ‡<br/>                 2'10" x 6'8" ‡<br/>                 3'0" x 6'8" ‡</p> | <p><b>S30</b><br/> <br/>                 2'8" x 6'8"<br/>                 2'10" x 6'8"<br/>                 3'0" x 6'8"</p> | <p><b>S830</b><br/> <br/>                 2'8" x 8'0"<br/>                 2'10" x 8'0"<br/>                 3'0" x 8'0"</p> | <p><b>S289</b><br/> <br/>                 2'8" x 6'8"<br/>                 2'10" x 6'8"<br/>                 3'0" x 6'8"</p> | <p><b>S770</b><br/> <br/>                 2'8" x 6'8"<br/>                 2'10" x 6'8"<br/>                 3'0" x 6'8"</p> | <p><b>S6080</b><br/> <br/>                 2'8" x 6'8"<br/>                 2'10" x 6'8"<br/>                 3'0" x 6'8"</p> | <p><b>S992</b><br/> <br/>                 2'8" x 6'8"<br/>                 2'10" x 6'8"<br/>                 3'0" x 6'8"</p> |
|---|--|---|--|--|--|---|--|



- |   |  |   |  |   |   |   |  |
|---|--|---|--|---|---|---|--|
| <p><b>S105</b><br/> <br/>                 2'6" x 6'8"<br/>                 2'8" x 6'8" ‡<br/>                 2'10" x 6'8" ‡<br/>                 3'0" x 6'8" ‡</p> | <p><b>S2610*</b><br/> <br/>                 2'8" x 6'8"<br/>                 2'10" x 6'8"<br/>                 3'0" x 6'8"</p> | <p><b>S82610*</b><br/> <br/>                 2'8" x 8'0"<br/>                 2'10" x 8'0"<br/>                 3'0" x 8'0"</p> | <p><b>S601</b><br/> <br/>                 2'8" x 6'8"<br/>                 2'10" x 6'8"<br/>                 3'0" x 6'8"</p> | <p><b>S8601</b><br/> <br/>                 2'8" x 8'0"<br/>                 2'10" x 8'0"<br/>                 3'0" x 8'0"</p> | <p><b>S10</b><br/> <br/>                 2'8" x 6'8"<br/>                 2'10" x 6'8"<br/>                 3'0" x 6'8"</p> | <p><b>S9320</b><br/> <br/>                 2'8" x 6'8"<br/>                 2'10" x 6'8"<br/>                 3'0" x 6'8"</p> | <p><b>S83120</b><br/> <br/>                 2'8" x 8'0"<br/>                 2'10" x 8'0"<br/>                 3'0" x 8'0"</p> |
|---|--|---|--|---|---|---|--|

\*Available with flat lite frame or Impact-rated lite frame only.  
 \*\*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.  
 \*\*\*Select sizes available with elevated 10" bottom rail.  
 Note: See page 275 for important product details that may help with your purchase decision.



**S708**  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡

**S8708**  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**S256**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**S296**  
 2'6" x 6'8"  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡

**S896**  
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**S100SL**  
 12" x 6'8"  
 14" x 6'8"



**S8601SL**  
 12" x 8'0"  
 14" x 8'0"



**S601SL**  
 10" x 6'8"  
 12" x 6'8" ‡  
 14" x 6'8" ‡

**S81086SL**  
 12" x 8'0"  
 14" x 8'0"



**S751SL**  
 12" x 6'8"  
 14" x 6'8"



**S880SL**  
 12" x 8'0"  
 14" x 8'0"

**S210SL**  
 12" x 6'8"  
 14" x 6'8"

**S85910SL**  
 12" x 8'0"  
 14" x 8'0"



**19020T**  
 3'0" door + (2) 12" sidelites  
 Continuous Sill Systems Only  
 3'0" door + (2) 14" sidelites  
 Continuous / Boxed Sill Systems



**19210T**  
 12" & 14" Sidelite Only



**19220T**  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous / Boxed Sill Systems



**19200T**  
 3'0" Door Only

Transoms can be stained or painted to match a Fiber-Classic or Smooth-Star door system.



Look for the (🔥) for flush-glazed options on pages 176–180.

**Key**

- 🔴 No Stile Lines
- ☀️ Low-E Glass (LE)
- 🐢 Turtle Glass
- 🏠 Flat Lite Frame

- 🟢 Vented Sidelite (No Impact)  
(6'6" & 6'8" only in 12" & 14")  
(8'0" only in 14")
- 🌀 WBDR Options
- 🌀 WBDR / HVHZ Options

- ⚠️ 6'6" Height Available  
(6'6" & 6'8" only in 12" & 14")
- ‡ 7'0" Height Available  
(8'0" only in 14")
- 🚪 PVC Doorlite Frame\*\*
- 🔴 Elevated 10" Bottom Rail\*\*\*

**Optional Dentil Shelf\*\***

- 4-Block Dentil Shelf  
 Available for all Craftsman-style  
 Smooth-Star doors.



# Noise Reduction Doors

Therma-Tru® Noise Reduction doors deliver aesthetics with a commercial level of performance for residential projects. Ideal for multi-use and urban in-fill projects located near sources of noise pollution, our Noise Reduction doors provide a Sound Transmission Class (STC) rating of 36. Our Noise Reduction lites also offer added security from forced entry with laminated glass surrounded by a standard Lip-lite frame.

Note: Also available in decorative full-lite glass option in aluminum Lip-lite frame.

## Smooth-Star®



**S140STC**  
 ■ ✨  
 2'6" x 6'8"  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8" ▲

**S8140STC**  
 ■ ✨  
 2'6" x 8'0"  
 2'8" x 8'0"  
 3'0" x 8'0"

**S141STC**  
 ■ ✨ ✦  
 2'6" x 6'8"  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8" ▲

**S6063STC**  
 ■ ✨ ✦  
 2'6" x 6'8"  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8" ▲

# Solid Panel

## Fiber-Classic® Mahogany



**FCM31**  
 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**FCM220**  
 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**FCM205**  
 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**FCM755**  
 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"




**FCM600**  
 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**FCM134**  
 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**FCM60**  
 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**FCM860**  
 6  
 2'8" x 8'0"  
 2'10" x 8'0"

**FCM1000**  
 6  
 2'0" x 6'8"  
 2'4" x 6'8"  
 2'6" x 6'8" ‡  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡

**FCM81000**  
 6  
 2'0" x 8'0"  
 2'4" x 8'0"  
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

## Fiber-Classic® Oak



**FC31**  
 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**FC809**  
 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**FC862**  
 6  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**FC808**  
 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

\*Select sizes available with elevated 10" bottom rail.

Note: See page 275 for important product details that may help with your purchase decision.

# Smooth-Star®



**FC755**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**FC134**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**FC60**  
 2'6" x 6'8" ‡  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**FC860**  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**1000**  
 2'0" x 6'8"  
 2'4" x 6'8" †  
 2'6" x 6'8" † ‡  
 2'8" x 6'8" † ‡  
 2'10" x 6'8" † ‡  
 3'0" x 6'8" † ‡



**81000**  
 2'0" x 8'0"  
 2'4" x 8'0"  
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**S93**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**S220**  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡

**S8200**  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**S1100**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**S81100**  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**S120**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**S8120**  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**S200**  
 2'6" x 6'8"  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**S897**  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**S205**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**S8201**  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**S31**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"




**S831**  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**S960**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**S755**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**S4800**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"




**S84800**  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**S600**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**S8600**  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**S11**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**S210**  
 2'6" x 6'8"  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**S810**  
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**S100**  
 2'0" x 6'8"  
 2'4" x 6'8" †  
 2'6" x 6'8" †  
 2'8" x 6'8" † ‡  
 2'10" x 6'8" † ‡  
 3'0" x 6'8" † ‡  
 3'6" x 6'8"



**S81000**  
 2'0" x 8'0"  
 2'4" x 8'0"  
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"  
 3'6" x 8'0"

## Key

- No Stile Lines
- ⚡ Low-E Glass (LE)
- ◆ Flat White Grilles Between Glass Only (GBG-F)
- Ⓜ WBDR Options
- Ⓜ WBDR / HVHZ Options
- Ⓜ 6'6" Height Available
- ‡ 7'0" Height Available
- E Elevated 10" Bottom Rail\*

# Profiles™ Steel Doors



## Versatile, affordable options.

Coupling distinctive styling with affordability, Profiles steel doors offer versatile front entry and house-to-garage options. Designed to suit multiple home styles, these doors feature triple-shadowed panel embossments for greater detail.

Top: Profiles, Sedona Glass, Door – 996HD, Sidelite – 139SL  
Bottom: Profiles, Avonlea Glass, Door – 1034HD, Sidelites – 1031SLHD, Transom – AVRT



# Traditions Steel Doors



## Back to basics.

It's back to basics with Traditions. This line of steel doors combines attractive designs and value-based options to create a great, cost-conscious alternative for front entry and house-to-garage.





Top: Traditions, Clear Glass, Door – TS118, Sidelites – 100SL  
Bottom: Traditions, Satin Etch Glass, Doors – TS289XE

# Profiles™ & Traditions Steel Doors

Find style at an affordable price point with options to match any home style and budget in Profiles and Traditions doors. Fire-rated options on 6'8" solid-panel doors make a perfect choice for house-to-garage.

- 1-¼" lock stiles.
- 12-½" lock blocks.
- No stile lines.
- Primed, ready-to-paint surface.

 WBDR / HVHZ Options: Look for this icon to find door styles that can be configured for WBDR or HVHZ.\*

 20-Minute Fire-rated options available on 6'8" solid-panel doors. See pages 222–227.



## Profiles™ Steel

Features 24-gauge steel, smooth surface and triple-shadowed panel embossments for greater definition.



## Traditions Steel

Features 25-gauge steel, standard embossed smooth surface. All 8'0" doors are 24-gauge steel with standard embossments.



	Profiles™	Traditions
■ = Available • = Not Applicable P = Paint		
<b>Door Widths</b>		
2'0"	■	■
2'4"	■	■
2'6"	■	■
2'8"	■	■
2'10"	■	■
3'0"	■	■
3'6"	■	•
<b>Door Heights</b>		
6'6"	■	■
6'8"	■	■
7'0"	■	•
8'0"	•	■
<b>Glass Options</b>		
Decorative	15	15
Privacy & Textured	6	6
Internal Blinds	■	■
Screen Vented Lites	■	■
Simulated Divided Lites	■	■
Grilles Between Glass	■	■
Removable Wood Grilles	■	■
Fixed Grilles	■	■
Low-E	■	■
Clear	■	■
<b>Additional Options</b>		
Finish	P	P

## Retrofit Hinged Patio Doors

Replacing common slider sizes? Find hinged patio door options in this section. For more about our patio door systems, see pages 242–249.

5'0" Patio Opening = (2) 2'4" Doors  
 6'0" Patio Opening = (2) 2'10" Doors

\*Please verify that there is a Therma-Tru Impact-rated product approval for the configuration before buying.

\*\*Decorative glass designs are shown in Profiles only.

Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit [www.thermatru.com](http://www.thermatru.com) for details on glass privacy ratings and designs, limited warranties and exclusions, ENERGY STAR qualified products and product approvals.



# Decorative & Specialty Glass Designs\*\*



Black Nickel    Brushed Nickel  
**Blackstone**™ Page 203  
 Glass Privacy Rating: **7**



Black Nickel    Brushed Nickel  
**Crystalline**™ Page 203  
 Glass Privacy Rating: **7**



Black Nickel    Brushed Nickel  
**Sedona** Page 204  
 Glass Privacy Rating: **7**



Wrought Iron  
**Salinas** Page 205  
 Glass Privacy Rating: **10**



Black Nickel    Brushed Nickel  
**Maple Park** Page 205  
 Glass Privacy Rating: **6**



Black Nickel  
**Avonlea** Page 206  
 Glass Privacy Rating: **4**



Black Nickel    Brushed Nickel  
**Saratoga**™ Page 206  
 Glass Privacy Rating: **7**



Brushed Nickel  
**Texas Star** Page 207  
 Glass Privacy Rating: **5**



Black Nickel    Brass  
**Wellesley**™ Page 207  
 Glass Privacy Rating: **6**



Wrought Iron  
**Riserva** Page 208  
 Glass Privacy Rating: **10**



Black Nickel    Brass  
**Concorde**™ Page 209  
 Glass Privacy Rating: **8**



Black Nickel    Brushed Nickel  
**Kensington**™ Page 209  
 Glass Privacy Rating: **8**



Black Nickel    Brushed Nickel  
**Pembroke**™ Page 210  
 Glass Privacy Rating: **7**



Black Nickel  
**Axis** Page 211  
 Glass Privacy Rating: **7**



**Frosted Images**™  
 Page 211  
 Glass Privacy Rating: **8**

**Internal Blinds**  
 Page 213, 218

**Screen Vented**  
 Page 213, 218

## Glass Privacy Rating Scale

1 2 3 4 5 6 7 8 9 10


Clear

Opaque



# Privacy & Textured Glass

Pages 212, 217



**Geometric (XG)**  
Glass Privacy Rating: **7**



**Satin Etch (XE)**  
Glass Privacy Rating: **10**



**Chord (XC)**  
Glass Privacy Rating: **10**



**Chinchilla (XJ)**  
Glass Privacy Rating: **10**



**Rainglass (XR)**  
Glass Privacy Rating: **8**



**Granite (XN)**  
Glass Privacy Rating: **10**

### Glass Privacy Rating Scale



Clear

Opaque

Also Available:

**Divided Lites** Pages 212, 214, 217, 218

**Clear Glass** Pages 216, 220



Note: See page 275 for important product details that may help with your purchase decision.

Bottom: Profiles, Salinas Glass, Door – 968HD, Sidelites – 971SLHD


# Blackstone® ◆◆



**310**  
 6  
 2'6" x 6'8" †  
 2'8" x 6'8" †  
 2'10" x 6'8" †  
 3'0" x 6'8" †  
 3'6" x 6'8" †




**1037HD**  
 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**309HD**  
 6  
 2'6" x 6'8" †  
 2'8" x 6'8" †  
 2'10" x 6'8" †  
 3'0" x 6'8" †



**1001HD**  
 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**1117HD**  
 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**311HD**  
 2'6" x 6'8" †  
 2'8" x 6'8" †  
 2'10" x 6'8" †  
 3'0" x 6'8" †



**1025HD**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**310SL**  
 6  
 10" x 6'8"  
 12" x 6'8" †  
 14" x 6'8" †



**1037SLHD**  
 6  
 12" x 6'8"  
 14" x 6'8"



**311SLHD**  
 6  
 12" x 6'8" †  
 14" x 6'8" †



**BSRT**  
 3'0" door + (2) 12" sidelites  
 Continuous Sill Systems Only


# Crystalline™ ◆◆



**916**  
 6  
 2'8" x 6'8" †  
 2'10" x 6'8" †  
 3'0" x 6'8" †  
 3'6" x 6'8" †




**1042HD**  
 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**926HD**  
 6  
 2'8" x 6'8" †  
 2'10" x 6'8" †  
 3'0" x 6'8" †



**991HD**  
 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**1119HD**  
 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**930HD**  
 2'6" x 6'8" †  
 2'8" x 6'8" †  
 2'10" x 6'8" †  
 3'0" x 6'8" †



**1055HD**  
 2'8" x 6'8" †  
 2'10" x 6'8" †  
 3'0" x 6'8" †

**Crystalline Glass** *Continues on next page.*

## Key

- ◆ Black Nickel Caming (1D)
- ◆◆ Brushed Nickel Caming (1C)
- 6 WBDR / HHVZ Options

- △ 6'6" Height Available
- † 7'0" Height Available



**916SL**  
 10" x 6'8"  
 12" x 6'8" ‡  
 14" x 6'8" ‡



**956SLHD**  
 12" x 6'8"  
 14" x 6'8"



**930SLHD**  
 12" x 6'8" ‡  
 14" x 6'8" ‡



**19080T**  
 3'0" door + (2) 12" sidelites  
 Continuous Sill Systems Only  
 3'0" door + (2) 14" sidelites  
 Continuous / Boxed Sill Systems



**19820T**  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous / Boxed Sill Systems



**19800T**  
 3'0" Door Only



**19810T**  
 12" & 14" Sidelite Only

## Sedona ◆ ■




**139**  
 2'6" x 6'8" ‡  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡  
 3'6" x 6'8" ‡




**965HD**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**211HD**  
 2'6" x 6'8" ‡  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**996HD**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**1114HD**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**294HD**  
 2'6" x 6'8" ‡  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**604HD**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**139SL**  
 10" x 6'8"  
 12" x 6'8" ‡  
 14" x 6'8" ‡



**965SLHD**  
 12" x 6'8"  
 14" x 6'8"



**294SLHD**  
 12" x 6'8" ‡  
 14" x 6'8" ‡



**19055T**  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous Sill Systems Only



**19520T**  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous Sill Systems Only





- |  |  |   |   |   |   |  |  |  |
|--|--|---|---|---|---|--|--|--|
| <b>369</b><br>2'6" x 6'8" $\Delta$ ‡<br>2'8" x 6'8" $\Delta$ ‡<br>2'10" x 6'8" $\Delta$ ‡<br>3'0" x 6'8" $\Delta$ ‡<br>3'6" x 6'8" ‡ | <b>968HD</b><br>2'8" x 6'8"<br>2'10" x 6'8"<br>3'0" x 6'8" | <b>374HD</b><br>2'6" x 6'8" ‡<br>2'8" x 6'8" ‡<br>2'10" x 6'8" ‡<br>3'0" x 6'8" ‡ | <b>1002HD</b><br>2'8" x 6'8"<br>2'10" x 6'8"<br>3'0" x 6'8" | <b>1115HD</b><br>2'8" x 6'8"<br>2'10" x 6'8"<br>3'0" x 6'8" | <b>371HD</b><br>2'6" x 6'8" ‡<br>2'8" x 6'8" ‡<br>2'10" x 6'8" ‡<br>3'0" x 6'8" ‡ | <b>369SL</b><br>10" x 6'8"<br>12" x 6'8" ‡<br>14" x 6'8" ‡ | <b>971SLHD</b><br>12" x 6'8"<br>14" x 6'8" ‡ | <b>371SLHD</b><br>12" x 6'8" ‡<br>14" x 6'8" ‡ |
|--|--|---|---|---|---|--|--|--|



**SART**  
 3'0" door + (2) 12" sidelites  
 Continuous Sill Systems Only

## Maple Park<sup>®</sup> ◆ ::



- |  |   |   |   |   |  |  |
|--|---|---|---|---|--|--|
| <b>1006</b><br>2'8" x 6'8" ‡<br>2'10" x 6'8" $\Delta$ ‡<br>3'0" x 6'8" $\Delta$ ‡<br>3'6" x 6'8" ‡ | <b>1009HD</b><br>2'8" x 6'8"<br>2'10" x 6'8"<br>3'0" x 6'8" | <b>1007HD</b><br>2'8" x 6'8" ‡<br>2'10" x 6'8" ‡<br>3'0" x 6'8" ‡ | <b>1011HD</b><br>2'8" x 6'8"<br>2'10" x 6'8"<br>3'0" x 6'8" | <b>1116HD</b><br>2'8" x 6'8"<br>2'10" x 6'8"<br>3'0" x 6'8" | <b>1008HD</b><br>2'6" x 6'8" ‡<br>2'8" x 6'8" ‡<br>2'10" x 6'8" ‡<br>3'0" x 6'8" ‡ | <b>609HD</b><br>2'8" x 6'8"<br>2'10" x 6'8"<br>3'0" x 6'8" |
|--|---|---|---|---|--|--|



- |  |   |   |   |   |
|--|---|---|---|---|
| <b>736HD</b><br>2'8" x 6'8" ‡<br>2'10" x 6'8" ‡<br>3'0" x 6'8" ‡ | <b>1006SL</b><br>10" x 6'8"<br>12" x 6'8" ‡<br>14" x 6'8" ‡ | <b>1009SLHD</b><br>12" x 6'8"<br>14" x 6'8" ‡ | <b>1007SLHD</b><br>12" x 6'8" ‡<br>14" x 6'8" ‡ | <b>FWRT</b><br>3'0" door + (2) 12" sidelites<br>3'0" door + (2) 14" sidelites<br>Continuous Sill Systems Only |
|--|---|---|---|---|

### Key

- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- ✕ Wrought Iron (1W)
- 6 WBDR / HVHZ Options
- $\Delta$  6'6" Height Available
- ‡ 7'0" Height Available

# Avonlea®


Note: Product images show exterior side of door.




**1027**  
 6  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡  
 3'6" x 6'8" ‡




**1038HD**  
 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**1031HD**  
 6  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**1034HD**  
 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**1107HD**  
 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**1044HD**  
 2'6" x 6'8" ‡  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**1047HD**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**1027SL**  
 6  
 10" x 6'8"  
 12" x 6'8" ‡  
 14" x 6'8" ‡



**1038SLHD**  
 6  
 12" x 6'8"  
 14" x 6'8"



**1031SLHD**  
 6  
 12" x 6'8" ‡  
 14" x 6'8" ‡



**AVRT**  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous Sill Systems Only

# Saratoga™



**610**  
 6  
 2'6" x 6'8" ‡  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡  
 3'6" x 6'8" ‡



**1039HD**  
 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**613HD**  
 6  
 2'6" x 6'8" ‡  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**988HD**  
 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**1112HD**  
 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"




**615HD**  
 2'6" x 6'8" ‡  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**602HD**  
 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**707HD**  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**610SL**  
 9  
 10" x 6'8"  
 12" x 6'8" ‡  
 14" x 6'8" ‡

**1039SLHD**  
 9  
 12" x 6'8"  
 14" x 6'8"


**615SLHD**  
 9  
 12" x 6'8" ‡  
 14" x 6'8" ‡

**19740T**  
 3'0" Door Only



**19750T**  
 3'0" door + (2) 12" sidelites  
 Continuous Sill Systems Only

## Texas Star



**1040HD**  
 9  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**1032HD**  
 9  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡

**1035HD**  
 9  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"


**1111HD**  
 9  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**1045HD**  
 2'6" x 6'8" ‡  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡

**1040SLHD**  
 9  
 12" x 6'8"  
 14" x 6'8"

**1032SLHD**  
 9  
 12" x 6'8" ‡  
 14" x 6'8" ‡

## Wellesley



**620**  
 9  
 2'6" x 6'8" Δ ‡  
 2'8" x 6'8" Δ ‡  
 2'10" x 6'8" Δ ‡  
 3'0" x 6'8" Δ ‡  
 3'6" x 6'8" ‡

**1041HD**  
 9  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**623HD**  
 9  
 2'6" x 6'8" ‡  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡

**989HD**  
 9  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**1120HD**  
 9  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**625HD**  
 2'6" x 6'8" ‡  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡

**1022HD**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

Wellesley Glass *Continues on next page.*

### Key

- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- ◇ Brass Caming (1A)
- 9 WBDR / HVHZ Options
- Δ 6'6" Height Available
- ‡ 7'0" Height Available





**721HD**  
2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡



**620SL**  
10" x 6'8"  
12" x 6'8" ‡  
14" x 6'8" ‡



**1041SLHD**  
12" x 6'8"  
14" x 6'8"



**625SLHD**  
12" x 6'8" ‡  
14" x 6'8" ‡



**19720T**  
3'0" Door Only



**19730T**  
3'0" door + (2) 12" sidelites  
Continuous Sill Systems Only

## Riserva® x

Note: Product images show exterior side of door.



**571**  
2'6" x 6'8" ‡  
2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡  
3'6" x 6'8" ‡



**544HD**  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



**582HD**  
2'6" x 6'8" ‡  
2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡



**576HD**  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



**578HD**  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



**588HD**  
2'6" x 6'8" ‡  
2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡



**508HD**  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



**TS572SL**  
10" x 6'8"  
12" x 6'8" ‡  
14" x 6'8" ‡



**546SLHD**  
12" x 6'8"  
14" x 6'8"



**584SLHD**  
12" x 6'8" ‡  
14" x 6'8" ‡



**RSRT**  
3'0" door + (2) 12" sidelites  
Continuous Sill Systems Only

# Concorde™



**1028**  
 6  
 2'6" x 6'8" †  
 2'8" x 6'8" †  
 2'10" x 6'8" †  
 3'0" x 6'8" †  
 3'6" x 6'8" †




**967HD**  
 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**426HD**  
 6  
 2'6" x 6'8" †  
 2'8" x 6'8" †  
 2'10" x 6'8" †  
 3'0" x 6'8" †



**999HD**  
 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**1118HD**  
 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**430HD**  
 2'6" x 6'8" †  
 2'8" x 6'8" †  
 2'10" x 6'8" †  
 3'0" x 6'8" †



**1024HD**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**735HD**  
 2'8" x 6'8" †  
 2'10" x 6'8" †  
 3'0" x 6'8" †



**454HD**  
 2'8" x 6'8" †  
 2'10" x 6'8" †  
 3'0" x 6'8" †



**416SL**  
 6  
 10" x 6'8"  
 12" x 6'8" †  
 14" x 6'8" †



**967SLHD**  
 6  
 12" x 6'8"  
 14" x 6'8"



**430SLHD**  
 6  
 12" x 6'8" †  
 14" x 6'8" †



**CNRT**  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous Sill Systems Only

# Kensington™



**626**  
 6  
 2'8" x 6'8" †  
 2'10" x 6'8" †  
 3'0" x 6'8" †  
 3'6" x 6'8" †




**03142HD**  
 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**627HD**  
 6  
 2'8" x 6'8" †  
 2'10" x 6'8" †  
 3'0" x 6'8" †



**631HD**  
 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**1113HD**  
 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**628HD**  
 2'6" x 6'8" †  
 2'8" x 6'8" †  
 2'10" x 6'8" †  
 3'0" x 6'8" †



**630HD**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

Kensington Glass *Continues on next page.*

## Key

- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- ❖ Brass Caming (1A)
- ✕ Wrought Iron (1W)
- 6 WBDR / HVHZ Options
- △ 6'6" Height Available
- † 7'0" Height Available



626SL

10" x 6'8"  
12" x 6'8" ‡  
14" x 6'8" ‡



966SLHD

12" x 6'8"  
14" x 6'8"



628SLHD

12" x 6'8" ‡  
14" x 6'8" ‡



KNRT

3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only

## Pembridge™




6500HD

2'4" x 6'8" ‡  
2'6" x 6'8" ‡ †  
2'8" x 6'8" ‡ †  
2'10" x 6'8" ‡ †  
3'0" x 6'8" ‡ †  
3'6" x 6'8" ‡



6582HD

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"




6560HD

2'6" x 6'8"  
2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡



6565HD

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



6568HD

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



6572HD

2'6" x 6'8"  
2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡



6578HD

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



6520HD

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



745HD

2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡



6570HD

2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡



6500SL

10" x 6'8"  
12" x 6'8" ‡  
14" x 6'8" ‡



6580SLHD

12" x 6'8"  
14" x 6'8"



6565SLHD

12" x 6'8" ‡  
14" x 6'8" ‡



6570SLHD

12" x 6'8" ‡  
14" x 6'8" ‡



PBRT

3'0" door + (2) 12" sidelites  
Continuous / Boxed Sill Systems





**1651HD**  
 9  
 2'4" x 6'8" ▲  
 2'6" x 6'8" ▲‡  
 2'8" x 6'8" ▲‡  
 2'10" x 6'8" ▲‡  
 3'0" x 6'8" ▲‡  
 3'6" x 6'8" ‡



**1644HD**  
 9  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**1660HD**  
 9  
 2'6" x 6'8" ‡  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**1657HD**  
 9  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**1659HD**  
 9  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**1662HD**  
 2'6" x 6'8" ‡  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**1650HD**  
 9  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**1643HD**  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**1651SL**  
 9  
 10" x 6'8"  
 12" x 6'8" ‡  
 14" x 6'8" ‡



**1644SLHD**  
 9  
 12" x 6'8"  
 14" x 6'8"



**1657SLHD**  
 9  
 12" x 6'8" ‡  
 14" x 6'8" ‡



**1643SLHD**  
 12" x 6'8" ‡  
 14" x 6'8" ‡



**AXRT**  
 3'0" door + (2) 12" sidelites  
 Continuous / Boxed Sill Systems

## Frosted Images®



**206EHD**  
 9  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**985HD**  
 9  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**1110HD**  
 9  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**289EHD**  
 2'6" x 6'8" ‡  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**1021HD**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**138SL**  
 9  
 10" x 6'8"  
 12" x 6'8" ‡  
 14" x 6'8" ‡



**289ESLHD**  
 9  
 12" x 6'8" ‡  
 14" x 6'8" ‡

### Key

- ♦ Black Nickel Caming (1D) ▲ 6'6" Height Available
- Brushed Nickel Caming (1C) ‡ 7'0" Height Available
- ◆ Brass Caming (1A)
- 9 WBDR / HVHZ Options

# Privacy & Textured Glass with Divided Lites

Note: For details on divided lite options, see pages 118–119.



<b>128</b> 2'8" x 6'8" Δ ‡ 2'10" x 6'8" Δ ‡ 3'0" x 6'8" Δ ‡ 3'6" x 6'8" ‡	<b>108</b> 2'8" x 6'8" Δ ‡ 2'10" x 6'8" Δ ‡ 3'0" x 6'8" Δ ‡ 3'6" x 6'8" ‡	<b>961HD</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>262HD</b> 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	<b>1123HD</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>982HD</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>263HD</b> 2'6" x 6'8" ‡ 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	<b>605HD</b> * 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"
---	---	--	--	---	--	---	--



<b>606HD</b> * 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>607HD</b> * 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>608HD</b> * 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>6720HD</b> _SL 12" x 6'8" 14" x 6'8"	<b>263SLHD</b> _ 12" x 6'8" ‡ 14" x 6'8" ‡
--	--	--	---	--

# Privacy & Textured Glass



<b>118</b> 2'8" x 6'8" Δ ‡ 2'10" x 6'8" Δ ‡ 3'0" x 6'8" Δ ‡ 3'6" x 6'8" ‡	<b>959HD</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>206HD</b> 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	<b>980HD</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>1101</b> _HD 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>104</b> 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	<b>289HD</b> 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡
---	--	--	--	---	--	--

## Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 202.

**XG = Geometric**  
Available for select styles.  
**XE = Satin Etch**

**XC = Chord**  
**XJ = Chinchilla**

**XR = Rainglass**  
**XN = Granite**

\*Not available with Geometric (XG) glass.

\*\*Features a gliding operation and sash locking system.

Note: See page 275 for important product details that may help with your purchase decision.



<b>601__HD*</b> 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>296HD__</b> 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	<b>100__SL</b> 6 10" x 6'8" 12" x 6'8" ‡ 14" x 6'8" ‡	<b>959HD__SL</b> 6 12" x 6'8" 14" x 6'8"	<b>210SLHD__</b> 6 12" x 6'8" ‡ 14" x 6'8" ‡	<b>296SLHD__</b> 12" x 6'8" ‡ 14" x 6'8" ‡
--	--	---	---	---	--

## Internal Blinds

Note: Product images show exterior side of door.



<b>130</b> 6 2'4" x 6'8" Δ 2'6" x 6'8" Δ ‡ 2'8" x 6'8" Δ ‡ 2'10" x 6'8" Δ ‡ 3'0" x 6'8" Δ ‡ 3'6" x 6'8" ‡	<b>5425</b> 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>132HD</b> 6 2'6" x 6'8" ‡ 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	<b>984HD</b> 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>1121HD</b> 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>131</b> 6 2'6" x 6'8" ‡ 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	<b>130SL</b> 6 10" x 6'8" 12" x 6'8" ‡ 14" x 6'8" ‡	<b>5425SL</b> 6 12" x 6'8" 14" x 6'8"	<b>132SLHD</b> 6 12" x 6'8" ‡ 14" x 6'8" ‡
--	--	--	---	--	--	---	--	---

## Screen Vented Lites\*\*



<b>243HD</b> 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	<b>1004HD</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>1102HD</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>137</b> 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡
--	---	---	--

### Key

- Low-E Glass (LE)
- Simulated Divided Lites (SDL)
- WBDR / HVHZ Options
- 6'6" Height Available
- 7'0" Height Available



# Clear Glass with Divided Lites

Note: For details on divided lite options, see pages 118–119.



**1201**  
 ✨ ⬆  
 2'6" x 6'8" ⚡  
 2'8" x 6'8" ⚡  
 2'10" x 6'8" ⚡  
 3'0" x 6'8" ⚡  
 3'6" x 6'8" ‡



**1202**  
 ✨ ⬆  
 2'6" x 6'8" ⚡  
 2'8" x 6'8" ⚡  
 2'10" x 6'8" ⚡  
 3'0" x 6'8" ⚡  
 3'6" x 6'8" ‡



**1203**  
 ✨ ⬆  
 2'6" x 6'8" ⚡  
 2'8" x 6'8" ⚡  
 2'10" x 6'8" ⚡  
 3'0" x 6'8" ⚡  
 3'6" x 6'8" ‡



**128**  
 ✨ ⬆ ⬇ ⬅ ⬆  
 2'6" x 6'8" ⚡  
 2'8" x 6'8" ⚡  
 2'10" x 6'8" ⚡  
 3'0" x 6'8" ⚡  
 3'6" x 6'8" ‡



**1200**  
 ✨ ⬆  
 2'6" x 6'8" ⚡  
 2'8" x 6'8" ⚡  
 2'10" x 6'8" ⚡  
 3'0" x 6'8" ⚡  
 3'6" x 6'8" ‡



**108**  
 ✨ ⬆ ⬇ ⬅ ⬆  
 2'6" x 6'8" ⚡  
 2'8" x 6'8" ⚡  
 2'10" x 6'8" ⚡  
 3'0" x 6'8" ⚡  
 3'6" x 6'8" ‡



**2109HD**  
 ✨ ⬆  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**2110HD**  
 ✨ ⬆  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**2111HD**  
 ✨ ⬆  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**961HD**  
 ✨ ⬆ ⬇ ⬅ ⬆  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**6023HD**  
 ✨ ⬆  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**1122HD**  
 ✨ ⬆  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**262HD**  
 ✨ ⬆ ⬇ ⬅ ⬆  
 2'6" x 6'8" ‡  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**982HD**  
 ✨ ⬆ ⬇ ⬅ ⬆  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**1123HD**  
 ✨ ⬆ ⬇ ⬅ ⬆  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**263HD**  
 ✨ ⬆ ⬇ ⬅ ⬆  
 2'6" x 6'8" ‡  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**115HD**  
 ✨ ⬆  
 2'6" x 6'8" ‡  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**605HD**  
 ✨ ⬆  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**606HD**  
 ✨ ⬆  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**607HD**  
 ✨ ⬆  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**608HD**  
 ✨ ⬆  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**752HD**  
 ✨ ⬆  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**255HD**  
 ✨ ⬆  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**236HD**  
 ◆  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**237HD**  
 \*◆  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡  
 (Scalloped Lite Frame)



**1201SL**  
 \*◆  
 10" x 6'8"  
 12" x 6'8" ‡  
 14" x 6'8" ‡



**1202SL**  
 \*◆  
 10" x 6'8"  
 12" x 6'8" ‡  
 14" x 6'8" ‡



**1200SL**  
 \*◆6  
 10" x 6'8"  
 12" x 6'8" ‡  
 14" x 6'8" ‡



**632SL**  
 \*◆6  
 10" x 6'8"  
 12" x 6'8" ‡  
 14" x 6'8" ‡



**1089SLHD**  
 \*◆  
 12" x 6'8"  
 14" x 6'8"



**4572SLHD**  
 \*◆6  
 12" x 6'8"  
 14" x 6'8"



**6720SLHD**  
 \*◆6  
 12" x 6'8"  
 14" x 6'8"



**263SLHD**  
 \*◆6  
 12" x 6'8" ‡  
 14" x 6'8" ‡



**6184SL**  
 \*◆  
 10" x 6'8"  
 12" x 6'8" ‡  
 14" x 6'8" ‡



**6185SL**  
 \*◆  
 10" x 6'8"  
 12" x 6'8" ‡  
 14" x 6'8" ‡



**6186SL**  
 \*◆  
 10" x 6'8"  
 12" x 6'8" ‡  
 14" x 6'8" ‡



**198**  
 \*◆6  
 2'6" x 6'8" ‡  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡  
 3'6" x 6'8" ‡



**1403HD**  
 \*◆  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**1408HD**  
 \*◆  
 2'6" x 6'8" ‡  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**1405HD**  
 \*◆  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**1406HD**  
 \*◆  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**1411HD**  
 \*◆  
 2'6" x 6'8" ‡  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**704HD**  
 \*◆  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**198SL**  
 \*◆  
 10" x 6'8"  
 12" x 6'8" ‡  
 14" x 6'8" ‡



**1400SLHD**  
 \*◆  
 12" x 6'8"  
 14" x 6'8"



**1405SLHD**  
 \*◆  
 12" x 6'8" ‡  
 14" x 6'8" ‡



**19020T**  
 \*  
 3'0" door + (2) 12" sidelites  
 Continuous Sill Systems Only  
 3'0" door + (2) 14" sidelites  
 Continuous / Boxed Sill Systems  
 Grille Sticks Applied



**19220T**  
 \*  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous / Boxed Sill Systems  
 Grille Sticks Applied



**19200T**  
 \*  
 3'0" Door Only  
 Grille Sticks Applied

**Key**

- \* Low-E Glass (LE)
- ◆ Simulated Divided Lites (SDL)
- ◆ Flat or Contour, White or Color Grilles Between Glass (GBGF / GBGC)

- ▶ Removable Wood Grilles (RG)
- ◆ Fixed Grilles (FXG)
- 6 WBDR / HVHZ Options

- △ 6'6" Height Available
- ‡ 7'0" Height Available

# Clear Glass



**118**  
 \* 6  
 2'0" x 6'8" ▽  
 2'4" x 6'8" †  
 2'6" x 6'8" †  
 2'8" x 6'8" †  
 2'10" x 6'8" †  
 3'0" x 6'8" †  
 3'6" x 6'8" †



**959HD**  
 \* 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**206HD**  
 \* 6  
 2'6" x 6'8" †  
 2'8" x 6'8" †  
 2'10" x 6'8" †  
 3'0" x 6'8" †



**980HD**  
 \* 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**1101HD**  
 \* 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**104**  
 \* 6  
 2'6" x 6'8" †  
 2'8" x 6'8" †  
 2'10" x 6'8" †  
 3'0" x 6'8" †



**289HD**  
 \*  
 2'6" x 6'8" †  
 2'8" x 6'8" †  
 2'10" x 6'8" †  
 3'0" x 6'8" †



**105**  
 \*  
 2'6" x 6'8" †  
 2'8" x 6'8" †  
 2'10" x 6'8" †  
 3'0" x 6'8" †



**1020HD**  
 \*  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**601HD**  
 \* 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**708HD**  
 \*  
 2'8" x 6'8" †  
 2'10" x 6'8" †  
 3'0" x 6'8" †



**256HD**  
 \*  
 2'8" x 6'8" †  
 2'10" x 6'8" †  
 3'0" x 6'8" †



**296HD**  
 \*  
 2'8" x 6'8" †  
 2'10" x 6'8" †  
 3'0" x 6'8" †



**100SL**  
 \* 6  
 10" x 6'8"  
 12" x 6'8" †  
 14" x 6'8" †



**959SLHD**  
 \* 6  
 12" x 6'8"  
 14" x 6'8"



**210SLHD**  
 \* 6  
 12" x 6'8" †  
 14" x 6'8" †



**296SLHD**  
 \*  
 12" x 6'8" †  
 14" x 6'8" †



**19020T**  
 \*  
 3'0" door + (2) 12" sidelites  
 Continuous Sill Systems Only  
 3'0" door + (2) 14" sidelites  
 Continuous / Boxed Sill Systems



**19220T**  
 \*  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous / Boxed Sill Systems



**19200T**  
 \*  
 3'0" Door Only



**19210T**  
 \*  
 12" & 14" Sidelite Only

# Solid Panel



**969HD**  
 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**978HD**  
 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**1005HD**  
 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"




**205HD**  
 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**203HD**  
 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**210HD**  
 6  
 2'6" x 6'8" †  
 2'8" x 6'8" †  
 2'10" x 6'8" †  
 3'0" x 6'8" †



**100**  
 6  
 2'0" x 6'8"  
 2'4" x 6'8"  
 2'6" x 6'8" †  
 2'8" x 6'8" †  
 2'10" x 6'8" †  
 3'0" x 6'8" †  
 3'6" x 6'8" †

\*Not available with Geometric (XG) glass.

\*\*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.

Note: See page 275 for important product details that may help with your purchase decision.



# Privacy & Textured Glass with Divided Lites

Note: For details on divided lite options, see pages 118–119.

									
<b>TS128_</b> 2'8" x 6'8" 2'10" x 6'8" $\Delta$ 3'0" x 6'8"	<b>TS108_</b> 2'8" x 6'8" 2'10" x 6'8" $\Delta$ 3'0" x 6'8"	<b>TS262_</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>8321_</b> 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>TS263_</b> 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>6184_SL*</b> 10" x 6'8" 12" x 6'8" $\ddagger$ 14" x 6'8" $\ddagger$	<b>6185_SL*</b> 10" x 6'8" 12" x 6'8" $\ddagger$ 14" x 6'8" $\ddagger$	<b>6186_SL*</b> 10" x 6'8" 12" x 6'8" $\ddagger$ 14" x 6'8" $\ddagger$	<b>632_SL</b> 10" x 6'8" 12" x 6'8" $\ddagger$ 14" x 6'8" $\ddagger$	<b>TS263_SL</b> 12" x 6'8" 14" x 6'8"

# Privacy & Textured Glass

									
<b>TS118_</b> 6 2'8" x 6'8" 2'10" x 6'8" $\Delta$ 3'0" x 6'8"	<b>818_</b> 6 2'6" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>TS206_</b> 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>8206_</b> 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>TS104_</b> 6 2'8" x 6'8" 2'10" x 6'8" $\Delta$ 3'0" x 6'8"	<b>TS289_</b> 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>TS296_</b> 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>896_</b> 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>100_SL</b> 6 10" x 6'8" 12" x 6'8" $\ddagger$ 14" x 6'8" $\ddagger$	<b>818_SL</b> 6 12" x 8'0" 14" x 8'0"
									
<b>TS210_SL</b> 6 12" x 6'8" 14" x 6'8"	<b>TS296_SL</b> 12" x 6'8" 14" x 6'8"								

## Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 202.

**XG = Geometric**  
Available for select styles.  
**XE = Satin Etch**

**XC = Chord**  
**XJ = Chinchilla**

**XR = Rainglass**  
**XN = Granite**

## Key

-  Low-E Glass (LE)
-  Turtle Glass
-  Simulated Divided Lites (SDL)
-  WBDR / HVHZ Options
- $\Delta$  6'6" Height Available
- $\ddagger$  7'0" Height Available
-  PVC Doorlite Frame\*\*

# Internal Blinds

Note: Product images show exterior side of door.

<p><b>TS130</b>                    2'4" x 6'8" ▲                  2'6" x 6'8"                  2'8" x 6'8"                  2'10" x 6'8" ▲                  3'0" x 6'8"</p>	<p><b>829</b>                    2'6" x 8'0"                  2'8" x 8'0"                  2'10" x 8'0"                  3'0" x 8'0"</p>	<p><b>TS132</b>                    2'6" x 6'8"                  2'8" x 6'8"                  2'10" x 6'8"                  3'0" x 6'8"</p>	<p><b>8132</b>                    2'8" x 8'0"                  2'10" x 8'0"                  3'0" x 8'0"</p>	<p><b>TS131</b>                    2'6" x 6'8"                  2'8" x 6'8"                  2'10" x 6'8" ▲                  3'0" x 6'8"</p>	<p><b>130SL</b>                    10" x 6'8"                  12" x 6'8" ‡                  14" x 6'8" ‡</p>	<p><b>829SL</b>                    12" x 8'0"                  14" x 8'0"</p>	<p><b>TS132SL</b>                    12" x 6'8"                  14" x 6'8"</p>
---	--	--	--	--	---	---	---

# Screen Vented Lites\*

<p><b>TS243</b>                  2'8" x 6'8"                  2'10" x 6'8"                  3'0" x 6'8"</p>	<p><b>TS137</b>                  2'8" x 6'8"                  2'10" x 6'8" ▲                  3'0" x 6'8"</p>
---	---

# Clear Glass with Divided Lites

Note: For details on divided lite options, see pages 118–119.

<p><b>TS1201</b>                    2'6" x 6'8"                  2'8" x 6'8"                  2'10" x 6'8" ▲                  3'0" x 6'8"</p>	<p><b>TS1202</b>                    2'6" x 6'8"                  2'8" x 6'8"                  2'10" x 6'8" ▲                  3'0" x 6'8"</p>	<p><b>TS1203</b>                    2'6" x 6'8"                  2'8" x 6'8"                  2'10" x 6'8" ▲                  3'0" x 6'8"</p>	<p><b>TS128</b>                    2'6" x 6'8"                  2'8" x 6'8"                  2'10" x 6'8" ▲                  3'0" x 6'8"</p>	<p><b>TS1200</b>                    2'6" x 6'8"                  2'8" x 6'8"                  2'10" x 6'8" ▲                  3'0" x 6'8"</p>	<p><b>TS108</b>                    2'6" x 6'8"                  2'8" x 6'8"                  2'10" x 6'8" ▲                  3'0" x 6'8"</p>	<p><b>828</b>                    2'6" x 8'0"                  2'8" x 8'0"                  2'10" x 8'0"                  3'0" x 8'0"</p>	<p><b>808</b>                    2'6" x 8'0"                  2'8" x 8'0"                  2'10" x 8'0"                  3'0" x 8'0"</p>
---	---	---	--	---	--	--	--

\*Features a gliding operation and sash locking system.  
 Note: See page 275 for important product details that may help with your purchase decision.



<b>8322</b> ★ ◆ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>8323</b> ★ ◆ 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>8324</b> ★ ◆ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>TS262</b> ★ ◆ 6 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>8321</b> ★ ◆ 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>TS263</b> ★ ◆ 6 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>TS115</b> ★ ◆ 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" † 3'0" x 6'8"
--	--	--	--	--	--	--



<b>TS752</b> ★ ◆ ◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>8752</b> ★ ◆ ◆ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>TS255</b> ★ ◆ ◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>TS236</b> ◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>8317</b> ◆ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>TS237</b> ★ ◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8" (Scalloped Lite Frame)	<b>1201SL</b> ★ ◆ 10" x 6'8" 12" x 6'8" † 14" x 6'8" †	<b>1202SL</b> ★ ◆ 10" x 6'8" 12" x 6'8" † 14" x 6'8" †	<b>1200SL</b> ★ ◆ 6 10" x 6'8" 12" x 6'8" † 14" x 6'8" †	<b>632SL</b> ★ ◆ 6 10" x 6'8" 12" x 6'8" † 14" x 6'8" †
---	--	---	---	--	---	--	--	--	---



<b>828SL</b> ★ ◆ ◆ 12" x 8'0" 14" x 8'0"	<b>TS263SL</b> ★ ◆ ◆ 6 12" x 6'8" 14" x 6'8"	<b>6184SL</b> ★ ◆ 10" x 6'8" 12" x 6'8" † 14" x 6'8" †	<b>86184SL</b> ★ ◆ 12" x 8'0" 14" x 8'0"	<b>6185SL</b> ★ ◆ 10" x 6'8" 12" x 6'8" † 14" x 6'8" †	<b>86185SL</b> ★ ◆ 12" x 8'0" 14" x 8'0"	<b>6186SL</b> ★ ◆ 10" x 6'8" 12" x 6'8" † 14" x 6'8" †	<b>86186SL</b> ★ ◆ 12" x 8'0" 14" x 8'0"	<b>TS198</b> ★ ◆ 6 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" † 3'0" x 6'8"	<b>TS1408</b> ★ ◆ 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>8145</b> ★ ◆ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
---	---	--	---	--	---	--	---	--	---	--


Clear Glass with Divided Lites *Continues on next page.*

**Key**

- ★ Low-E Glass (LE)
- ◆ Simulated Divided Lites (SDL)
- ◆ Flat or Contour, White or Color Grilles Between Glass (GBGF / GBGC)
- ▶ Removable Wood Grilles (RG)
- ◆ Fixed Grilles (FXG)
- 6 WBDR / HVHZ Options
- ▲ 6'6" Height Available
- ‡ 7'0" Height Available



## Clear Glass with Divided Lites *Continued*



**TS1411**  
 \* ♦  
 2'6" x 6'8"  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**TS704**  
 \* ♦  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**8704**  
 \* ♦  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**198SL**  
 \* ♦  
 10" x 6'8"  
 12" x 6'8" ‡  
 14" x 6'8" ‡

**TS1405SL**  
 \* ♦  
 12" x 6'8"  
 14" x 6'8"

## Clear Glass



**TS118**  
 \* ♦ 6  
 2'0" x 6'8" ▽  
 2'4" x 6'8" ▲  
 2'6" x 6'8"  
 2'8" x 6'8"  
 2'10" x 6'8" ▲  
 3'0" x 6'8"

**818**  
 \* ♦ 6  
 2'0" x 8'0" ▽  
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**TS206**  
 \* 6  
 2'6" x 6'8"  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**8206**  
 \* 6  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**TS104**  
 \* 6  
 2'6" x 6'8"  
 2'8" x 6'8"  
 2'10" x 6'8" ▲  
 3'0" x 6'8"

**TS289**  
 \*  
 2'6" x 6'8"  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**TS105**  
 \*  
 2'6" x 6'8"  
 2'8" x 6'8"  
 2'10" x 6'8" ▲  
 3'0" x 6'8"

**TS708** | **8708**  
 \* | \*  
 2'8" x 6'8" | 2'8" x 8'0"  
 2'10" x 6'8" | 2'10" x 8'0"  
 3'0" x 6'8" | 3'0" x 8'0"



**TS256**  
 \*  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**TS296** | **896**  
 \* | \*  
 2'6" x 6'8" | 2'8" x 8'0"  
 2'8" x 6'8" | 2'10" x 8'0"  
 2'10" x 6'8" | 3'0" x 8'0"  
 3'0" x 6'8" |

**100SL** | **818SL**  
 \* 6 | \* 6  
 10" x 6'8" | 12" x 8'0"  
 12" x 6'8" ‡ | 14" x 8'0"  
 14" x 6'8" ‡ |

**TS210SL**  
 \* 6  
 12" x 6'8"  
 14" x 6'8"

**TS296SL**  
 \*  
 12" x 6'8"  
 14" x 6'8"



\*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.  
 Note: See page 275 for important product details that may help with your purchase decision.

# Solid Panel




**TS214**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**TS210**  
 2'6" x 6'8"  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**810**  
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**TS100**  
 2'0" x 6'8"  
 2'4" x 6'8" †  
 2'6" x 6'8"  
 2'8" x 6'8"  
 2'10" x 6'8" †  
 3'0" x 6'8"

**800**  
 2'0" x 8'0"  
 2'4" x 8'0"  
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



## Key

- Low-E Glass (LE)
- Turtle Glass
- Flat or Contour, White or Color Grilles Between Glass (GBGF / GBGC)

- Fixed Grilles (FXG)
- WBDR / HVHZ Options
- 6'6" Height Available

- 7'0" Height Available
- PVC Doorlite Frame\*

# Fire Doors

Fiber-Classic®, Smooth-Star® & Steel




**Intertek**

Therma-Tru offers an industry-leading selection of Fire-rated doors certified to carry the Warnock Hersey Mark.

## Therma-Tru® Fire-Rated Doors

From smooth to wood-grained, Therma-Tru offers products to meet most national and local code requirements for house-to-garage, multi-family residential and hotel / motel unit entries.\* Explore a wide variety of 20-minute Fire-rated fiberglass and steel door styles. A selection of 90-minute Fire-rated steel doors is also available, starting on page 226.

**NEW** Fiber-Classic and Smooth-Star 20-minute Fire-rated fiberglass doors are now constructed with a polyurethane foam core that reduces overall door slab weight by 45% for easier handling and installation.\*\*



\*To confirm fire door requirements in your jurisdiction, always check with your local building code authority.

\*\*Comparison of 20-minute foam core Fire-rated door to a 20-minute concrete core Fire-rated door with similar style.

Note: To see the full results of third-party Intertek, Warnock-Hersey testing, visit [www.thermatru.com/performance](http://www.thermatru.com/performance).

Top: Fiber-Classic Mahogany Collection Door – FMF205, Finish – Driftwood



## 20-Minute Fire-Rated Fiberglass Doors

- Tested to withstand a minimum of 20-minutes of fire exposure with temperatures that reach more than 1,400 degrees Fahrenheit.
- Features a 20-minute positive pressure rating.
- Certified by Intertek, Warnock Hersey for mortise lock use and features an enhanced lock block to provide proper handleset reinforcement, combined with lock and hinge stiles that increase rigidity and stability.
- More durable than steel, and resist dents, scratches and rust, making them ideal for high-traffic, heavy-use environments.
- Ideal for hotels, apartments, office buildings and other applications with security locks and card readers.

### Additional Options

- Solid-panel steel wood-edge doors also available with the 20-minute Fire-rated label, starting on page 226.

### For California Projects

Therma-Tru Fiber-Classic and Smooth-Star 20-minute Fire-rated fiberglass doors meet or exceed building codes and regulations specific to the state of California, including:

- ✓ California Wildland Urban Interface (WUI) requirements.
- ✓ California Air Resources Board (CARB) formaldehyde regulations.
- ✓ California State Fire Marshall test CA SFM 12-7A-1.

### For Florida Projects

Therma-Tru Fiber-Classic and Smooth-Star foam core 20-minute Fire-rated fiberglass doors include options to meet building codes and regulations specific to the state of Florida.

- ✓ Approved for structural use in Florida.
- ✓ Approved for Wind-Borne Debris Regions (WBDR).

## Adjusta-Fit® 2 Frame



Using the right frame is critical in any top-quality door installation, and never more so than with Fire-rated products. Therma-Tru Adjusta-Fit 2 frame technology helps ensure an optimum fit and long-lasting performance. The frames are constructed with a commercial-grade, 18-gauge base frame; galvanized steel and factory-coated paint finish; and an all-aluminum, thermally broken threshold. These features make them ideal for interior and exterior applications, including corridor openings and outside unit entries.

### Therma-Tru® Adjusta-Fit 2 frames also feature these key benefits:

- 90-Minute positive-pressure Fire-rating, third-party certified by Intertek, Warnock-Hersey.
- Standard 4-7/8" ANSI 115.1, or 2-3/4" T-lip strike prep option.
- Choice of standard, public access or no-sill options.
- Minimum 22-gauge closure with 1" of adjustability, suitable for walls from 4"-9-1/2" deep.

# 20-Minute Fire-Rated Wood Edge – Fiberglass

## Fiber-Classic®

### Mahogany Collection™



<b>FMF31</b> 9 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FMF220</b> 9 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FMF205</b> 9 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FMF755</b> 9 2'10" x 6'8" 3'0" x 6'8"	<b>FMF600</b> 9 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FMF134</b> 9 2'10" x 6'8" 3'0" x 6'8"	<b>FMF60</b> 9 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FMF860</b> 9 2'8" x 8'0" 3'0" x 8'0"
---	--	--	---	--	---	---	--

### Oak Collection™



<b>FMF100</b> 9 2'6" x 6'8" 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	<b>FMF8100</b> 9 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FCF31</b> 9 2'8" x 6'8" 3'0" x 6'8"	<b>FCF809</b> 9 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCF862</b> 9 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FCF755</b> 9 3'0" x 6'8"	<b>FCF808</b> 9 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCF134</b> 9 3'0" x 6'8"
---	--	---	--	--	-----------------------------------	--	-----------------------------------

### Smooth-Star®



<b>FCF160</b> 9 E 2'6" x 6'8" 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	<b>FCF8160</b> 9 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FCF100</b> 9 2'6" x 6'8" 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	<b>FCF8100</b> 9 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>SSF1100</b> 9 E 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>SSF81100</b> 9 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>SSF93</b> 9 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>SSF120</b> 9 E 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>SSF8120</b> 9 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>SSF220</b> 9 E 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	<b>SSF8220</b> 9 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
---	---	---	--	---	--	---	--	---	--	---

\*Select sizes available with elevated 10" bottom rail.

Note: See page 275 for important product details that may help with your purchase decision.



**SSF200**  
 6  
 2'6" x 6'8"  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**SSF8200**  
 6  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**SSF205**  
 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**SSF8205**  
 6  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**SSF31**  
 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"




**SSF831**  
 6  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**SSF960**  
 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**SSF755**  
 6  
 2'10" x 6'8"  
 3'0" x 6'8"



**SSF4800**  
 6 E  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**SSF84800**  
 6  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**SSF600**  
 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**SSF8600**  
 6  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**SSF11**  
 6  
 2'10" x 6'8"  
 3'0" x 6'8"



**SSF160**  
 6 E  
 2'6" x 6'8"  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**SSF8160**  
 6  
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**SSF100**  
 6  
 2'0" x 6'8"  
 2'6" x 6'8"  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**SSF8100**  
 6  
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**Key**

- No Stile Lines
- 6 WBD Options

- ‡ 7'0" Height Available
- E Elevated 10" Bottom Rail\*



# 20-Minute Fire-Rated Wood Edge – Steel

## Profiles™



**969HD**  
■ 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**978HD**  
■ 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**1005HD**  
■ 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"




**205HD**  
■ 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**203HD**  
■ 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**210HD**  
■ 6  
 2'6" x 6'8" ‡  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**100**  
■ 6  
 2'0" x 6'8"  
 2'4" x 6'8"  
 2'6" x 6'8" ‡  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡  
 3'6" x 6'8"


## Traditions



**TS214**  
■ 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"




**TS210**  
■ 6  
 2'6" x 6'8"  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**TS100**  
■ 6  
 2'0" x 6'8"  
 2'4" x 6'8" ⚠  
 2'6" x 6'8"  
 2'8" x 6'8"  
 2'10" x 6'8" ⚠  
 3'0" x 6'8"

# 90-Minute Fire-Rated Steel Edge

- Tested to withstand at least 90 minutes of fire exposure at temperatures that reach more than 1,700 degrees Fahrenheit.
- Constructed with 24-gauge steel edges.
- Suitable for a minimum 4" wall depth or greater.
- Therma-Tru also offers all the necessary components – frame, weatherstrip, bottom sweep and sill – to complete a 90-Minute Fire-rated door system.



**SE100**  
■ 6  
 2'0" x 6'8"  
 2'4" x 6'8"  
 2'6" x 6'8"  
 2'8" x 6'8" ‡  
 2'10" x 6'8"  
 3'0" x 6'8" ‡  
 3'6" x 6'8" ‡



**SE210HD**  
■ 6  
 2'6" x 6'8"  
 2'8" x 6'8" ‡  
 2'10" x 6'8"  
 3'0" x 6'8" ‡



**SE514**  
■ 6  
 2'8" x 6'8" ‡  
 2'10" x 6'8"  
 3'0" x 6'8" ‡



**SE978HD**  
■ 6  
 2'8" x 6'8" ‡  
 2'10" x 6'8"  
 3'0" x 6'8" ‡



**SE969HD**  
■ 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**SE1005HD**  
■ 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

### Key


- No Stile Lines
- ⚠ 6'6" Height Available
- 6 WBDR / HVHZ Options
- ‡ 7'0" Height Available





# PULSE

Modern design. Upbeat living.



Clean lines. Crisp angles. Sleek designs. Vintage style. Pulse is a contemporary series of door styles and glass designs that can be combined to make a bold statement. With three distinct aesthetic approaches – Ari, Línea and Echo – the entrance becomes modern art.

\*Please verify that there is a Thermo-Tru Impact-rated product approval for the configuration before buying. Not impact tested for use in multi-lite door style configurations.

Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Thermo-Tru seller or visit [www.thermatru.com](http://www.thermatru.com) for more, including details on limited warranties and exclusions, ENERGY STAR qualified products and product approvals.



## It's your decision, by design.


Pulse is geometry with energy. Designed to be fun and easy to mix and match with sleek, flush door and sidelite styles, you can create a modern entrance without missing a beat. Explore all the possible combinations at [thermatru.com/pulse](http://thermatru.com/pulse). Mix and match to get the style numbers needed to order. Turn the page for a glimpse of available styles and sizes.



## The creativity is unlimited. Stain or paint the entrance any color.


These doors and sidelites come ready to stain or paint. So there's no limit to the creativity you can use when it comes to finishing touches.



 WBDR / HVHZ Options: Look for this icon to find door styles that can be configured for WBDR or HVHZ.\*

### 1 Start with a STYLE.

Combine doors and sidelites to create an entrance that fits your vision.



### 2 Choose a MATERIAL.

Each style is available in any of these material choices.




### 3 Select a GLASS.

Find an available glass design to complete the statement you want to make.


#### Privacy & Textured Glass

Available for all Pulse door styles.




#### Decorative Glass

Available for Línea.



Available for Ari.



Available for Echo.



- 1 Blackstone®
- 2 Crystalline™
- 3 Sedona
- 4 Salinas®
- 5 Avonlea®
- 6 Saratoga™
- 7 Riserva®
- 8 Pembridge™
- 9 Axis®

### 4 Then select a FRAME.

Choose the flat profile for modern appeal or scrolled profile for vintage style.



Flat Profile Lite Frame

Scrolled Profile Lite Frame

## Pulse® Size Options

	Wood-Grained Fiberglass		Smooth Fiberglass		Steel	
	6'8"	8'0"	6'8"	8'0"	6'8"	8'0"
Doors	2'6" x 6'8" ◦	2'6" x 8'0" ◦	2'6" x 6'8" ◦	2'6" x 8'0" ◦	2'6" x 6'8" ◦	2'6" x 8'0" ◦
	2'8" x 6'8"	2'8" x 8'0"	2'8" x 6'8"	2'8" x 8'0"	2'8" x 6'8"	2'8" x 8'0"
	2'10" x 6'8"	2'10" x 8'0"	2'10" x 6'8"	2'10" x 8'0"	2'10" x 6'8"	2'10" x 8'0"
	3'0" x 6'8"	3'0" x 8'0"	3'0" x 6'8"	3'0" x 8'0"	3'0" x 6'8"	3'0" x 8'0"
			3'6" x 6'8"	3'6" x 8'0"	3'6" x 6'8"	
Sidelites	10" x 6'8" •	12" x 8'0"	10" x 6'8" •	12" x 8'0"	10" x 6'8" •	12" x 8'0"
	12" x 6'8"	14" x 8'0"	12" x 6'8"	14" x 8'0"	12" x 6'8"	14" x 8'0"
	14" x 6'8"		14" x 6'8"		14" x 6'8"	


- Available in full-lite sidelites only.
- Available in Línea and Echo only.







# Ari

Note: Product images show exterior side of door.



# Línea

Note: Product images show exterior side of door.




## It's your decision, by design.

Select a look for the door and sidelites. Choose a material. Find an available glass design and frame to complete the statement. Stain or paint it any color. Explore all the possible combinations at [thermatru.com/pulse](http://thermatru.com/pulse).

**Note: Door and sidelite styles shown in smooth fiberglass with flat lite frame. To see styles in other material choices, go to [thermatru.com/pulse](http://thermatru.com/pulse).**

Note: See page 275 for important product details that may help with your purchase decision.

Top: Pulse Ari, Axis Glass with Scrolled Lite Frame, Door – S83AX, ©TheHouseDesigners.com



S1RBL  
◆ ■ 6

S81RBL  
◆ ■ 6

S1LSN  
◆ ■

S1SN  
◆ ■

S1RSN  
◆ ■

S1LSA  
X 6

S81LSA  
X 6

S1SA  
X 6

S81SA  
X 6



S1RSA  
X 6

S81RSA  
X 6


S1LAV  
◆ 6

S1AV  
◆ 6

S1RAV  
◆ 6

S1LSG  
◆ ■ 6

S81LSG  
◆ ■ 6



S1SG  
◆ ■ 6

S81SG  
◆ ■ 6

S1RSG  
◆ ■ 6

S81RSG  
◆ ■ 6

S1LRS  
X 6

S81LRS  
X 6

S1RS  
X 6

S81RS  
X 6

**Línea** *Continues on next page.*

**Privacy & Textured Glass Options**

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 230.

XG = Geometric  
XE = Satin Etch

XC = Chord  
XJ = Chinchilla


XR = Rainglass  
XN = Granite

**Key**

- ◆ Low-E Glass (LE)
- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- ◆ Brass Caming (1A)
- X Wrought Iron (1W)
- 6 WBDR / HVHZ Options

Línea *Continued*

Pulse®



Echo



Note: Product images show exterior side of door.



				<p><b>It's your decision, by design.</b></p> <p>Select a look for the door and sidelites. Choose a material. Find an available glass design and frame to complete the statement. Stain or paint it any color. Explore all the possible combinations at <a href="http://thermatru.com/pulse">thermatru.com/pulse</a>.</p>
Wood-Grained Fiberglass: Mahogany or Oak (Shown in Driftwood stain.)		Smooth Fiberglass	Steel	

**Note: Door and sidelite styles shown in smooth fiberglass with flat lite frame. To see styles in other material choices, go to [thermatru.com/pulse](http://thermatru.com/pulse).**





**Echo** *Continues on next page.*

**Privacy & Textured Glass Options**

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 230.

XG = Geometric  
XE = Satin Etch


XC = Chord  
XJ = Chinchilla

XR = Rainglass  
XN = Granite

**Key**

-  Low-E Glass (LE)
-  Black Nickel Caming (1D)
-  Brushed Nickel Caming (1C)
-  Brass Caming (1A)
-  Wrought Iron (1W)
-  WBDR / HVHZ Options


Pulse®




S4LAX | S84LAX



S4AX | S84AX




S4RAX | S84RAX



S5LAX | S85LAX



S5AX | S85AX



S5RAX | S85RAX




S86LAX



S86AX



S86RAX




S9LAX



S9AX



S9RAX



S8LAX



S8AX



S8RAX

				<p><b>It's your decision, by design.</b></p> <p>Select a look for the door and sidelites. Choose a material. Find an available glass design and frame to complete the statement. Stain or paint it any color. Explore all the possible combinations at <a href="http://thermatru.com/pulse">thermatru.com/pulse</a>.</p>
Wood-Grained Fiberglass: Mahogany or Oak (Shown in Driftwood stain.)	Smooth Fiberglass	Steel		

**Note: Door and sidelite styles shown in smooth fiberglass with flat lite frame. To see styles in other material choices, go to [thermatru.com/pulse](http://thermatru.com/pulse).**



S811LAX



S811AX



S811RAX




S810LAX



S810AX




S810RAX




S4L\_ S4LCL \*

S84L\_ S84LCL \*




S4\_ S4CL \*

S84\_ S84CL \*




S4R\_ S4RCL \*

S84R\_ S84RCL \*




S5L\_ S5LCL \*

S85L\_ S85LCL \*



S5\_ S5CL \*

S85\_ S85CL \*



S5R\_ S5RCL \*

S85R\_ S85RCL \*



S86L\_ S86LCL \*



S86\_ S86CL \*



S86R\_ S86RCL \*

**Echo** *Continues on next page.*

### Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 230.

XG = Geometric  
XE = Satin Etch


XC = Chord  
XJ = Chinchilla

XR = Rainglass  
XN = Granite

### Key

- Low-E Glass (LE)
- Black Nickel Caming (1D)





S9L\_ S9LCL\*



S9\_ S9CL\*



S9R\_ S9RCL\*




S8L\_ S8LCL\*



S8\_ S8CL\*



S8R\_ S8RCL\*



S811L\_ S811LCL\*



S811\_ S811CL\*



S811R\_ S811RCL\*



S810L\_ S810LCL\*



S810\_ S810CL\*



S810R\_ S810RCL\*



Wood-Grained Fiberglass:  
Mahogany or Oak (Shown in Driftwood stain.)

Smooth  
Fiberglass

Steel

**It's your decision, by design.**

Select a look for the door and sidelites. Choose a material. Find an available glass design and frame to complete the statement. Stain or paint it any color. Explore all the possible combinations at [thermatru.com/pulse](http://thermatru.com/pulse).


**Note: Door and sidelite styles shown in smooth fiberglass with flat lite frame. To see styles in other material choices, go to [thermatru.com/pulse](http://thermatru.com/pulse).**

Note: See page 275 for important product details that may help with your purchase decision.

Top: Pulse Echo, Low-E Glass with Flat Lite Frame, Door – S85CL

# Sidelites

Note: Product images show exterior side of door.



**Sidelites** *Continue on next page.*

## Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 230.

XG = Geometric  
XE = Satin Etch

XC = Chord  
XJ = Chinchilla


XR = Rainglass  
XN = Granite

## Key

- Low-E Glass (LE)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)
- Wrought Iron (1W)
- Vented Sidelite (No Impact)  
(6"8" only in 12" & 14")  
(8"0" only in 14")
- WBDR / HVHZ Options

# Sidelites *Continued*

Pulse®



**Privacy & Textured Glass Options**  
 Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 230.

XG = Geometric	XJ = Chinchilla
XE = Satin Etch	XR = Rainglass
XC = Chord	XN = Granite

**Key**

- Low-E Glass (LE)
- Black Nickel Caming (1D)
- Vented Sidelite (No Impact)  
(6"8" only in 12" & 14")  
 (8"0" only in 14")

**It's your decision, by design.**  
 Select a look for the door and sidelites. Choose a material. Find an available glass design and frame to complete the statement. Stain or paint it any color. Explore all the possible combinations at [thermatru.com/pulse](http://thermatru.com/pulse).

Wood-Grained Fiberglass: Mahogany or Oak (Shown in Driftwood stain.)	Smooth Fiberglass	Steel

**Note: Door and sidelite styles shown in smooth fiberglass with flat lite frame. To see styles in other material choices, go to [thermatru.com/pulse](http://thermatru.com/pulse).**

Note: See page 275 for important product details that may help with your purchase decision.  
 Right Page, Top: Pulse Ari, Rainglass with Scrolled Lite Frame, Door – FCM83XR, Finish – Raven  
 Right Page, Bottom: Pulse Echo, Geometric Glass with Flat Lite Frame, Door – S9XG, Sidelite – S9XGSL







# Hinged Patio Doors



Simply beautiful,  
any way you see it.


Extend the beauty and quality of a Therma-Tru® entrance to the back of the home with hinged patio doors. Find style and convenience that's unsurpassed from any view with smart options to control the level of privacy and light, complement window patterns, and let fresh air into the home.



Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See your Therma-Tru seller or visit [www.thermatru.com](http://www.thermatru.com) for details on limited warranties and exclusions, and ENERGY STAR qualified products.

Top: Smooth-Star, Internal Blinds, Doors – S2600  
Bottom: Smooth-Star, Clear Glass, Doors – S118

## Door Selections



Classic-Craft<sup>®</sup>  
American Style  
Collection™

Classic-Craft<sup>®</sup>  
Mahogany  
Collection™


Classic-Craft<sup>®</sup>  
Rustic Collection™



Classic-Craft<sup>®</sup>  
Oak Collection™

Classic-Craft<sup>®</sup>  
Canvas  
Collection<sup>®</sup>

Fiber-Classic<sup>®</sup>  
Mahogany  
Collection™



Fiber-Classic<sup>®</sup>  
Oak Collection™

Smooth-Star<sup>®</sup>

Profiles™ & Traditions

(Wood-grained images shown in Driftwood stain.)

## Glass Selections



Internal Blinds

Low-E / Clear

### Divided Lites

For details on divided lite options, see pages 118–119.



## Flush-Glazed Glass

Glass built directly into the door during the manufacturing process offers a seamless appearance, wider daylight opening and high-performance weather seal.

### EnLiten™ Flush-Glazed Warranty Riders

See page 17 for details on the EnLiten™ Flush-Glazed Rider for Construction & Installation, and the EnLiten™ Flush-Glazed Rider for Homeowners.

■ = Available

Door Selections	Classic-Craft <sup>®</sup>	Fiber-Classic <sup>®</sup>	Smooth-Star <sup>®</sup>	Profiles™	Traditions
Material	Fiberglass	Fiberglass	Fiberglass	Steel	Steel
Warranty	Lifetime	Lifetime	Lifetime	10 Years	Door: 5 Years / Glass: 10 Years
Finish Options	Stain or Paint	Stain or Paint	Paint	Paint	Paint

### Glass Selections

Flush-Glazed Internal Blinds			■		
Internal Blinds		■	■	■	■
Flush-Glazed Low-E with Divided Lites	■	■	■		
Flush-Glazed Clear with Divided Lites		■	■		
Low-E with Divided Lites	■	■	■	■	■
Clear with Divided Lites		■	■	■	■
Flush-Glazed Low-E	■	■	■		
Flush-Glazed Clear		■	■		
Low-E	■	■	■	■	■
Clear		■	■	■	■
Also Available	12 Decorative / 6 Privacy & Textured	15 Decorative / 6 Privacy & Textured	15 Decorative / 6 Privacy & Textured	15 Decorative / 6 Privacy & Textured	15 Decorative / 6 Privacy & Textured

### Available Sizes

Heights	6'8", 8'0"	6'6", 6'8", 7'0", 8'0"	6'6", 6'8", 7'0", 8'0"	6'6", 6'8", 7'0"	6'6", 6'8", 8'0"
Single Widths	3'0"	2'0"–3'0"	2'0"–3'6"	2'0"–3'6"	2'0"–3'0"
Double Widths	6'0"	4'0"–6'0"	4'0"–6'0"	4'0"–6'0"	4'0"–6'0"
Triple Widths	9'0"	6'0"–9'0"	6'0"–9'0"	6'0"–9'0"	6'0"–9'0"
Retrofit Openings		5'0", 6'0"	5'0", 6'0"	5'0", 6'0"	5'0", 6'0"

### Additional Options

Vented Sidelites (Single / Double Widths)		6'6", 6'8", 8'0" Heights in 2'4"–6'0" Widths	6'6", 6'8", 8'0" Heights in 2'4"–6'0" Widths		
Screens & Screen Accessories Available Colors: Bronze, White	2" Frame, 3" Frame	2" Frame, 3" Frame	2" Frame, 3" Frame	2" Frame, 3" Frame	2" Frame, 3" Frame
Impact-Rated Options		■	■	■	■
Tru-Defense Eligible	■	■	■		



# Hinged Patio Door Systems

Note: Product images show interior side of door.




- 1 Multi-Point Locking System (Recommended)
- 2 Bottom Sweep
- 3 Sill
- 4 Hinges
- 5 Corner Seal Pads (Inswing Only)
- 6 Sill Pan (Recommended)
- 7 Frame Components
- 8 Multi-Point Locking System (Included)
- 9 Removable Screens

A Thermo-Tru® patio door with genuine Thermo-Tru components is a complete door system with doors, glass and components engineered to work together for durability and reliability through the years.


## Patio Transoms

Transoms can be stained or painted to match a Fiber-Classic® or Smooth-Star® door system. Available for 5'0", 5'4", 5'8" and 6'0" patio openings.

Note: Patio transoms are designed for a unit with a mullion.



19250T



19050T

## Vented Sidelites


### Enjoy the view – and a fresh breeze, too.

- Constructed to provide ventilation without sliding screens blocking the view, vented sidelites work as small swinging doors with convenient removable screens — available in bronze and white.
- Engineered for durability and safety with wide patio mullions for strength, and multi-point locking gears and recessed strike plates for security.

### Available Configurations



Single Door with Vented Sidelites (Inswing Only)



Double Doors with Vented Sidelites (Inswing Only)

# EnLiten™ Flush-Glazed Internal Blinds




### Available Door Styles

Smooth-Star® (Page 172)

See page numbers above for door styles and sizes.



### Available Configurations




# Internal Blinds




### Available Door Styles

Fiber-Classic® Mahogany (Page 173) / Fiber-Classic® Oak (Page 173) / Smooth-Star® (Page 174) / Profiles® (Page 213) / Traditions (Page 218)

See page numbers above for door styles and sizes.



### Available Configurations



# EnLiten™ Flush-Glazed Low-E / Clear

Glass with Divided Lites

## Colonial Style




### Available Door Styles

Fiber-Classic® Oak (Page 176) / Smooth-Star® (Page 177)  
 See page numbers above for door styles and sizes.



### Available Configurations




## Prairie Style




### Available Door Styles

Fiber-Classic® Oak (Page 176) / Smooth-Star® (Page 178)  
 See page numbers above for door styles and sizes.



### Available Configurations






## EnLiten™ Flush-Glazed Low-E / Clear Glass




### Available Door Styles

Classic-Craft® American Style (Page 46) / Fiber-Classic® Oak (Page 180) / Smooth-Star® (Page 180)  
 See page numbers above for door styles and sizes.



### Available Configurations



## Low-E / Clear Glass with Divided Lites

### Colonial Style




### Available Door Styles

Classic-Craft® Oak (Page 87) / Classic-Craft® Canvas (Page 103) /  
 Fiber-Classic® Mahogany (Page 180) / Fiber-Classic® Oak (Page 183) /  
 Smooth-Star® (Page 187) / Profiles™ (Page 214) / Traditions (Page 218)  
 See page numbers above for door styles and sizes.



### Available Configurations




**Low-E / Clear** Glass with Divided Lites *Continued*

Prairie Style




**Available Door Styles**

Fiber-Classic® Mahogany (Page 183) / Fiber-Classic® Oak (Page 186) / Smooth-Star® (Page 190) / Profiles™ (Page 215) / Traditions (Page 219)  
See page numbers above for door styles and sizes.



**Available Configurations**



**Low-E / Clear** Glass




**Available Door Styles**

Classic-Craft® Mahogany (Page 59) / Classic-Craft® Rustic (Page 75) / Classic-Craft® Oak (Page 88) / Classic-Craft® Canvas (Page 104) / Fiber-Classic® Mahogany (Page 192) / Fiber-Classic® Oak (Page 192) / Smooth-Star® (Page 194) / Profiles™ (Page 216) / Traditions (Page 220)  
See page numbers above for door styles and sizes.



**Available Configurations**



Note: See page 275 for important product details that may help with your purchase decision.

Right Page Top: Smooth-Star, Clear Glass, Doors – S140, Transoms – 19200T

Right Page Bottom: Smooth-Star, Low-E Glass, Doors – S2000





# Finishing Options

Finishing Options



## Add Curb Appeal with Color

Stain and paint can make all the difference when it comes to a home's curb appeal. Find inspiration and explore professionally applied premium stains and paints, as well as options for in-field applications.

Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See page 275 for important product details that may help with your purchase decision. See your Therma-Tru seller for details on the PrismaGuard limited warranty and exclusions.





## Finished for Lasting Beauty

Handcrafted and professionally applied in a controlled environment, a PrismaGuard® premium finish is built to last, giving your customers confidence and peace of mind.

- Designed for optimal performance with Therma-Tru® fiberglass doors, composite door frames and door surrounds.
- Features enhanced durability to protect from everyday wear and tear.
- Backed by a 10-year limited finish warranty.
- Enhances the overall beauty of the entry with a nature-inspired color palette of premium stains and paints.

**10** YEAR  
LIMITED  
WARRANTY



Durable Topcoat




Professional Application



## Tested to meet tough expectations.

PrismaGuard premium finish undergoes rigorous testing with specialized equipment to help ensure it delivers a consistent high-end appearance with a low-maintenance coating that preserves the door's color for years to come.




# PrismaGuard® Premium Stain

Bring the authentic look of wood to life with rich tones that add dimension and are designed to enhance the wood grains of Therma-Tru® fiberglass doors, composite door frames and door surrounds.

- 1 It starts with the realistic wood grains and deep embossments of a Therma-Tru® door, composite door frame or door surround.
- 2 A base coat provides an even, consistent color across the surface.
- 3 A wiping stain enhances the base coat while adding dimension to reflect the natural beauty of wood.
- 4 A durable topcoat enhances the high-definition color while protecting against scratches and color fading.
- 5 A second application of the topcoat provides added durability and optimal sheen for a high-end look.



Shown on Classic-Craft® American Style Collection™




Wildflower Honey



Rustic Clay



Barley



New Earth



Autumn Harvest



Redwood



Mulberry



Driftwood



Raven


Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See page 275 for important product details that may help with your purchase decision. See your Therma-Tru seller for details on the PrismaGuard limited warranty and exclusions.



# PrismaGuard® Premium Paint

Add a pop of color to Therma-Tru® doors, composite door frames and door surrounds, and tailor the look of the entry to make a beautiful lasting impression.

- 1 It starts with the smooth or wood-grained surface of a Therma-Tru® door, composite door frame or door surround.
- 2 A base coat provides an even, consistent color across the surface.
- 3 A durable topcoat enhances the high-definition color while protecting against scratches and color fading.
- 4 A second application of the topcoat provides added durability and optimal sheen for a high-end look.



Alpine




Cypress



Granite




Ruby Red



Cabernet



Indigo



Chestnut



Onyx










# SAME-DAY® STAIN

**Create the authentic look of real wood in just a few simple steps.**

- Achieve professional-looking results with an easy-to-use, quick-drying formula.
- Colorfast stain resists fading, bleaching and yellowing to create a beautiful finish.
- Finish colors can be applied in a variety of shades to complement multiple home styles.
- Specially formulated for Therma-Tru® fiberglass doors, composite door frames and door surrounds.

Shown on Classic-Craft® American Style Collection™



## All-Inclusive Kit

Contains everything needed to stain a Therma-Tru fiberglass double door system or a single door with two sidelites.\*

Watch easy-to-follow instructions at [samedaystain.com](http://samedaystain.com).



**5 YEAR LIMITED WARRANTY** For complete details on the Same-Day Stain and topcoat limited warranty, go to [samedaystain.com](http://samedaystain.com) or ask your seller for more details.

\*Actual coverage may vary based on product selected, application method and desired appearance. Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See page 275 for important product details that may help with your purchase decision. See your Therma-Tru seller for details on the Same-Day Stain limited warranty and exclusions.

# Door System Components




## Engineered to work together.

A Therma-Tru® door with genuine Therma-Tru components is more than a beautiful door – it's a complete door system engineered with craftsman precision for durability and reliability through the years. And, a Therma-Tru fiberglass door system with genuine Therma-Tru components is backed by the industry's most comprehensive lifetime limited warranty.

Visit our online replacement parts page to maintain the integrity of a complete door system with genuine Therma-Tru components at [thermatru.com/parts](http://thermatru.com/parts).




# NEW Composite Door Frame\* featuring Tru-Guard™ Composite Technology



## Reinforced Mullions


Provide additional structural support and stability. All mullions are reinforced with a **A** co-extruded LVL core to provide additional structural support and stability and feature a **B** composite capped bottom to eliminate the risk of water absorption and maintain a rot-free composite exterior.

## Available Textures



### Buff Grained

- Features a universal wood grain to complement a wide range of grain species.
- Stain or paint to complement the entry – no sanding or priming required.



### White Smooth

- Features a matte finish similar to painted wood and includes a protective layer with UV inhibitors to help resist yellowing and fading.
- Ready to install as-is – no painting required. Or finish with stain or paint to complement the entry – no sanding or priming required.



## Pre-Inserted Weatherstrip Option

Select white smooth composite jambs and mullions are available with a convenient pre-inserted weatherstrip option for a quicker install. Look for the (⓪) icon.

- 1 Brickmould 2 Jamb 3 Mullions 4 Cove Mould 5 Transom Sill



New composite door frame featuring Tru-Guard™ composite technology provides a rot-free solution engineered to work together with rot-resistant Therma-Tru doors and components.

- Delivers extra protection from the damaging effects of outside elements for peace of mind.
- Eliminates the risk of rot and wood-ingesting insects with a durable composite material that is virtually maintenance free. Rot-free door frame does not absorb moisture and resists mold, mildew and fungus.



Included in the Therma-Tru fiberglass door system lifetime limited warranty.

### 10-Year Transferable Full-System Rider

Available for Therma-Tru door systems with full-system Therma-Tru components.

Frame-only lifetime limited warranty option also available.

\*See your Therma-Tru seller for details on product availability.

Note: See your Therma-Tru seller or visit [www.thermatru.com](http://www.thermatru.com) for details on available product sizes and options, limited warranties and exclusions, and Rider. Frame-only warranty option for customers without a Therma-Tru door system.

# Composite Door Frame Parts

See your Thermo-Tru seller for a full list of available product sizes and options.

## Jambs




4-1/8"  
4-9/16"   
5-1/4"  
6-9/16"   
7-1/4"

## Mullions

All mullions feature a reinforced co-extruded LVL core with a composite-capped bottom.



2" Entry Narrow   
2-1/2" Entry Wide



2" Patio Narrow  
2-1/2" Patio Wide

Pre-inserted weatherstrip option available for select white smooth jambs and mullions pre-machined for hinges and locks.

## Trim



2" Brickmould WM180



1-5/8" Florida Brickmould WM176



3-1/2" x 3/4" Flat Casing

## Trim



7/16" x 5/16" Cove Mould

## Transom Sills



4-9/16"  
6-9/16"

## Storm Door Adaptor



6-9/16" Base Adaptor

## Mull Casing



1-7/32" x 7/32"



2-15/16" x 1-1/16" *Buff grained only.*  
2-15/16" x 3/8" *Buff grained only.*



1-15/16" x 1-1/16"  
4-9/16" Base Storm Door Adaptor  
Face Storm Door Adaptor

## Screen Track Cap



1-13/32" x 9/16"

## Fasteners, Setting Tool & Screw Plug Covers



Jamb screw plugs hide unsightly screws, allowing jamb to be installed with screws through its thickest part for better aesthetics and long-term performance.

Screw plugs are available on a collated strip for ease of installation and finishing.

# Sills

Allow for a tight seal to help block wind-driven moisture infiltration at the bottom of the door and a solid stepping surface. Available in a variety of materials with features to meet the needs of different climates and exposures. Ask your Therma-Tru seller for a complete list of options.

## Inswing Options



**Composite Adjustable Sill (Premium)** 

- Thick wood-grained composite cap and nosing.
- U-shaped weather seal.
- Adjustable flush stainless steel screws.

Continuous length with spread mullion capability to fill 49"–75" rough openings.\*



**Hardwood Adjustable Sill**

- Durable hardwood cap and nosing can be stained to match door and trim.
- U-shaped weather seal.
- Adjustable flush zinc dichromate screws.



**Basic Composite Adjustable Sill (Economy)**

- Wood-grained composite cap and nosing.
- Adjustable zinc dichromate screws with removable screw caps.



**Basic Fixed Sill (Economy)**

- Slanted cap and nosing mates with the single-bulb bottom sweep.

## Outswing Options



**Composite Outswing Sill (Premium)** 

- Thick wood-grained composite cap and nosing.
- Integrated weatherstrip.



**Aluminum Sill with Thermal Break**

- All-aluminum construction.
- Integrated weatherstrip.
- Also available without thermal break.



**Coastal Sill (For Coastal Regions)**

- All-aluminum construction.
- Extra-high cap profile.
- Integrated weatherstrip.
- Helps meet code requirements in HVHZ coastal regions.


## Outswing Sill Extender



Finishes: Lightwood (Premium), Darkwood (Premium)  
 Sizes: 3/4", 2"

Shown in 2".

## Inswing Sill Extenders



1", 1-3/8", 2", 3-1/4"

## Public Access Sill



**Public Access Sill with Thermal Break\*\***  
 (For ADA Applications)

- All-aluminum construction.
- Ramp slope meets Americans with Disabilities Act (ADA) requirements.
- Also available without thermal break.

## Key

 Tru-Defense Eligible

\*See the Therma-Tru Architectural Details & Components manual for actual unit size specifications.

\*\*Door systems built with public access sills have little resistance to water penetration and have a potential to leak if installed exposed to weather. We recommend these systems be installed away from weather under large soffits or overhangs.

\*\*\*For full details on the Tru-Defense Warranty Rider, visit [www.thermatru.com/trudefense](http://www.thermatru.com/trudefense).


Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See page 275 for important product details that may help with your purchase decision.



## Sill Finishes



**Mill**



**Bronze**



**Satin Nickel**

## Cap Colors



**Lightwood (Premium)**



**Darkwood (Premium)**



**Lightwood (Economy)**



**Darkwood (Economy)**



**Hardwood**

■ = Available  
• = Not Applicable


	Inswing Options				Outswing Options				Public Access (Inswing / Outswing)	
	Composite Adjustable	Hardwood Adjustable	Basic Composite Adjustable	Basic Fixed	Composite Outswing	Aluminum with Thermal Break	Aluminum without Thermal Break	Coastal	Public Access (Inswing / Outswing)	Public Access (ADA)**
<b>Sill Finishes</b>										
Mill	■	■	■	■	■	■	■	■	■	■
Bronze	■	■	■	■	■	■	■	•	■	■
Satin Nickel	■	•	•	•	■	•	•	•	•	•
<b>Cap Colors</b>										
Lightwood	■	•	■	•	■	•	•	•	•	•
Darkwood	■	•	■	■	■	•	•	•	•	•
Hardwood	•	■	•	•	•	•	•	•	•	•
<b>Sill Configurations</b>										
Single	■	■	■	■	■	■	■	■	■	■
French	■	■	•	■	■	■	■	■	■	■
Double Patio	■	■	•	•	■	•	•	•	•	•
Triple Patio	■	•	•	•	■	•	•	•	•	•
Lineal	■	■	•	•	•	•	•	•	•	•
<b>Sidelite Configurations</b>										
Boxed Sidelites	■	•	•	•	•	•	•	•	•	•
Single with Sidelites	■	■	•	•	■	•	•	•	•	•
French with Sidelites	■	•	•	•	•	•	•	•	•	•
Single Vented Sidelites	■	•	•	•	•	•	•	•	•	•
French Vented Sidelites	■	•	•	•	•	•	•	•	•	•
<b>Depths</b>										
4-9/16"	■	•	■	■	■	•	■	■	■	■
5-3/4"	■	■	■	■	■	■	•	•	•	•
6-9/16"	•	•	•	•	•	•	•	•	•	■
7-3/4"	■	■	■	■	•	■	•	•	•	•
<b>Substrates</b>										
Composite Extruded	■	•	•	•	■	•	•	•	•	•
Composite Injection Molded	■	•	■	•	•	•	•	•	•	•
Treated Pine	•	■	•	■	•	■	■	■	•	•
<b>Other Options</b>										
Integrated Thermal Break	■	■	■	■	■	■	•	•	■	■
Screen Rail Available	■	■	•	•	■	•	•	•	•	•
Sill Extenders Available	■	■	■	•	■	•	•	•	•	•
Sill Covers Available	■	■	■	■	■	•	•	•	•	•
Tru-Defense Eligible***	■	•	•	•	■	•	•	•	•	•
With Anchor Holes	•	•	•	•	•	■	■	•	■	■
Without Anchor Holes	■	■	■	■	■	■	•	■	•	•

Note: See your Thermo-Tru seller for details on available component and finish color combinations.

# Door Bottoms

Designed to mate with our sills and help provide added protection to help seal the margin between the door and sill. Kerf-applied for a secure fit and made of a heavy-duty material that holds its shape to help maintain contact.

## Inswing Options




### Kerf-Applied Dual-Bulb / Dual-Fin Bottom Sweep

**Sills:**  
Composite Adjustable  
Hardwood Adjustable  
Basic Composite Adjustable

**Colors:**  
Bronze  
White



Non-kerf-applied option available for replacement applications. Available in bronze only.



### Kerf-Applied Single-Bulb Bottom Sweep

**Sills:**  
Basic Fixed

**Colors:**  
Bronze




### Inactive Door Bottom

**Sills:**  
Composite Adjustable  
Hardwood Adjustable

**Colors:**  
Bronze

## Outswing Options



### Outswing Bottom Sweep

**Sills:**  
Composite Outswing  
Aluminum  
Coastal

**Color:**  
Bronze



### Inactive Door Bottom

**Sills:**  
Composite Outswing

**Colors:**  
Bronze

## ADA / Replacement



### Bottom Sweep

**Sills:**  
Public Access

**Color:**  
Bronze

# Sill Protection



### Sill Covers (Recommended)

- Fits over the sill to help protect cap and finish from damage during installation.
- Made of a heavy-duty material to withstand wear.
- Available in a variety of options to fit our sills.

See page 260 for availability.

Shown over composite adjustable sill.



### Sill Pan (Recommended)

- Fits between the sill and subfloor for an added layer of protection against moisture.
- Engineered with sloped channels to help collect and drain moisture away.

## Corner Seal Pads (Inswing Only)

Fit securely behind weatherstrip and mate with our inswing sills to help block wind-driven moisture from pushing through the corner and up the frame. (Not required for outswing sills.)

### Classic-Craft. 7-Shape Pads



**Colors:**  
Bronze  
White

**Sills:**  
Composite Adjustable  
Hardwood Adjustable  
Basic Composite Adjustable  
Public Access

### Fiber-Classic. / Smooth-Star. 7-Shape Pads



**Colors:**  
Bronze  
White

**Sills:**  
Composite Adjustable  
Hardwood Adjustable  
Basic Composite Adjustable  
Public Access

### Basic Fixed Pads



**Colors:**  
Bronze

**Sills:**  
Basic Fixed

## Weatherstrip

Engineered in a variety of profiles for a precise seal between the door and frame. Made of a flexible material protected by a durable jacket to resist moisture and wear.

### Medium-Reach Weatherstrip



**Colors:**  
Bronze  
White

### Long-Reach Weatherstrip



**Colors:**  
Bronze  
White

## Rain Protection (Recommended)

Helps repel moisture away from areas exposed to wind-driven moisture infiltration, enhancing weather protection. Highly recommended for applications directly exposed to wind and rain.

### Rain Deflector (Inswing)




**Colors:**  
Bronze  
White

### Rain Guard (Outswing)



**Colors:**  
Bronze  
White



Bottom of door; exterior view.



Top of door; exterior view.

### Key

Tru-Defense Eligible



# Hardware

## Multi-Point Locking Systems (MPLS) (Recommended)

Engages the door and frame at three critical points from top to bottom for enhanced stability compared to traditional deadbolt assemblies. Features premium stainless steel construction that resists corrosion.

### Grip-Style MPLS

Grip-style handlesets offer an intuitive approach to the multi-point locking system with on-trend aesthetics. A simple 90-degree twist of the thumbturn (interior) or a key (exterior) is all it takes to engage the door frame at three points with no need to lift the handleset lever. An integrated mishandling device protects the door and frame from accidental damage. Features deadbolt located above handleset.

(Highly recommended for 8'0" fiberglass doors. Active option only. Not available for door systems with an astragal. Not recommended for steel doors. Strike plate package available.)



**Tongue**  
 Heights: | Configurations:  
 6'8" | Inswing  
 7'0" | Outswing  
 8'0"

- 1 Self-lubricating locks.
- 2 1" premium stainless steel deadbolt.
- 3 Integrated mishandling device.

### Key

 Tru-Defense Eligible

Side view of door.



Exterior view of door.



Engages at three critical points.

Side view of door.

Exterior view of door.

### Lever-Style MPLS

Lever-style handlesets bring form and function together with decorative styles. A convenient upward turn of the handle is required before all three points will engage. An integrated mishandling device helps protect the door and frame from accidental damage. Features deadbolt below the handleset.

(Highly recommended for 8'0" and double fiberglass doors. Not recommended for steel doors. Strike plate packages available to meet the installation needs of various MPLS applications.)



#### Tongue

<b>Heights:</b>	<b>Configurations:</b>
6'6"	Inswing
6'8"	Outswing
7'0"	
8'0"	



#### Shootbolt

(For door systems with an astragal.)

<b>Heights:</b>	<b>Configurations:</b>
6'6"	Inswing
6'8"	Outswing
7'0"	
8'0"	



### Vented Sidelite MPLS




#### Tongue

(Included in vented sidelite units.)

<b>Heights:</b>
6'6"
6'8"
8'0"

## Handleset Options for Standard Door MPLS


Designed to complement Therma-Tru door styles from traditional to contemporary.




**Forte**

**Prospect**

Finish Options



Brushed Nickel    Black Nickel    Oil-Rubbed Bronze



**Heirloom**

**Venture**

**Millennium**

Backplates:  
Wide  
Narrow  
Locking:  
Active  
Inactive

Finish Options



Bright Brass    Brushed Nickel    Black Nickel    Polished Chrome    Oil-Rubbed Bronze

## Hinges & Strike Plate

Hinge Finish Options	Hinges							Adjustable Security Strike Plate (For Latch & Deadbolt)
	Adjustable	Classic-Craft® Ball-Bearing	Self-Aligning Ball-Bearing	Self-Aligning	Self-Aligning NRP (Non-Removable Pin)	Security Tab	Spring-Loaded	
Bright Brass	■	■	■	●	●	●	●	●
Brushed Nickel	■	■	■	■	■	■	■	■
Black Nickel	■	■	■	●	■	●	■	■
Polished Chrome	■	■	■	●	■	●	■	■
Oil-Rubbed Bronze	■	■	■	■	■	●	■	■
Stainless Steel	●	■	■	●	■	■	■	■
Zinc Dichromate	●	■	■	■	■	■	■	■

Hinges position the door to properly compress the weatherstrip and help ensure smooth operation. Features options to suit various applications and mate with mortise pockets machined into our doors. Adjustable security strike plate wraps around the jamb and engages the frame for added support and strength, and resistance against forced entry.



# Astragals

Cover the margin between double doors to help complete the seal against air and moisture infiltration, with aluminum construction for stability, holding power and durability. Available in a stainable wood-grained vinyl wrap or aluminum.



## Stainable Astragal

- Heights:**  
6'6"  
6'8"  
7'0"  
8'0"
- Width:**  
7/8"
- Configurations:**  
Inswing  
Outswing  
Multi-Point Lock  
Double Bore  
Left-Handed  
Right-Handed
- Grain Options:**  
Oak  
Mahogany  
Fir
- Weatherstrip:**  
Bronze

Shown in Oak grain with Redwood stain.



## Aluminum Astragal

- Heights:**  
6'6"  
6'8"  
7'0"  
8'0"
- Width:**  
7/8"
- Configurations:**  
Inswing  
Outswing  
Multi-Point Lock  
Double Bore  
Left-Handed  
Right-Handed
- Finish Colors:**  
Bronze  
White
- Weatherstrip:**  
Bronze

Coastal option also available.

Available with strike plates to receive a latch and deadbolt or multi-point locking system.

Integrated weatherstrip and corner seal pad helps form a tight seal between the astragal and active door when closed.

Spring clips to engage and disengage the shootbolts.

Durable boot engineered to work with the active bottom sweep to complete the seal across the sill.

16-1/2" locking steel slide bolt can be vertically adjusted for a secure fit with the sill and frame.

## Textures Available

Stainable (Shown in Rustic Clay stain.)

Aluminum



Oak Grain

Mahogany Grain

Fir Grain

Bronze

White



Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See page 275 for important product details that may help with your purchase decision.

Bottom: Classic-Craft Rustic Collection, Provincial Glass, Doors – CCR804028

## Key

Tru-Defense Eligible

# Door Surrounds



## Polished style for the entryway.

Add a beautiful, finished look to the entry with stylish, low-maintenance door surrounds from Therma-Tru. Discover a hand-selected assortment designed to complement the architectural details of virtually any home style. Create a cohesive look in the entry with authentic details for enhanced curb appeal.

Top: Classic-Craft Canvas Collection, Homeward Glass, Door – CCV89922, Door Surround – TDS-CCCFLT  
Bottom: Smooth-Star, Clear Glass with GBGs, Door – S1211, Sidelites – S1211SL, Finish – Granite, Door Surround – TDS-TRDFLT  
Right Page: Classic-Craft Rustic Collection, Augustine Glass, Door – CCR20527; Granite Glass, Sidelite – CCR3400XNSL, Finish – Driftwood, Door Surround – TDS-TRDPLN-K




## Durable style built to last.

- Features a low-maintenance, durable and trimmable polyurethane construction that resists moisture and insects, and won't rot, warp, crack or split like wood. And, it won't expand or contract in extreme temperatures.



- Available in smooth, paintable styles, as well as wood-grained options that can be painted or stained to complement the entry.

- Designed as part of Therma-Tru's complete fiberglass door system and backed by the industry's most comprehensive lifetime limited warranty.





# Door Surrounds Style Options

## Traditional Crosshead




**Traditional Header with End Cap  
Plain Pilaster Side**

	Style Option	Side Trim Width	Header Height
A	TDS-TRDPLN-5S6H	5"	6"
B	TDS-TRDPLN-7S9H	7"	9"



**Traditional Header with End Cap & Keystone  
Plain Pilaster Side**

	Style Option	Side Trim Width	Header Height
A	TDS-TRDPLN-K-5S6H	5"	6"
B	TDS-TRDPLN-K-7S9H	7"	9"



**Traditional Header with End Cap  
Fluted Pilaster Side**

	Style Option	Side Trim Width	Header Height
A	TDS-TRDFLU-5S6H	5"	6"
B	TDS-TRDFLU-7S9H	7"	9"



**Traditional Header with End Cap & Keystone  
Fluted Pilaster Side**

	Style Option	Side Trim Width	Header Height
A	TDS-TRDFLU-K-5S6H	5"	6"
B	TDS-TRDFLU-K-7S9H	7"	9"



**Traditional Header with End Cap  
Smooth Flat Trim Side**

	Style Option	Side Trim Width	Header Height
A	TDS-TRDFLT-6S6H	6"	6"
B	TDS-TRDFLT-6S9H	6"	9"



**Traditional Header with End Cap & Keystone  
Smooth Flat Trim Side**

	Style Option	Side Trim Width	Header Height
A	TDS-TRDFLT-K-6S6H	6"	6"
B	TDS-TRDFLT-K-6S9H	6"	9"

## Available Sizes & Configurations



**6'8" Configurations - Use 90" Sides**

90" Side Length	Single Units 3'0" x 6'8" and Smaller	
	55" Header Length	
	Widths	Heights
	3'0" & Smaller	6'8"
		6'6"
90" Side Length	Multiple Units & 3'6" Singles - 6'8" and smaller	
	90" Header Length	
	Widths	Heights
	3'6" Single	6'8"
	6'0" Double & Smaller	6'6"
	Single-1 Sidelite (all STD Size options)*	
	Single-2 Sidelite (all STD Size options)*	



**8'0" Configurations - Use 108" Sides**

108" Side Length	Single Units 3'0" x 8'0" and Smaller	
	55" Header Length	
	Widths	Heights
	3'0" & Smaller	8'0"
		7'0"
		6'8" w/ 13-1/2" Transom
108" Side Length	Multiple Units & 3'6" Singles - 8'0" and smaller	
	90" Header Length	
	Widths	Heights
	3'6" Single	8'0"
	6'0" Double & Smaller	7'0"
	Single-1 Sidelite (all STD Size options)*	6'8" w/ 13-1/2" Transom
	Single-2 Sidelite (all STD Size options)*	

## Craftsman Cove Crosshead



**Craftsman Cove Header with End Cap  
Plain Pilaster Side**

	Style Option	Side Trim Width	Header Height
A	TDS-CCCPLN-5S9H	5"	9"



**Craftsman Cove Header  
Plain Pilaster Side**


	Style Option	Side Trim Width	Header Height
A	TDS-CRCPLN-5S9H	5"	9"



**Craftsman Cove Header with End Cap  
Smooth Flat Trim Side**

	Style Option	Side Trim Width	Header Height
A	TDS-CCCFLT-4S9H	4"	9"
B	TDS-CCCFLT-6S9H	6"	9"

## Craftsman Cove Crosshead



**Craftsman Cove Header  
Smooth Flat Trim Side**

	Style Option	Side Trim Width	Header Height
A	TDS-CRCFLT-4S9H	4"	9"
B	TDS-CRCFLT-6S9H	6"	9"


## Craftsman Step Crosshead



**Craftsman Step Header  
Smooth Flat Trim Side**

	Style Option	Side Trim Width	Header Height
A	TDS-CRSFLT-4S6H	4"	6"
B	TDS-CRSFLT-4S8H	4"	8"
C	TDS-CRSFLT-6S6H	6"	6"
D	TDS-CRSFLT-6S8H	6"	8"

## Smooth & Woodgrain Flat Trim



**Smooth (TDS) / Woodgrain (TDG) Flat Trim Header  
Smooth / Woodgrain Flat Trim Side**

	Style Option	Side Trim Width	Header Height
A	___-FLTFLT-4S4H	4"	4"
B	___-FLTFLT-4S6H	4"	6"
C	___-FLTFLT-6S4H	6"	4"
D	___-FLTFLT-6S6H	6"	6"



\*Door surrounds will support sidelite spread mull units up to 3" per mull (3'0 door / 14" sidelite maximum).

Note: See your Therma-Tru seller or visit [www.thermatru.com](http://www.thermatru.com) for details on limited warranties and exclusions, dimensional data or additional configurations. Dimensions listed are nominal and not actual.

Bottom Right: Smooth-Star, Clear Glass with SDLs, Door – S82103, Sidelites – S8000SL, Door Surround – TDS-CRSFLT

# Special Quote Program

Don't sacrifice the look you want. In addition to thousands of standard glass choices, we offer additional glass options through our Special Quote Program to help you find the right look for virtually any home.



## Privacy & Textured Glass

Achieve the desired look and level of privacy with additional options, including hammered glass doorlites shown above.



Special Quote SDL Pattern Example



Tan

Stone

Special Quote GBG Color Options

## Divided Lites

Match various window patterns and home styles with additional grid patterns and color options. Impact-rated options also available.



Texas Star with Standard Brushed Nickel Caming



Texas Star with Special Quote Black Nickel Caming

## Caming Colors


Pair black nickel, brushed nickel or brass caming with any decorative glass design to complement home hardware and fixtures.



# 3'6" Width Door Style Options

## Classic-Craft®

### 8'0" Door Styles




#### Glass Designs

Homeward™	◆		◆			◆	■
Augustine®	◆	◆	◆	◆	◆	◆	
Arborwatch®	◆		◆			◆	■
Borrassa®	◆	◆	◆	◆	◆	◆	
Lucerna®	◆		◆			◆	
Geometric							■
Rainglass							■
Low-E	◆		◆			◆	■

## Key

- Classic-Craft® American Style Collection™
- ◆ Classic-Craft® Rustic Collection™
- ▲ Classic-Craft® Oak Collection™
- \* Smooth-Star®
- ▷ Profiles™ & Traditions
- ▬ Steel Edge


### 6'8" & 8'0" Solid-Panel Door Styles



## Smooth-Star®, Profiles™, Traditions & Pulse®

### 6'8" & 8'0" Door Styles

### All Pulse Styles



#### Glass Designs

Blackstone®	*▷	*			*▷	*							
Crystalline™	*▷	*			*▷	*							
Sedona	*▷		*▷	*	*▷	*							
Salinas®	*▷	*			*▷	*							
Maple Park™	*▷												
Avonlea®	*▷				*▷								
Saratoga™	*▷		*▷	*	*▷	*							
Wellesley™	*▷	*											
Riserva™	*▷	*	*▷	*	*▷	*							
Concorde™	*▷	*											
Kensington™	*▷												
Pembridge™	▷		*▷	*	*▷	*	*▷	*	*▷	*			
Axis™	*▷	*	*▷	*	*▷	*	*▷	*	*▷	*			
Privacy & Textured Glass	*▷	*	*▷	*	*▷	*	*▷	*	*▷	*			
Internal Blinds	*▷	*											
Divided Lites	*▷	*											
Clear	*▷	*	*▷	*	*▷	*	*▷	*	*▷	*			
Solid Panel											*▷	▬	*

## 7'0" Height Door Style Options


Glass Designs	Door Styles													
Blackstone <sup>®</sup>	▼▲*D	▲*D	*										▼▲*D	D
Crystalline <sup>™</sup>	▼▲*D	▲*D	*										▼▲*D	D
Sedona	▼▲*D	▲*D	*										▼▲*D	D
Salinas <sup>®</sup>	▼▲*D	▲*D	*										▼▲*D	D
Maple Park <sup>®</sup>	▼▲*D	▲*D	*					▲*D					▼▲*D	D
Avonlea <sup>®</sup>	▼▲*D	▲*D	*										▼▲*D	D
Saratoga <sup>™</sup>	▼▲*D	▲*D	*					▲*D					▼▲*D	D
Texas Star		▲*D	*											D
Wellesley <sup>™</sup>	▼▲*D	▲*D	*					▲*D					▼▲*D	D
Riserva <sup>™</sup>	▼▲*D	▲*D	*										▼▲*D	D
Concorde <sup>™</sup>	▼▲*D	▲*D	*					▲*D	D				▼▲*D	D
Kensington <sup>™</sup>	▼▲*D	▲*D	*										▼▲*D	D
Pembridge <sup>™</sup>	▼▲*D	▲*D	*						D		▲D		▼▲*D	D
Axis <sup>™</sup>	▼▲*D	▲*D	*								▲*D		▼▲*D	D
Frosted Images <sup>®</sup>		▲*D	*										▼▲*D	D
Privacy & Textured Glass	▼▲*D	▲*D	*	▼▲*D	D						▲*D		▼▲*D	D
Internal Blinds	▼▲*D	▲*D	*	▼▲*D									▼▲*D	D
Screen Vented		*D	*	*D										
Divided Lites	▼▲*D	▲*D	*		D	*D	▲*D	D			D	D	▼▲*D	D
Clear	▼▲*D	▲*D	*	▼▲*D	D	*D	▲*D	D	▲*D				▼▲*D	D
Solid Panel														*D

## 6'6" Height Door Style Options

Glass Designs	Door Styles				
Blackstone <sup>®</sup>	▲*D				▲*
Crystalline <sup>™</sup>	▲*D				▲*
Sedona	▲*D				▲*
Salinas <sup>®</sup>	▲*D				▲*
Maple Park <sup>®</sup>	▲*D				▲*
Avonlea <sup>®</sup>	▲*D				▲*
Saratoga <sup>™</sup>	▲*D				▲*
Wellesley <sup>™</sup>	▲*D				▲*
Riserva <sup>™</sup>	▲*D				▲*
Concorde <sup>™</sup>	▲*D				▲*
Kensington <sup>™</sup>	▲*D				▲*
Pembridge <sup>™</sup>	▲*D				▲*
Axis <sup>™</sup>	▲*D				▲*
Frosted Images <sup>®</sup>					▲*
Privacy & Textured Glass	▲*D	D			▲*
Internal Blinds	▲*D	D			▲*
Screen Vented		D			
Divided Lites	▲*D		D		▲*
Clear	▲*D	D	D		▲*
Solid Panel					*D

### Key

- ▼ Fiber-Classic<sup>®</sup> Mahogany Collection<sup>™</sup>
- ▲ Fiber-Classic<sup>®</sup> Oak Collection<sup>™</sup>
- \* Smooth-Star<sup>®</sup>
- D Profiles<sup>™</sup> & Traditions
- Steel Edge



Top: Smooth-Star Door – SSF220  
Bottom: Smooth-Star Door – S210; Clear Glass with GBGs, Sidelites – S308SL



# Entry & Patio Door Systems

Feature	Classic-Craft.	Fiber-Classic. & Pulse. Wood-Grained	Smooth-Star. & Pulse. Smooth	Profiles™ & Pulse. Steel (6'8")	Traditions & Pulse. Steel (8'0")
<b>Skin Material</b>	Fiberglass	Fiberglass	Fiberglass	24-Gauge Steel	6'8": 25-Gauge Steel / 8'0": 24-Gauge Steel
<b>Skin Texture</b>	Oak, Mahogany, Fir Grain; High-Detail Smooth	Oak, Mahogany Grain	High-Detail Smooth	Smooth	Smooth
<b>Exterior Finish</b>	Stain or Paint	Stain or Paint	Paint	Paint	Paint
<b>Interior Finish</b>	Stain or Paint	Stain or Paint	Paint	Paint	Paint
<b>Panel – Top Rail</b>	Composite	Composite	Composite	Wood	Wood
<b>Panel – Bottom Rail</b>	Composite	Composite	Composite	Composite	Composite
<b>Lock Stile</b>	4" Full-Length Engineered Lumber	1-¼" Engineered Lumber	1-¼" Engineered Lumber	1-¼" Wood	1-¼" Wood
<b>Lock Block</b>	4" Full-Length Engineered Lumber Stile	22-½" Wood	12-½" Wood	12-½" Wood	6'8": 12-½" Wood / 8'0": 22-½" Wood
<b>Height Options</b>	6'8" & 8'0"	6'6", 6'8", 7'0" & 8'0"	6'6", 6'8", 7'0" & 8'0"	6'6", 6'8" & 7'0"	6'6", 6'8" & 8'0"
<b>Width Options</b>	2'8", 3'0" & 3'6"	2'0", 2'4", 2'6", 2'8", 2'10" & 3'0"	2'0", 2'4", 2'6", 2'8", 2'10", 3'0" & 3'6"	2'0", 2'4", 2'6", 2'8", 2'10", 3'0" & 3'6"	2'0", 2'4", 2'6", 2'8", 2'10" & 3'0"
<b>Panel Options</b>	Single, Double or Triple	Single, Double or Triple	Single, Double or Triple	Single, Double or Triple	Single, Double or Triple
<b>Sidelite Options</b>	10", 12" & 14"	10", 12" & 14"	10", 12" & 14"	10", 12" & 14"	10", 12" & 14"
<b>Glass Options</b>	SMC Frame; Deco / Privacy & Textured / Low-E IG	BTS Frame, PVC Frame; Deco / Privacy & Textured / Low-E / Clear IG	BTS Frame, PVC Frame; Deco / Privacy & Textured / Low-E / Clear IG	BTS Frame, PVC Frame; Deco / Privacy & Textured / Low-E / Clear IG	BTS Frame, PVC Frame; Deco / Privacy & Textured / Low-E / Clear IG
<b>Sill*</b>	Inswing: Composite Adjustable Outswing: Composite Outswing	Inswing: Basic Composite Adjustable Outswing: Composite Outswing	Inswing: Basic Composite Adjustable Outswing: Composite Outswing	Inswing: Basic Fixed Outswing: Aluminum	Inswing: Basic Fixed Outswing: Aluminum
<b>Weatherstrip – Hinge</b>	Medium-Reach	Medium-Reach	Medium-Reach	Medium-Reach	Medium-Reach
<b>Weatherstrip – Lock</b>	Medium-Reach	Long-Reach	Long-Reach	Long-Reach or Magnetic	Long-Reach or Magnetic
<b>Weatherstrip – Head</b>	Medium-Reach	Long-Reach	Long-Reach	Long-Reach or Magnetic	Long-Reach or Magnetic
<b>Multi-Point Lock</b>	Recommended	Recommended	Recommended	–	–
<b>Security Strike Plate</b>	Recommended	Recommended	Recommended	Recommended	Recommended
<b>Hinges*</b>	Classic-Craft Ball-Bearing	Self-Aligning	Self-Aligning	Self-Aligning	Self-Aligning
<b>Frame*</b>	Composite Door Frame	Composite Door Frame	Composite Door Frame	Rot-Resistant	Primed Pine
<b>Screens &amp; Screen Accessories Available</b> Colors: Bronze, White	2" Frame, 3" Frame	2" Frame, 3" Frame	2" Frame, 3" Frame	2" Frame, 3" Frame	2" Frame, 3" Frame
<b>Residential Limited Warranty</b>	Lifetime	Lifetime	Lifetime	10 Years	Door: 5 Years / Glass: 10 Years / Pulse 8'0": 10 Years

For dimensional data, see your Therma-Tru seller or visit [thermatru.com](http://thermatru.com) for a copy of the Therma-Tru Unit & Rough Opening Sizing Booklet.

# Therma-Tru® Door Systems

## Independent Laboratory Performance Testing

At the time of manufacture, Therma-Tru exterior door systems (properly assembled with all genuine Therma-Tru components) have been tested under one or more of the following performance specifications: structural load, uniform load deflection, vertical load resistance, air infiltration, water penetration resistance, forced entry resistance, operating forces, force to latch, deglazing resistance, operating cycle performance, impact resistance, sound transmission, thermal performance and solar heat gain performance. Therma-Tru exterior door systems conform to the applicable Performance Standards / Test Methods that may include ANSI/AAMA/NWWDA 101/I.S.2, AAMA/WDMA 101/I.S.2/NAFS, AAMA/WDMA/CSA 101/I.S.2-A440, ASTM E330, ASTM E547, ASTM E283, ASTM E331, ANSI/BHMA A156.2, AAMA 1304, AAMA 920, AAMA 925, ASTM E2068, ASTM F842, ASTM E987, ASTM E1300, ASTM E90, ASTM E413, ASTM E1332, ASTM E1886, ASTM E1996, PA/TAS 201, PA/TAS 202, PA/TAS 203, HUD UM89, AAMA 1702.2, 24 CFR 3280, 24 CFR 3282, NFRC 100 and NFRC 200. Refer to [www.thermatru.com](http://www.thermatru.com) for design pressure and other performance ratings.

## Doors

**Recommended Door Overhang** – For best performance, all doors should be protected by an overhang. The recommended size is half the distance from the base of the door to the bottom of the overhang. So, as an example, a distance of 10' for this dimension would require an overhang of 5' minimum. For wetter climates, southern or western exposures, and for double doors, the overhang should be the same as the distance from the base of the door to the bottom of the overhang. In this same example, the dimension is 10' so the overhang should be 10'.

For best performance, double doors to be used in areas with severe weather exposure must be installed using entry alcoves or large soffit overhangs to protect entry unit from exposure. Multi-point locking systems are highly recommended for 8'0" and double door applications.

## Doorlites

Doorlites are insulated, and exposed panes are tempered or laminated. Optional wood grilles available for clear doorlites and transoms.

**Inserts** – All glass (except flush-glazed styles) shall be bedded with glazing mastic and secured in doors with screws. Therma-Tru's SMC and BTS doorlite frames are available for most styles except where noted. SMC and BTS frames shall resist significant deformation by heat up to 200 degrees Fahrenheit, regardless of paint or stain color or placement behind a storm door.

PVC doorlite frames must be finished within 30 days of installation. Failure to do so will increase the chance for product damage of the type that is not covered by the warranty. PVC doorlite frames are not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.

**Decorative Glass & Wrought Iron** – Each Therma-Tru decorative glass unit is handcrafted by skilled artisans replicating Old World techniques. Each piece is a unique work of art and many things that would appear to be imperfections (small bubbles, lines and waves within the glass) are normal and are part of the designs character.

Condensation occurs naturally in the home, caused by excessive humidity in the air. Often this harmless water vapor can be seen collecting on glass surfaces, such as doorlites. Energy-efficient glass units in Therma-Tru door systems are constructed to keep the glass as warm as possible, reducing condensation build-up. However, there is no such thing as a condensation-free window or doorlite in high-humidity conditions.

A common attribute of true wrought iron doorlites is that a rattle sound may be heard when closing the door. This is solely a function of having real wrought iron which is heavy and has the ability to flex, moving back and forth within a narrow airspace surrounded by glass that has very little flex. This characteristic is not considered a defect or warranty issue.

**NOTE: Glass privacy ratings are determined by the 1/2-lite glass size. As a result, the amount of privacy / glass transparency may be more or less than indicated by the privacy rating, based on the glass design and size of the glass that is inserted into the door, sidelite or transom.**

Glass designs may differ from depiction due to the size and hand craftsmanship of glass. See your Therma-Tru seller or visit [www.thermatru.com](http://www.thermatru.com) for more details.

## Components

**Adjustable Security Strike Plate** – Proprietary adjustable type, permitting in-out adjustment of door in frame, up to 3/16".

**Hinges** – Minimum hinge size 4" x 4" x .098".

Ball-bearing hinges are recommended for 8'0" doors, doors using heavy lites (e.g., wrought iron), all 20-Minute Fire-rated fiberglass doors, Impact-rated doors and glass, and all Classic-Craft doors.

Use of the multi-point locking system is highly recommended for 8'0" and double fiberglass doors. Not recommended for steel doors.

Please be aware that single door units built with public access sills have little resistance to water penetration, and double doors built with these sills have a potential to leak if installed exposed to weather. We recommend that units be installed away from weather under large soffits or overhangs.

Use of a sill pan is recommended.

Fiber-Classic and Smooth-Star dentil shelves are not recommended for placement behind storm doors or to be painted dark colors, if exposed to direct sunlight.

Therma-Tru door surrounds must be finished within 30 days of installation. Failure to do so will increase the chance for product damage of the type that is not covered by the warranty.

## Impact-Rated Products

Impact-rated products must be installed as part of a Therma-Tru door system in compliance with a Therma-Tru product approval. Visit [www.thermatru.com](http://www.thermatru.com) for product approvals and full details on WBDR- (Wind-Borne Debris Region) / HVHZ- (High Velocity Hurricane Zone) compliant products. Follow weather and news reports in order to assess severe weather situations and obey local authorities' shelter and evacuation orders. No product guarantees safety for persons or property, nor makes any premises hurricane- or impact-proof.

## Fire-Rating Performance Standards

Fire and building codes vary throughout the country and acceptance of products and labels is left to the discretion of the local authorities.

MODIFICATION OF PRODUCTS DESCRIBED IN THIS BROCHURE WHICH CARRY FIRE RATINGS (DOORS AND FRAMES) MAY VOID THE FIRE RATINGS.

Test conducted by Intertek, Warnock-Hersey.

## Limited Warranties

Please be aware of the applicable Therma-Tru Limited Warranty which contains important

restrictions, disclaimers, exclusions and conditions, as well as the below listed Installation, Finishing & Maintenance documents, related to the Therma-Tru product purchased (e.g., Fiberglass, Steel, Patio Door Systems), all of which can be obtained from your Therma-Tru seller or found in their entirety at [www.thermatru.com](http://www.thermatru.com):

- Therma-Tru. Fiberglass and Steel Door Systems Residential Limited Warranty: Fiberglass – Classic-Craft®, Fiber-Classic®, Smooth-Star. and Pulse. Door Systems; Steel – Pulse®, Profiles®, Traditions and Therma-Tru. Fire Door (TR 12-24) Steel Edge Door Systems
- Therma-Tru. Tru-Defense. Door System Rider to Fiberglass Door Systems Limited Warranty: Classic-Craft®, Fiber-Classic®, Smooth-Star. and Pulse. Fiberglass Door Systems
- EnLiten®. Flush-Glazed Construction & Installation Rider to Fiberglass Door Systems Limited Warranty for Residential and Multi-Resident Premises: Classic-Craft®, Fiber-Classic. and Smooth-Star. Flush-Glazed Fiberglass Door Systems
- EnLiten®. Flush-Glazed Homeowner Rider to Fiberglass Door Systems Limited Warranty for Residential and Multi-Resident Premises: Classic-Craft®, Fiber-Classic. and Smooth-Star. Flush-Glazed Fiberglass Door Systems
- PrismaGuard. Limited Warranty Rider to Fiberglass and Steel Door Systems Limited Warranty for Residential and Multi-Resident Premises: Fiberglass – Classic-Craft®, Fiber-Classic., Smooth-Star., and Pulse. Door Systems; Steel – Pulse., Profiles® and Traditions
- Same-Day. Stain 5-Year Limited Warranty: Same-Day. Stain and Topcoat for Use on Therma-Tru. Fiberglass Door Systems and Fypon. Stainable Polyurethane Products
- Therma-Tru. Composite Door Frame featuring Tru-Guard® Composite Technology Limited Warranty for Residential and Multi-Resident Premises: Classic-Craft., Fiber-Classic., Smooth-Star. and Pulse. Fiberglass Door Systems
- Therma-Tru. Composite Door Frame featuring Tru-Guard® Composite Technology Limited Warranty Transferrable Rider to Fiberglass Door Systems Limited Warranty for Residential and Multi-Resident Premises: Classic-Craft., Fiber-Classic., Smooth-Star. and Pulse. Fiberglass Door Systems

## Installation, Finishing & Maintenance

Installation, finishing and maintenance must be performed according to Therma-Tru's recommendations to comply with warranty requirements. Obtain a copy of the following documents outlining recommendations from your Therma-Tru seller or find them in their entirety at [www.thermatru.com](http://www.thermatru.com):

- Installation Instructions (Products that are approved for Coastal and / or high wind applications may require special installation. Always follow the installation instructions in the Product Approval for these products.)
- Therma-Tru Fiberglass and Steel Door Systems Recommendations for Proper Finishing and Painting or Staining

**NOTE: Finish colors may vary from an actual application due to fluctuations in finishing or the printing of this catalog. See your Therma-Tru seller or visit [www.thermatru.com](http://www.thermatru.com) for more details.**

**American Style  
Collection™**

19200T.....	43	CCA2310XJSL.....	45	CCA240.....	43	CCA4910RXX.....	45	CCA8230XN.....	42	CCA82370XC.....	44
19210T.....	43	CCA2310XN.....	44	CCA2400.....	46	CCA4915L.....	49	CCA8230XR.....	42	CCA82370XE.....	44
19220T.....	43	CCA2310XNSL.....	45	CCA2400SL.....	47	CCA4915R.....	49	CCA8231.....	40	CCA82370XJ.....	44
AB30T.....	41	CCA2310XR.....	44	CCA2400XC.....	44	CCA4920L.....	47	CCA82310.....	46	CCA82370XN.....	44
ABRT.....	41	CCA2310XRSL.....	45	CCA2400XCSL.....	45	CCA4920LXC.....	45	CCA82310SL.....	47	CCA82370XR.....	44
CCA1100.....	48	CCA232.....	40	CCA2400XE.....	44	CCA4920LXE.....	45	CCA82310XC.....	44	CCA82380.....	46
CCA1125.....	48	CCA2320.....	46	CCA2400XESL.....	45	CCA4920LXJ.....	45	CCA82310XCSSL.....	45	CCA82380XC.....	44
CCA1127.....	48	CCA2320SL.....	47	CCA2400XG.....	44	CCA4920LXN.....	45	CCA82310XE.....	44	CCA82380XE.....	44
CCA1133.....	48	CCA2320XC.....	44	CCA2400XGSL.....	45	CCA4920LXR.....	45	CCA82310XESL.....	45	CCA82380XG.....	44
CCA1145.....	48	CCA2320XCSSL.....	45	CCA2400XJ.....	44	CCA4920R.....	47	CCA82310XG.....	44	CCA82380XJ.....	44
CCA1147.....	48	CCA2320XCSL.....	44	CCA2400XJSL.....	45	CCA4920RXC.....	45	CCA82310XGSL.....	45	CCA82380XN.....	44
CCA1149.....	48	CCA2320XE.....	45	CCA2400XN.....	44	CCA4920RXC.....	45	CCA82310XJ.....	44	CCA82380XR.....	44
CCA1150.....	48	CCA2320XG.....	44	CCA2400XNSL.....	45	CCA4920RXC.....	45	CCA82310XJSL.....	45	CCA8240.....	43
CCA1158.....	48	CCA2320XGSL.....	45	CCA2400XR.....	44	CCA4920RXJ.....	45	CCA82310XNSL.....	44	CCA82400.....	46
CCA1166.....	48	CCA2320XJ.....	44	CCA2400XRSL.....	45	CCA4920RXN.....	45	CCA82310XNSL.....	45	CCA82400SL.....	47
CCA1423SL.....	41	CCA2320XJSL.....	45	CCA2400XSL.....	42	CCA4920RXR.....	45	CCA82310XR.....	44	CCA82400XC.....	44
CCA210.....	43	CCA2320XN.....	44	CCA2400XC.....	42	CCA4925L.....	49	CCA82310XRSL.....	45	CCA82400XCSSL.....	45
CCA210SL.....	43	CCA2320XNSL.....	45	CCA2400XN.....	42	CCA4930.....	47	CCA8232.....	40	CCA82400XE.....	44
CCA210XC.....	42	CCA2320XR.....	44	CCA2400XR.....	42	CCA4930XC.....	45	CCA82320.....	46	CCA82400XESL.....	45
CCA210XCSSL.....	42	CCA2320XRSL.....	45	CCA2410SL.....	49	CCA4930XE.....	45	CCA82320SL.....	47	CCA82400XG.....	44
CCA210XJ.....	42	CCA2330.....	46	CCA2420SL.....	49	CCA4930XJ.....	45	CCA82320XC.....	44	CCA82400XGSL.....	45
CCA210XJSL.....	42	CCA2330SL.....	47	CCA2430SL.....	49	CCA4930XN.....	45	CCA82320XCSSL.....	45	CCA82400XJ.....	44
CCA210XN.....	42	CCA2330XC.....	44	CCA260.....	43	CCA4930XR.....	45	CCA82320XE.....	44	CCA82400XJSL.....	45
CCA210XNSL.....	42	CCA2330XCSSL.....	45	CCA260XC.....	42	CCA4935.....	49	CCA82320XESL.....	45	CCA82400XN.....	44
CCA210XR.....	42	CCA2330XE.....	44	CCA260XJ.....	42	CCA4940.....	47	CCA82320XG.....	44	CCA82400XNSL.....	45
CCA210XRSL.....	42	CCA2330XESL.....	45	CCA260XR.....	42	CCA4940XC.....	45	CCA82320XGSL.....	45	CCA82400XR.....	44
CCA211.....	40	CCA2330XG.....	44	CCA3400SL.....	43	CCA4940XE.....	45	CCA82320XJ.....	44	CCA82400XRSL.....	45
CCA211SL.....	40	CCA2330XGSL.....	45	CCA3400XSL.....	42	CCA4940XJ.....	45	CCA82320XJSL.....	45	CCA82400XC.....	42
CCA212.....	40	CCA2330XJ.....	44	CCA3400XCSL.....	42	CCA4940XN.....	45	CCA82320XN.....	44	CCA82400XJ.....	42
CCA212SL.....	40	CCA2330XJSL.....	45	CCA3400XGSL.....	42	CCA4940XR.....	45	CCA82320XNSL.....	45	CCA82400XNSL.....	45
CCA220.....	43	CCA2330XN.....	44	CCA3400XJSL.....	42	CCA4945.....	49	CCA82320XR.....	44	CCA82400XR.....	44
CCA220SL.....	43	CCA2330XNSL.....	45	CCA3400XRSL.....	42	CCA81100.....	48	CCA82320XRSL.....	45	CCA82410SL.....	49
CCA220XC.....	42	CCA2330XR.....	44	CCA3401SL.....	40	CCA81125.....	48	CCA82330.....	46	CCA82420SL.....	49
CCA220XCSSL.....	42	CCA2340.....	46	CCA3402SL.....	40	CCA81127.....	48	CCA82330SL.....	47	CCA82430SL.....	49
CCA220XJ.....	42	CCA2340SL.....	47	CCA3450SL.....	43	CCA81133.....	48	CCA82330XC.....	44	CCA8260.....	43
CCA220XJSL.....	42	CCA2340XC.....	44	CCA3450XCSL.....	42	CCA81145.....	48	CCA82330XCSSL.....	45	CCA8260XC.....	42
CCA220XN.....	42	CCA2340XCSSL.....	45	CCA3450XGSL.....	42	CCA81147.....	48	CCA82330XE.....	44	CCA8260XJ.....	42
CCA220XNSL.....	42	CCA2340XE.....	44	CCA3450XJSL.....	42	CCA81149.....	48	CCA82330XESL.....	45	CCA8260XN.....	42
CCA220XR.....	42	CCA2340XESL.....	45	CCA3450XNSL.....	42	CCA81150.....	48	CCA82330XG.....	44	CCA8260XR.....	42
CCA220XRSL.....	42	CCA2340XG.....	44	CCA3450XRSL.....	42	CCA81158.....	48	CCA82330XGSL.....	45	CCA84900.....	47
CCA221.....	40	CCA2340XGSL.....	45	CCA3500SL.....	43	CCA81166.....	48	CCA82330XJ.....	44	CCA84900XC.....	45
CCA222.....	40	CCA2340XJ.....	44	CCA3500XCSL.....	42	CCA8120XC.....	42	CCA82330XJSL.....	45	CCA84900XE.....	45
CCA230.....	43	CCA2340XJSL.....	45	CCA3500XGSL.....	42	CCA8120XJ.....	42	CCA82330XN.....	44	CCA84900XJ.....	45
CCA2300.....	46	CCA2340XNSL.....	45	CCA3500XJSL.....	42	CCA8120XN.....	42	CCA82330XNSL.....	45	CCA84900XN.....	45
CCA2300SL.....	47	CCA2340XR.....	44	CCA3500XNSL.....	42	CCA8120XR.....	42	CCA82330XR.....	44	CCA84900XR.....	45
CCA2300XC.....	44	CCA2340XRSL.....	45	CCA3500RSL.....	42	CCA81423SL.....	41	CCA82330XRSL.....	45	CCA84905.....	49
CCA2300XCSSL.....	45	CCA2350.....	46	CCA3500XCSL.....	43	CCA8210.....	43	CCA82340.....	46	CCA84910L.....	47
CCA2300XE.....	44	CCA2350XC.....	44	CCA3560SL.....	43	CCA8211.....	40	CCA82340SL.....	47	CCA84910LXC.....	45
CCA2300XESL.....	45	CCA2350XE.....	44	CCA3560XCSL.....	42	CCA8212.....	40	CCA82340XC.....	44	CCA84910LXE.....	45
CCA2300XG.....	44	CCA2350XJ.....	44	CCA3560XGSL.....	42	CCA8220.....	43	CCA82340XCSSL.....	45	CCA84910LXJ.....	45
CCA2300XGSL.....	45	CCA2350XJSL.....	44	CCA3560XJSL.....	42	CCA8220XC.....	42	CCA82340XE.....	44	CCA84910LXN.....	45
CCA2300XJ.....	44	CCA2350XN.....	44	CCA3560XGSL.....	42	CCA8220XJ.....	42	CCA82340XESL.....	45	CCA84910LXR.....	45
CCA2300XJSL.....	45	CCA2350XR.....	44	CCA3560XNSL.....	42	CCA8220XN.....	42	CCA82340XG.....	44	CCA84910R.....	47
CCA2300XN.....	44	CCA2360.....	46	CCA3560XNSL.....	42	CCA8220XR.....	42	CCA82340XGSL.....	45	CCA84910RXC.....	45
CCA2300XNSL.....	45	CCA2360XC.....	44	CCA3560XRSL.....	42	CCA8221.....	40	CCA82340XJ.....	44	CCA84910RXC.....	45
CCA2300XR.....	44	CCA2360XE.....	44	CCA4900.....	47	CCA8222.....	40	CCA82340XJSL.....	45	CCA84910RXJ.....	45
CCA2300XRSL.....	45	CCA2360XJ.....	44	CCA4900XC.....	45	CCA8230.....	43	CCA82340XN.....	44	CCA84910RXN.....	45
CCA230XC.....	42	CCA2360XJSL.....	44	CCA4900XE.....	45	CCA82300.....	46	CCA82340XNSL.....	45	CCA84910RXR.....	45
CCA230XJ.....	42	CCA2360XN.....	44	CCA4900XJ.....	45	CCA82300SL.....	47	CCA82340XR.....	44	CCA84915L.....	49
CCA230XN.....	42	CCA2360XR.....	44	CCA4900XR.....	45	CCA82300XC.....	44	CCA82340XRSL.....	45	CCA84915R.....	49
CCA230XR.....	42	CCA2370.....	46	CCA4900XN.....	45	CCA82300XE.....	44	CCA82350.....	46	CCA84920L.....	47
CCA231.....	40	CCA2370XC.....	44	CCA4905.....	49	CCA82300XCSL.....	45	CCA82350XC.....	44	CCA84920LXC.....	45
CCA2310.....	46	CCA2370XE.....	44	CCA4910L.....	47	CCA82300XGSL.....	45	CCA82350XE.....	44	CCA84920LXE.....	45
CCA2310SL.....	47	CCA2370XJ.....	44	CCA4910LXC.....	45	CCA82300XJ.....	44	CCA82350XJ.....	44	CCA84920LXJ.....	45
CCA2310XC.....	44	CCA2370XN.....	44	CCA4910LXE.....	45	CCA82300XJSL.....	45	CCA82350XN.....	44	CCA84920LXN.....	45
CCA2310XCSSL.....	45	CCA2370XR.....	44	CCA4910LXJ.....	45	CCA82300XNSL.....	45	CCA82350XR.....	44	CCA84920LXR.....	45
CCA2310XE.....	44	CCA2380.....	46	CCA4910LXN.....	45	CCA82300XR.....	44	CCA82360.....	46	CCA84920R.....	47
CCA2310XESL.....	45	CCA2380XC.....	44	CCA4910LXN.....	45	CCA82300XRSL.....	45	CCA82360XC.....	44	CCA84920RXC.....	45
CCA2310XG.....	44	CCA2380XE.....	44	CCA4910LXR.....	45	CCA82300XSL.....	47	CCA82360XE.....	44	CCA84920RXJ.....	45
CCA2310XGSL.....	45	CCA2380XJ.....	44	CCA4910LXR.....	45	CCA82300XC.....	44	CCA82360XJ.....	44	CCA84920RXN.....	45
CCA2310XJ.....	44	CCA2380XNSL.....	45	CCA4910R.....	47	CCA82300XCSL.....	45	CCA82360XR.....	44	CCA84920RXR.....	45
		CCA2380XCSSL.....	45	CCA4910RXC.....	45	CCA82300XGSL.....	45	CCA82360XRSL.....	44	CCA84925L.....	49
		CCA2380XG.....	44	CCA4910RXC.....	45	CCA82300XJ.....	44	CCA82370.....	46		
		CCA2380XJ.....	44	CCA4910RXC.....	45	CCA82300XJSL.....	45				
		CCA2380XN.....	44	CCA4910RXC.....	45	CCA82300XNSL.....	45				
		CCA2380XR.....	44	CCA4910RXC.....	45	CCA82300XR.....	44				
				CCA4910RXC.....	45	CCA82300XRSL.....	45				
				CCA4910RXC.....	45	CCA8230XC.....	42				
				CCA4910RXC.....	45	CCA8230XJ.....	42				



CCA84925R.....49	CCM200XC.....58	CCM822.....58	CCR20020XC.....74	CCR8100R.....76	CCR822220.....75
CCA84930.....47	CCM200XN.....58	CCM890.....60	CCR20020XN.....74	CCR8102SL.....73	CCR822220XC.....74
CCA84930XC.....45	CCM203.....57	CCM891.....59	CCR20022.....73	CCR81414.....68	CCR822220XN.....74
CCA84930XE.....45	CCM204.....58	CCM892.....57	CCR20023.....71	CCR81415.....68	CCR822221.....73
CCA84930XJ.....45	CCM209.....54	CCM894.....54	CCR20027.....67	CCR81417.....68	CCR822222.....71
CCA84930XN.....45	CCM210B.....55	CCM895B.....55	CCR20037.....67	CCR81423SL.....68	CCR822224B.....68
CCA84930XR.....45	CCM300.....59	CCM898.....58	CCR20037A.....67	CCR81511.....69	CCR822226.....71
CCA84935.....49	CCM30027.....55	CCM89922.....54	CCR200A.....76	CCR81511A.....69	CCR822227.....67
CCA84940.....47	CCM300XC.....58	CCM89925SL.....54	CCR205.....76	CCR81512.....69	CCR822228.....70
CCA84940XC.....45	CCM300XN.....58	CCM9923.....54	CCR20520.....75	CCR81512A.....69	CCR822229.....66
CCA84940XE.....45	CCM302.....58	CCM9925.....54	CCR20520XC.....74	CCR81514.....69	CCR822238.....72
CCA84940XJ.....45	CCM303.....57	CCM9925SL.....54	CCR20520XN.....74	CCR81515.....69	CCR8225.....76
CCA84940XN.....45	CCM309.....54	CCM9926.....54	CCR20522.....73	CCR81516.....69	CCR8225R.....76
CCA84940XR.....45	CCM310B.....55	HW30T.....54	CCR20523.....71	CCR81518.....69	CCR89918.....66
CCA84945.....49	CCM3300SL.....59	HWRT.....54	CCR20527.....67	CCR81838.....72	CCR89919.....66
CCA87100.....43	CCM3302SL.....58	LC30T.....58	CCR20537.....67	CCR81839.....72	CCR89921.....66
CCA87100XR.....42	CCM3303SL.....57	LCET.....58	CCR20537A.....67	CCR81841.....72	CCR89925SL.....66
CCA87111.....41	CCM3309SL.....54	LCRT.....58	CCR205A.....76	CCR81845.....72	CCR9918.....66
CCA87112.....40	CCM3310BSL.....55	LF30T.....57	CCR30020.....75	CCR81845A.....72	CCR9919.....66
CCA87121.....41	CCM3400SL.....59	LFET.....57	CCR30023.....71	CCR81846.....72	CCR9921.....66
CCA87122.....40	CCM3400XCSL.....58	LFRT.....57	CCR30024B.....68	CCR81846A.....72	CCR9925.....66
CCA87131.....41	CCM3400XESL.....58	ZHRT.....57	CCR30026.....71	CCR81847.....72	CCR9925SL.....66
CCA87132.....40	CCM3400XGSL.....58	<b>Rustic Collection..</b>	CCR30027.....67	CCR81851SL.....72	HW30T.....66
CCA87200.....43	CCM3400XHSL.....56	19020T.....75	CCR30028.....70	CCR8200.....76	HWRT.....66
CCA87200XR.....42	CCM3400XJSL.....58	19200T.....75	CCR30029.....66	CCR820020.....75	LC30T.....73
CCA87300.....43	CCM3400XNSL.....55	19210T.....75	CCR3400SL.....75	CCR820022.....73	LCET.....73
CCA87300XR.....42	CCM3400XNSL.....58	19220T.....75	CCR3400XCSL.....74	CCR820023.....71	LCRT.....73
CCA87400.....43	CCM3400XRSL.....58	AB30T.....68	CCR3400XESL.....74	CCR820024B.....68	LF30T.....71
CCA87400XR.....42	CCM3403SL.....57	ABRT.....68	CCR3400XGSL.....74	CCR820026.....71	LFET.....71
CCA87600.....43	CCM3409SL.....54	BEET-B.....68	CCR3400XHSL.....69	CCR820027.....67	LFRT.....71
CCA87600XR.....42	CCM3410BSL.....55	BERT-B.....68	CCR3400XJSL.....74	CCR820028.....70	ZHRT.....72
CCA89100.....41	CCM3412SL.....58	CC040T.....70	CCR3400XNSL.....67	CCR820029.....66	<b>Oak Collection..</b>
CCA89200.....41	CCM3500SL.....59	CC060T.....66	CCR3400XNSL.....74	CCR820030.....75	19020T.....87
CCA89300.....41	CCM3502SL.....58	CC090T.....71	CCR3400XRSL.....74	CCR820030A.....75	19020T.....88
CCA9100.....41	CCM3503SL.....57	CC400T.....70	CCR3406SL.....71	CCR820030AXC.....74	19200T.....87
CCA9100SL.....41	CCM3509SL.....54	CC420T.....70	CCR3407SL.....71	CCR820030AXN.....74	19200T.....88
CCA9200.....41	CCM3510BSL.....55	CC600T.....66	CCR3408SL.....70	CCR820030XC.....74	19210T.....88
CCA9300.....41	CCM60.....60	CC620T.....66	CCR3409SL.....66	CCR820030XN.....74	19220T.....87
HW30T.....40	CCM600.....59	CC900T.....71	CCR3410BSL.....68	CCR820032.....73	19220T.....88
HWRT.....40	CCM600XE.....58	CC920T.....71	CCR3412SL.....73	CCR820032A.....73	AB30T.....83
<b>Mahogany Collection..</b>	CCM603.....57	CCR040.....76	CCR8000SL.....75	CCR820037.....67	ABRT.....83
19020T.....59	CCM609.....54	CCR04020.....75	CCR8000XCSL.....74	CCR820037A.....67	BEET-B.....83
19200T.....59	CCM610B.....55	CCR04020XC.....74	CCR8000XGSL.....74	CCR8200A.....76	BERT-B.....83
19210T.....59	CCM612.....58	CCR04020XN.....74	CCR8000XHSL.....69	CCR8205.....76	CC040T.....84
19220T.....59	CCM700.....59	CCR04022.....73	CCR8000XJSL.....74	CCR820520.....75	CC060T.....82
AB30T.....56	CCM701.....60	CCR04023.....71	CCR8000XNSL.....67	CCR820520XC.....74	CC090T.....85
ABRT.....56	CCM702.....58	CCR04027.....67	CCR8000XNSL.....74	CCR820520XN.....74	CC10.....88
BEET-B.....55	CCM703.....57	CCR04037.....67	CCR8000XRSL.....74	CCR820522.....73	CC10022.....86
BERT-B.....55	CCM709.....54	CCR040R.....76	CCR8005.....76	CCR820523.....71	CC1010SL.....88
CC060T.....54	CCM710B.....55	CCR100.....76	CCR8005A.....76	CCR820524B.....68	CC10022.....86
CC600T.....54	CCM800.....59	CCR10022.....73	CCR8006SL.....71	CCR820526.....71	CC1010SL.....88
CC620T.....54	CCM8000SL.....59	CCR100R.....76	CCR8007SL.....71	CCR820527.....67	CC1016SL.....85
CCM100.....59	CCM8000XCSL.....58	CCR1414.....68	CCR8008SL.....70	CCR820528.....70	CC1017SL.....84
CCM10022.....58	CCM8000XGSL.....58	CCR1415.....68	CCR8009SL.....66	CCR820529.....66	CC1019SL.....82
CCM103.....57	CCM8000XHSL.....56	CCR1417.....68	CCR8010BSL.....68	CCR820530.....75	CC102.....87
CCM109.....54	CCM8000XJSL.....58	CCR1423.....68	CCR8040.....76	CCR820530A.....75	CC1020BSL.....83
CCM110B.....55	CCM8000XNSL.....55	CCR1423SL.....68	CCR804020.....75	CCR820530AXC.....74	CC107.....85
CCM1419.....56	CCM8000XRSL.....58	CCR1511.....69	CCR804020XC.....74	CCR820530AXN.....74	CC110.....82
CCM1423.....56	CCM8001SL.....57	CCR1511A.....69	CCR804020XN.....74	CCR820530XC.....74	CC11.....89
CCM1423SL.....56	CCM8003SL.....54	CCR1512.....69	CCR804022.....73	CCR820530XN.....74	CC110B.....83
CCM1424.....56	CCM8004BSL.....55	CCR1512A.....69	CCR804023.....71	CCR820532.....73	CC111B.....83
CCM1465.....56	CCM801.....60	CCR1514.....69	CCR804024B.....68	CCR820532A.....73	CC112B.....83
CCM1475.....56	CCM803.....57	CCR1515.....69	CCR804026.....71	CCR820537.....67	CC113B.....83
CCM1485.....55	CCM805027.....55	CCR1516.....69	CCR804027.....67	CCR820537A.....67	CC114B.....83
CCM1495.....55	CCM809.....54	CCR1518.....69	CCR804028.....70	CCR8205A.....76	CC1418.....83
CCM1528.....56	CCM8102SL.....58	CCR1528.....69	CCR804029.....66	CCR8220.....76	CC1423.....83
CCM1842.....57	CCM810B.....55	CCR1838.....72	CCR804030.....75	CCR822020XC.....74	CC1423SL.....83
CCM1843SL.....57	CCM81418.....56	CCR1839.....72	CCR804030XC.....74	CCR822020XN.....74	CC1424.....83
CCM1844.....57	CCM81423SL.....56	CCR1841.....72	CCR804030XN.....74	CCR8220R.....76	CC16.....85
CCM1851.....57	CCM81519.....56	CCR1851.....72	CCR804032.....73	CCR8222.....76	CC17.....84
CCM1851SL.....57	CCM81843.....57	CCR1851SL.....72	CCR804037.....67	CCR822214.....68	CC19.....82
CCM200.....59	CCM81851SL.....57	CCR200.....76	CCR8040R.....76	CCR822215.....69	CC2020SL.....88
		CCR20020.....75	CCR8100.....76	CCR822218.....66	CC2020XCSL.....87

CC2020XESL	87	CC892	87	CCV0609XE	102	CCV803028	98	CCV820530	104	CCV950XCSSL	102
CC2020XGSL	87	CC896	85	CCV10015	103	CCV803029	95	CCV820530XC	103	CCV950XESL	102
CC2020XJSL	87	CC897	84	CCV10020	104	CCV805015	103	CCV820530XN	103	CCV950XGSL	102
CC2020XNSL	87	CC898	86	CCV10022	101	CCV805020	104	CCV820532	101	CCV950XJSL	102
CC2020XRSL	87	CC899	82	CCV10023	99	CCV805022	101	CCV820537	96	CCV950XNSL	102
CC2025SL	87	CC89922	82	CCV10024B	96	CCV805023	99	CCV8220	105	CCV950XRSL	102
CC2025XCSSL	87	CC89924	82	CCV10026	100	CCV805024B	96	CCV822012	103	CCV960	103
CC2025XESL	87	CC89925SL	82	CCV10027	96	CCV805026	100	CCV822012XC	102	CCV960XC	102
CC2025XGSL	87	CC90	88	CCV10028	98	CCV805027	96	CCV822012XN	102	CCV960XJ	102
CC2025XJSL	87	CC900B	83	CCV10029	95	CCV805028	98	CCV822020	104	CCV960XN	102
CC2025XNSL	87	CC900T	85	CCV100SL	104	CCV805029	95	CCV822020XC	102	CCV960XR	102
CC2025XRSL	87	CC901B	83	CCV100XCSSL	103	CCV806012	103	CCV822020XN	102	CCV9918	94
CC2040SL	84	CC91	89	CCV100XESL	103	CCV806012XC	102	CCV822022	101	CCV9919	94
CC2044SL	85	CC92	87	CCV100XGSL	103	CCV806012XN	102	CCV822023	99	CCV9922	94
CC2060SL	82	CC920T	85	CCV100XHSL	98	CCV806020	104	CCV822024B	96	CCV9925	94
CC2080BSL	83	CC922	86	CCV100XJSL	103	CCV806020XC	102	CCV822026	100	CCV9926	94
CC2120SL	88	CC96	85	CCV100XNSL	96	CCV806020XN	102	CCV822027	96	HW30T	94
CC2122SL	86	CC97	84	CCV100XNSL	103	CCV806022	101	CCV822028	98	HWRT	94
CC2140SL	84	CC99	82	CCV100XRSL	103	CCV806023	99	CCV822029	95	LC30T	101
CC2144SL	85	CC9922	82	CCV103SL	99	CCV806024B	96	CCV831	105	LCET	101
CC2160SL	82	CC9925	82	CCV104BSL	97	CCV806026	100	CCV860	105	LCRT	101
CC2270SL	88	CC9925SL	82	CCV106SL	100	CCV806027	96	CCV8950SL	103	LF30T	99
CC2272SL	86	CC9926	82	CCV108SL	99	CCV806028	98	CCV8950XCSSL	102	LFET	99
CC2276SL	85	HWKT	82	CCV109SL	95	CCV806029	95	CCV8950XGSL	102	LFRT	99
CC2277SL	84	HW30T	82	CCV1414	97	CCV8100SL	104	CCV8950XJSL	102	ZHRT	101
CC2279SL	82	LCRT	86	CCV1415	97	CCV8100XCSSL	103	CCV8950XNSL	102		
CC3412SL	86	LCET	86	CCV1418	97	CCV8100XGSL	103	CCV8950XRSL	102		
CC3502SL	86	LC30T	86	CCV1423	97	CCV8100XHSL	98	CCV89918	94		
CC40	89			CCV1423SL	97	CCV8100XJSL	103	CCV89919	94		
CC400T	84	<b>Canvas Collection.</b>		CCV1424	97	CCV8100XNSL	96	CCV89921	94		
CC420T	84	19020T	103	CCV1512	98	CCV8100XNSL	103	CCV89922	94		
CC44	85	19020T	104	CCV1515	98	CCV8100XRSL	103	CCV89924	94		
CC45	82	19200T	103	CCV1516	98	CCV8102SL	101	CCV9010SL	104		
CC47	84	19200T	104	CCV1519	98	CCV8103SL	99	CCV9011SL	94		
CC48	88	19210T	104	CCV1528	98	CCV8104BSL	97	CCV9012SL	94		
CC48XE	87	19220T	103	CCV1838	100	CCV8106SL	100	CCV9020SL	103		
CC49	87	19220T	104	CCV1839	100	CCV8108SL	99	CCV910	104		
CC49XE	87	AB30T	97	CCV1843	100	CCV8109SL	95	CCV910XC	103		
CC60	89	ABRT	97	CCV1851	100	CCV8111SL	94	CCV910XCSSL	103		
CC600T	82	BEET-B	97	CCV1851SL	101	CCV8112SL	94	CCV910XJ	103		
CC61	88	BERT-B	97	CCV200	105	CCV81414	97	CCV910XJSL	103		
CC612	86	CC040T	99	CCV205	105	CCV81415	97	CCV910XN	103		
CC620T	82	CC060T	95	CCV20520	104	CCV81417	97	CCV910XNSL	103		
CC70	88	CC090T	100	CCV20520XC	102	CCV81418	97	CCV910XR	103		
CC76	85	CC400T	99	CCV20520XN	102	CCV81420	97	CCV910XRSL	103		
CC77	84	CC420T	99	CCV20522	101	CCV81423SL	97	CCV911	94		
CC78	86	CC600T	95	CCV20523	99	CCV81512	98	CCV911SL	94		
CC79	82	CC620T	95	CCV20527	96	CCV81515	98	CCV912	94		
CC8000SL	88	CC900T	100	CCV20537	96	CCV81516	98	CCV912SL	94		
CC8000XCSSL	87	CC920T	100	CCV220	105	CCV81518	98	CCV920	103		
CC8000XGSL	87	CCV050	105	CCV22020	104	CCV81519	98	CCV920XC	102		
CC8000XJSL	87	CCV05012	103	CCV22020XC	102	CCV81520	98	CCV920XCSSL	102		
CC8000XNSL	87	CCV05012XC	102	CCV22020XN	102	CCV81838	100	CCV920XJ	102		
CC8000XRSL	87	CCV05012XN	102	CCV22022	101	CCV81839	100	CCV920XJSL	102		
CC8006SL	85	CCV05020	104	CCV22023	99	CCV81840	101	CCV920XN	102		
CC8007SL	84	CCV05020XC	102	CCV22027	96	CCV81841	100	CCV920XNSL	102		
CC8009SL	82	CCV05020XN	102	CCV3412SL	101	CCV81843	100	CCV920XR	102		
CC8010BSL	83	CCV05022	101	CCV400	105	CCV81846	101	CCV920XRSL	102		
CC810	89	CCV05023	99	CCV4100	97	CCV81851SL	101	CCV921	94		
CC8102SL	86	CCV05024B	96	CCV4100SL	97	CCV8205	105	CCV922	94		
CC81418	83	CCV05026	100	CCV4200	97	CCV820512	103	CCV930	103		
CC81420	83	CCV05027	96	CCV4300	97	CCV820512XC	102	CCV930XC	102		
CC81423SL	83	CCV05028	98	CCV803012	103	CCV820512XN	102	CCV930XJ	102		
CC822	86	CCV05029	95	CCV803012XC	102	CCV820520	104	CCV930XN	102		
CC830	88	CCV060	105	CCV803012XN	102	CCV820520XC	102	CCV930XR	102		
CC831	89	CCV06020	104	CCV803020	104	CCV820520XN	102	CCV931	94		
CC832	87	CCV06020XE	102	CCV803020XC	102	CCV820522	101	CCV932	94		
CC833	86	CCV06022	101	CCV803020XN	102	CCV820523	99	CCV940	103		
CC836	85	CCV06023	99	CCV803022	101	CCV820524B	96	CCV940XC	102		
CC837	84	CCV06024B	96	CCV803023	99	CCV820526	100	CCV940XJ	102		
CC839	82	CCV06026	100	CCV803024B	96	CCV820527	96	CCV940XN	102		
CC860	89	CCV06028	98	CCV803026	100	CCV820528	98	CCV940XR	102		
CC890	88	CCV06029	95	CCV803027	96	CCV820529	95	CCV950SL	103		
		CCV0609	103								

# Fiber-Classic® & Smooth-Star®

## Fiber-Classic® Mahogany Collection™

FCM10.....	192	FCM1284.....	181	FCM198.....	183	FCM6025.....	126	FCM6124XRSL.....	166	FCM721.....	142
FCM100.....	126	FCM1284XC.....	166	FCM205.....	196	FCM6026.....	148	FCM6125SL.....	182	FCM735.....	148
FCM1000.....	196	FCM1284XE.....	166	FCM2101SL.....	182	FCM6027.....	124	FCM6125XCSSL.....	166	FCM736.....	133
FCM1006.....	133	FCM1284XG.....	166	FCM2106.....	181	FCM6029.....	138	FCM6125XESL.....	166	FCM745.....	154
FCM101.....	126	FCM1284XJ.....	166	FCM2107.....	181	FCM6030.....	142	FCM6125XJSL.....	166	FCM752.....	182
FCM101SL.....	127	FCM1284XN.....	166	FCM2108.....	181	FCM6031.....	130	FCM6125XNSL.....	166	FCM755.....	196
FCM1027.....	136	FCM1284XR.....	166	FCM220.....	196	FCM6032.....	121	FCM6125XRSL.....	166	FCM758.....	136
FCM104.....	142	FCM1285.....	181	FCM241.....	126	FCM6035.....	173	FCM6126SL.....	182	FCM760.....	121
FCM104XC.....	170	FCM1285XC.....	166	FCM31.....	196	FCM6036.....	151	FCM6126XCSSL.....	166	FCM761.....	136
FCM104XE.....	170	FCM1285XE.....	166	FCM310.....	121	FCM604.....	127	FCM6126XESL.....	166	FCM761SL.....	136
FCM104XG.....	170	FCM1285XG.....	166	FCM32.....	192	FCM6041.....	192	FCM6126XJSL.....	166	FCM764.....	136
FCM104XJ.....	170	FCM1285XJ.....	166	FCM32SL.....	192	FCM6041XC.....	169	FCM6126XNSL.....	166	FCM764SL.....	136
FCM104XN.....	170	FCM1285XN.....	166	FCM32XC.....	169	FCM6041XE.....	169	FCM6126XRSL.....	166	FCM765.....	121
FCM104XR.....	170	FCM1285XR.....	166	FCM32XCSSL.....	170	FCM6041XG.....	169	FCM61XC.....	170	FCM765SL.....	121
FCM105.....	142	FCM1286.....	173	FCM32XE.....	169	FCM6041XJ.....	169	FCM61XE.....	170	FCM784.....	161
FCM105SL.....	142	FCM1286SL.....	173	FCM32XESL.....	170	FCM6041XN.....	169	FCM61XG.....	170	FCM785.....	136
FCM106.....	142	FCM1289.....	183	FCM32XG.....	169	FCM6041XR.....	169	FCM61XJ.....	170	FCM787.....	161
FCM108.....	121	FCM1289SL.....	183	FCM32XGSL.....	170	FCM6042.....	182	FCM61XN.....	170	FCM788.....	136
FCM1089SL.....	182	FCM131.....	126	FCM32XJ.....	169	FCM6042XC.....	166	FCM61XR.....	170	FCM789.....	151
FCM109.....	121	FCM13101SL.....	161	FCM32XJSL.....	170	FCM6042XE.....	166	FCM62.....	192	FCM800.....	192
FCM109SL.....	121	FCM131SL.....	127	FCM32XN.....	169	FCM6042XG.....	166	FCM626.....	151	FCM800.....	136
FCM10XC.....	169	FCM132.....	192	FCM32XNSL.....	170	FCM6042XJ.....	166	FCM62SL.....	192	FCM807SL.....	136
FCM10XE.....	169	FCM134.....	196	FCM32XR.....	169	FCM6042XN.....	166	FCM62XC.....	169	FCM808SL.....	121
FCM10XG.....	169	FCM138.....	180	FCM32XRSL.....	170	FCM6042XR.....	166	FCM62XCSSL.....	170	FCM809SL.....	148
FCM10XJ.....	169	FCM138XC.....	166	FCM3487SL.....	182	FCM6043.....	161	FCM62XE.....	169	FCM81000.....	196
FCM10XN.....	169	FCM138XE.....	166	FCM3487XCSSL.....	166	FCM6045.....	126	FCM62XESL.....	170	FCM8101SL.....	182
FCM10XR.....	169	FCM138XG.....	166	FCM3487XESL.....	166	FCM6046.....	148	FCM62XG.....	169	FCM8101XCSSL.....	166
FCM110.....	121	FCM138XJ.....	166	FCM3487XGSL.....	166	FCM6047.....	124	FCM62XGSL.....	170	FCM8101XESL.....	166
FCM113.....	130	FCM138XN.....	166	FCM3487XJSL.....	166	FCM6049.....	138	FCM62XJ.....	169	FCM8101XGSL.....	166
FCM114.....	130	FCM138XR.....	166	FCM3487XNSL.....	166	FCM605.....	182	FCM62XJSL.....	170	FCM8101XJSL.....	166
FCM114SL.....	130	FCM1400SL.....	183	FCM3487XRSL.....	166	FCM6050.....	142	FCM62XN.....	169	FCM8101XNSL.....	166
FCM115.....	130	FCM1402.....	183	FCM369.....	130	FCM6051.....	130	FCM62XNSL.....	170	FCM8101XRSL.....	166
FCM115SL.....	130	FCM1405.....	183	FCM38.....	124	FCM6052.....	121	FCM62XR.....	169	FCM8104SL.....	136
FCM116.....	173	FCM1405SL.....	183	FCM38SL.....	124	FCM6055.....	173	FCM62XRSL.....	170	FCM8105SL.....	124
FCM118.....	130	FCM1406.....	183	FCM45.....	124	FCM6056.....	151	FCM63.....	181	FCM8107SL.....	151
FCM1200.....	181	FCM1408.....	183	FCM45SL.....	124	FCM605XC.....	166	FCM65.....	181	FCM8109SL.....	161
FCM1200SL.....	182	FCM141.....	173	FCM506.....	145	FCM605XE.....	166	FCM6500.....	154	FCM811.....	181
FCM1201.....	180	FCM143.....	140	FCM508.....	145	FCM605XJ.....	166	FCM6500SL.....	154	FCM8110SL.....	173
FCM1201SL.....	182	FCM143SL.....	140	FCM5425.....	173	FCM605XN.....	166	FCM6520.....	154	FCM8114.....	124
FCM1202.....	180	FCM144.....	140	FCM5425SL.....	173	FCM605XR.....	166	FCM6532.....	154	FCM8114SL.....	124
FCM1202SL.....	182	FCM1442SL.....	151	FCM543.....	144	FCM606.....	182	FCM6550.....	154	FCM8115.....	173
FCM1203.....	180	FCM144SL.....	140	FCM545SL.....	145	FCM606XC.....	166	FCM6560.....	154	FCM8115SL.....	173
FCM1208.....	181	FCM147.....	142	FCM571.....	144	FCM606XE.....	166	FCM6565.....	154	FCM81200.....	192
FCM1209.....	180	FCM147SL.....	142	FCM572SL.....	145	FCM606XJ.....	166	FCM6565SL.....	154	FCM81200SL.....	192
FCM12101SL.....	192	FCM148.....	151	FCM574.....	144	FCM606XN.....	166	FCM6568.....	154	FCM81200XC.....	169
FCM12101XCSSL.....	170	FCM149.....	151	FCM575.....	144	FCM606XR.....	166	FCM6570.....	154	FCM81200XCSSL.....	170
FCM12101XESL.....	170	FCM149SL.....	151	FCM577.....	144	FCM607.....	182	FCM6575.....	154	FCM81200XE.....	169
FCM12101XGSL.....	170	FCM150.....	151	FCM581.....	144	FCM6074.....	140	FCM6577.....	154	FCM81200XESL.....	170
FCM12101XJSL.....	170	FCM151.....	151	FCM583SL.....	145	FCM6075.....	140	FCM6580SL.....	154	FCM81200XG.....	169
FCM12101XNSL.....	170	FCM156.....	151	FCM60.....	196	FCM6075.....	140	FCM6582.....	154	FCM81200XGSL.....	170
FCM12101XRSL.....	170	FCM16.....	124	FCM600.....	196	FCM607XC.....	166	FCM6582.....	154	FCM81200XJ.....	169
FCM12102SL.....	182	FCM160.....	192	FCM601.....	192	FCM607XE.....	166	FCM65XC.....	166	FCM81200XJSL.....	170
FCM12102XCSSL.....	166	FCM163.....	142	FCM601XC.....	170	FCM607XJ.....	166	FCM65XCSSL.....	166	FCM81200XN.....	169
FCM12102XESL.....	166	FCM164.....	121	FCM601XE.....	170	FCM607XN.....	166	FCM65XE.....	166	FCM81200XNSL.....	170
FCM12102XGSL.....	166	FCM1645.....	158	FCM601XJ.....	170	FCM607XR.....	166	FCM65XESL.....	166	FCM81200XR.....	169
FCM12102XJSL.....	166	FCM1646SL.....	158	FCM601XN.....	170	FCM608.....	182	FCM65XESL.....	166	FCM81200XRSL.....	170
FCM12102XNSL.....	166	FCM1647.....	158	FCM601XR.....	170	FCM608XC.....	166	FCM65XG.....	166	FCM81208P.....	181
FCM12102XRSL.....	166	FCM1650.....	158	FCM602.....	138	FCM608XE.....	166	FCM65XGSL.....	166	FCM81208PSL.....	182
FCM1211.....	180	FCM1651.....	158	FCM6021.....	192	FCM608XJ.....	166	FCM65XJ.....	166	FCM81208SL.....	182
FCM1212.....	180	FCM1651SL.....	158	FCM6021XC.....	169	FCM608XN.....	166	FCM65XJSL.....	166	FCM81225.....	173
FCM124.....	124	FCM1652.....	158	FCM6021XE.....	169	FCM608XR.....	166	FCM65XN.....	166	FCM81225SL.....	173
FCM125.....	142	FCM1654.....	158	FCM6021XG.....	169	FCM609.....	133	FCM65XR.....	166	FCM812SL.....	133
FCM126.....	127	FCM1656.....	158	FCM6021XJ.....	169	FCM6094.....	142	FCM65XRSL.....	166	FCM813SL.....	151
FCM1283.....	192	FCM1656SL.....	158	FCM6021XN.....	169	FCM6095.....	148	FCM66.....	161	FCM814.....	124
FCM1283XC.....	169	FCM1658.....	158	FCM6021XR.....	169	FCM6097.....	181	FCM668.....	124	FCM8145.....	183
FCM1283XE.....	169	FCM18.....	181	FCM6022.....	181	FCM61.....	192	FCM66SL.....	161	FCM8145SL.....	183
FCM1283XG.....	169	FCM18101SL.....	124	FCM6022XC.....	166	FCM6107.....	133	FCM670.....	192	FCM8149.....	151
FCM1283XJ.....	169	FCM18XC.....	166	FCM6022XE.....	166	FCM6108.....	133	FCM678.....	173	FCM814SL.....	130
FCM1283XN.....	169	FCM18XE.....	166	FCM6022XG.....	166	FCM6124SL.....	182	FCM678SL.....	173	FCM815SL.....	138
FCM1283XR.....	169	FCM18XG.....	166	FCM6022XJ.....	166	FCM6124XCSSL.....	166	FCM704.....	183	FCM816.....	121
		FCM18XJ.....	166	FCM6022XN.....	166	FCM6124XESL.....	166	FCM707.....	138	FCM81645.....	158
		FCM18XN.....	166	FCM6022XR.....	166	FCM6124XJSL.....	166	FCM708.....	192	FCM81646SL.....	158
		FCM18XR.....	166	FCM6023.....	161	FCM6124XNSL.....	166	FCM7125SL.....	182	FCM81651.....	158



FCM81651SL.....	158	FCM862XRSL.....	170	FCM893SL.....	138	1283XJ.....	170	81200PXR.....	170	81943PXC.....	170
FCM81652.....	158	FCM863.....	121	FCM896.....	136	1283XN.....	170	81200PXRSL.....	171	81943PXCSL.....	171
FCM81652SL.....	158	FCM863SL.....	121	FCM896SL.....	136	1283XR.....	170	81200SL.....	193	81943PXE.....	170
FCM81654.....	158	FCM864.....	126	FCM898.....	124	1284XC.....	167	81200XC.....	170	81943PXESL.....	171
FCM81654SL.....	158	FCM864SL.....	127	FCM898SL.....	124	1284XE.....	167	81200XCSSL.....	171	81943PXG.....	170
FCM816SL.....	127	FCM865.....	130	FCM899.....	140	1284XG.....	167	81200XE.....	170	81943PXGSL.....	171
FCM817.....	130	FCM86500.....	154	FCM899SL.....	140	1284XJ.....	167	81200XESL.....	171	81943PXJ.....	170
FCM81800SL.....	124	FCM86500SL.....	154	FCM900.....	133	1284XN.....	167	81200XG.....	170	81943PXJSL.....	171
FCM81828.....	181	FCM86550.....	154	FCM901.....	133	1284XR.....	167	81200XGSL.....	171	81943PXN.....	170
FCM81829.....	181	FCM86550SL.....	154	FCM901SL.....	133	1285XC.....	166	81200XJ.....	170	81943PXNSL.....	171
FCM818SL.....	142	FCM86560.....	154	FCM902.....	133	1285XE.....	166	81200XJSL.....	171	81943PXR.....	170
FCM81900SL.....	182	FCM86560SL.....	154	FCM902SL.....	133	1285XG.....	166	81200XN.....	170	81943PXRSL.....	171
FCM81918SL.....	121	FCM86570.....	154	FCM904.....	133	1285XJ.....	166	81200XNSL.....	171	81944P.....	186
FCM81919SL.....	130	FCM86580SL.....	154	FCM905.....	138	1285XN.....	166	81200XR.....	170	81944PSL.....	187
FCM81921SL.....	142	FCM865SL.....	130	FCM906.....	138	1285XR.....	166	81200XRSL.....	171	81945P.....	184
FCM81928SL.....	148	FCM866.....	142	FCM906SL.....	138	1286SL.....	174	81208P.....	184	81945PXC.....	167
FCM81944SL.....	183	FCM866SL.....	142	FCM907.....	138	13101SL.....	161	81208PSL.....	185	81945PXE.....	167
FCM81947SL.....	182	FCM8675SL.....	182	FCM907SL.....	138	18101SL.....	125	81208SL.....	185	81945PXG.....	167
FCM81949SL.....	183	FCM8678.....	173	FCM909.....	138	1964P.....	173	81225P.....	173	81945PXJ.....	167
FCM81968SL.....	127	FCM8678SL.....	173	FCM910.....	148	2000SL.....	180	81225PSL.....	174	81945PXN.....	167
FCM81986SL.....	138	FCM867SL.....	151	FCM911.....	148	2000XC.....	165	81225SL.....	174	81945PXR.....	167
FCM82.....	181	FCM870.....	192	FCM911SL.....	148	2000XCSSL.....	165	81800P.....	124	81946P.....	184
FCM820.....	148	FCM8704.....	183	FCM912.....	148	2000XE.....	165	81800PSL.....	125	81946PSL.....	186
FCM821.....	142	FCM8707.....	138	FCM912SL.....	148	2000XESL.....	165	81800SL.....	125	81946PXC.....	167
FCM822.....	126	FCM8708.....	192	FCM914.....	148	2000XG.....	165	81900PSL.....	186	81946PXCSL.....	167
FCM828.....	181	FCM870SL.....	192	FCM915.....	148	2000XGSL.....	165	81918P.....	121	81946PXE.....	167
FCM82XC.....	166	FCM870XC.....	169	FCM916.....	148	2000XJ.....	165	81918PSL.....	122	81946PXESL.....	167
FCM82XE.....	166	FCM870XCSSL.....	170	FCM92SL.....	182	2000XJSL.....	165	81918SL.....	122	81946PXG.....	167
FCM82XG.....	166	FCM870XE.....	169	FCM92XCSSL.....	166	2000XN.....	165	81919P.....	130	81946PXGSL.....	167
FCM82XJ.....	166	FCM870XESL.....	170	FCM92XESL.....	166	2000XNSL.....	165	81919PSL.....	131	81946PXJ.....	167
FCM82XN.....	166	FCM870XG.....	169	FCM92XGSL.....	166	2000XR.....	165	81919SL.....	131	81946PXJSL.....	167
FCM82XR.....	166	FCM870XGSL.....	170	FCM92XJSL.....	166	2000XRSL.....	165	81921P.....	142	81946PXN.....	167
FCM8310SL.....	182	FCM870XJ.....	169	FCM92XNSL.....	166	2009SL.....	176	81921PSL.....	143	81946PXNSL.....	167
FCM8311SL.....	182	FCM870XJSL.....	170	FCM92XRSL.....	166	2010XC.....	162	81921SL.....	143	81946PXR.....	167
FCM8313SL.....	182	FCM870XN.....	169	FCM966.....	136	2010XE.....	162	81928P.....	148	81946PXRSL.....	167
FCM8321.....	182	FCM870XNSL.....	170	FCM968.....	136	2010XG.....	162	81928PSL.....	149	81947PSL.....	186
FCM8321XC.....	166	FCM870XR.....	169	<b>Fiber-Classic</b>		2010XJ.....	162	81928SL.....	149	81949PSL.....	186
FCM8321XE.....	166	FCM870XRSL.....	170	<b>Oak Collection</b>		2010XN.....	162	81929P.....	193	81952P.....	121
FCM8321XG.....	166	FCM871.....	121	1000.....	197	2010XR.....	162	81929PSL.....	193	81952PSL.....	122
FCM8321XJ.....	166	FCM871SL.....	121	1283.....	192	2050SL.....	176	81929PXC.....	170	81953P.....	124
FCM8321XN.....	166	FCM872.....	126	1284.....	184	2050XC.....	162	81929PXCSL.....	171	81953PSL.....	125
FCM8321XR.....	166	FCM8721.....	142	1285.....	184	2050XCSSL.....	162	81929PXE.....	170	81954P.....	127
FCM8322.....	181	FCM872SL.....	127	1286.....	173	2050XE.....	162	81929PXESL.....	171	81954PSL.....	128
FCM8323.....	181	FCM873.....	130	1289.....	186	2050XESL.....	162	81929PXG.....	170	81955P.....	130
FCM8324.....	181	FCM8735.....	148	2000.....	180	2050XG.....	162	81929PXGSL.....	171	81955PSL.....	131
FCM8545SL.....	145	FCM8736.....	133	2009.....	176	2050XGSL.....	162	81929PXJ.....	170	81956P.....	139
FCM8571.....	144	FCM873SL.....	130	2010.....	176	2050XJ.....	162	81929PXJSL.....	171	81956PSL.....	139
FCM8572SL.....	145	FCM874.....	142	2050.....	176	2050XJSL.....	162	81929PXN.....	170	81957P.....	133
FCM8573SL.....	145	FCM8745.....	154	2100.....	180	2050XN.....	162	81929PXNSL.....	171	81957PSL.....	134
FCM8574.....	144	FCM874SL.....	142	2150.....	176	2050XNSL.....	162	81929PXR.....	170	81959P.....	142
FCM8581.....	144	FCM8752.....	182	8000.....	180	2050XR.....	162	81929PXRSL.....	171	81959PSL.....	143
FCM8583SL.....	145	FCM881SL.....	192	81000.....	197	2050XRSL.....	162	81932P.....	136	81960P.....	148
FCM860.....	196	FCM881XCSSL.....	170	81200.....	192	8000-12.....	176	81932PSL.....	137	81960PSL.....	149
FCM861.....	192	FCM881XESL.....	170	81208.....	184	8000-18.....	176	81933P.....	121	81961P.....	151
FCM861XC.....	170	FCM881XGSL.....	170	81225.....	173	8000-9.....	176	81933PSL.....	122	81961PSL.....	152
FCM861XE.....	170	FCM881XJSL.....	170	81828.....	184	8000XC.....	165	81935P.....	124	81963PSL.....	161
FCM861XG.....	170	FCM881XNSL.....	170	12101SL.....	193	8000XE.....	165	81935PSL.....	125	81964P.....	173
FCM861XJ.....	170	FCM881XRSL.....	170	12101XCSSL.....	171	8000XG.....	165	81936P.....	127	81964PSL.....	174
FCM861XN.....	170	FCM882SL.....	121	12101XESL.....	171	8000XJ.....	165	81936PSL.....	128	81967P.....	136
FCM861XR.....	170	FCM883SL.....	127	12101XGSL.....	171	8000XN.....	165	81937P.....	130	81967PSL.....	137
FCM862.....	192	FCM884SL.....	130	12101XJSL.....	171	8000XR.....	165	81937PSL.....	131	81968P.....	127
FCM862SL.....	192	FCM885SL.....	142	12101XNSL.....	171	81200P.....	192	81938P.....	139	81968PSL.....	127
FCM862XC.....	169	FCM886.....	133	12101XRSL.....	171	81200PSL.....	193	81938PSL.....	139	81968SL.....	128
FCM862XCSSL.....	170	FCM886SL.....	133	12102SL.....	185	81200PXC.....	170	81939P.....	133	81971P.....	193
FCM862XE.....	169	FCM887SL.....	133	12102XSL.....	167	81200PXCSSL.....	171	81939PSL.....	134	81971PXC.....	170
FCM862XESL.....	170	FCM888.....	138	12102XESL.....	167	81200PXE.....	170	81940P.....	141	81971PXE.....	170
FCM862XG.....	169	FCM888SL.....	138	12102XGSL.....	167	81200PXESL.....	171	81940PSL.....	141	81971PXG.....	170
FCM862XGSL.....	170	FCM889SL.....	138	12102XJSL.....	167	81200PXG.....	170	81941P.....	143	81971PXJ.....	170
FCM862XJ.....	169	FCM890.....	148	12102XNSL.....	167	81200PXGSL.....	171	81941PSL.....	143	81971PXN.....	170
FCM862XJSL.....	170	FCM890SL.....	148	12102XRSL.....	167	81200PXJ.....	170	81942P.....	148	81971PXR.....	170
FCM862XN.....	169	FCM891.....	148	1283XC.....	170	81200PXJSL.....	171	81942PSL.....	149	81974P.....	136
FCM862XNSL.....	170	FCM891SL.....	148	1283XE.....	170	81200PXN.....	170	81943P.....	193	81975P.....	122
FCM862XR.....	169	FCM892SL.....	148	1283XG.....	170	81200PXNSL.....	171	81943PSL.....	193	81977P.....	124

81978P.....	127	FC1208.....	184	FC18XE.....	167	FC48XR.....	170	FC62XE.....	170	FC752.....	185
81980P.....	130	FC1208SL.....	185	FC18XESL.....	167	FC48XRSL.....	171	FC62XG.....	170	FC755.....	197
81981P.....	139	FC1209.....	183	FC18XG.....	167	FC506.....	145	FC62XJ.....	170	FC758.....	136
81982P.....	133	FC1209SL.....	185	FC18XGSL.....	167	FC507.....	145	FC62XN.....	170	FC758SL.....	137
81983P.....	141	FC1211.....	183	FC18XJ.....	167	FC529.....	145	FC62XR.....	170	FC761.....	136
81984P.....	143	FC1211SL.....	185	FC18XJSL.....	167	FC5425.....	173	FC63.....	185	FC761SL.....	137
81985P.....	148	FC1212.....	183	FC18XN.....	167	FC5425SL.....	174	FC63SL.....	186	FC764.....	136
81986PSL.....	139	FC124.....	125	FC18XNSL.....	167	FC543.....	145	FC63XCSL.....	167	FC764SL.....	137
81986SL.....	139	FC125.....	143	FC18XR.....	167	FC545SL.....	146	FC63XESL.....	167	FC765.....	121
FC10.....	192	FC126.....	127	FC18XRSL.....	167	FC549.....	145	FC63XGSL.....	167	FC765SL.....	122
FC100.....	127	FC127.....	143	FC198.....	186	FC5700.....	176	FC63XJSL.....	167	FC766.....	193
FC1006.....	133	FC128.....	127	FC198SL.....	187	FC5700SL.....	177	FC63XNSL.....	167	FC766XC.....	170
FC100SL.....	127	FC1289SL.....	187	FC20042.....	151	FC5700XC.....	162	FC63XRSL.....	167	FC766XE.....	170
FC101.....	127	FC129.....	122	FC21.....	125	FC5700XCGL.....	163	FC65.....	185	FC766XG.....	170
FC101SL.....	128	FC130.....	130	FC2101.....	184	FC5700XE.....	162	FC6500.....	154	FC766XJ.....	170
FC1027.....	136	FC131.....	127	FC2101SL.....	186	FC5700XESL.....	163	FC6500SL.....	155	FC766XN.....	170
FC104.....	142	FC131SL.....	128	FC2102.....	184	FC5700XG.....	162	FC6532.....	155	FC766XR.....	170
FC104SL.....	143	FC132.....	193	FC2106.....	184	FC5700XGSL.....	163	FC6534.....	155	FC769.....	136
FC104XC.....	170	FC134.....	197	FC2107.....	184	FC5700XJ.....	162	FC6550.....	154	FC770.....	121
FC104XE.....	170	FC1350.....	176	FC2108.....	184	FC5700XJSL.....	163	FC6550SL.....	155	FC772.....	124
FC104XG.....	170	FC138.....	183	FC23.....	185	FC5700XN.....	162	FC6560.....	155	FC773.....	127
FC104XJ.....	170	FC138XC.....	166	FC241.....	127	FC5700XNSL.....	163	FC6565SL.....	155	FC775.....	130
FC104XN.....	170	FC138XE.....	166	FC31.....	196	FC5700XR.....	162	FC6570.....	155	FC776.....	139
FC104XR.....	170	FC138XG.....	166	FC310.....	121	FC5700XRSL.....	163	FC6572.....	155	FC777.....	133
FC105.....	143	FC138XJ.....	166	FC32.....	192	FC571.....	145	FC6576.....	155	FC778.....	141
FC105SL.....	143	FC138XN.....	166	FC32SL.....	193	FC5710.....	176	FC6577.....	155	FC779.....	142
FC108.....	121	FC138XR.....	166	FC32XC.....	170	FC5710SL.....	177	FC6580.....	155	FC780.....	148
FC1089.....	184	FC1400.....	186	FC32XCGL.....	171	FC5710XC.....	162	FC6580SL.....	155	FC782.....	136
FC1089SL.....	186	FC1400SL.....	187	FC32XE.....	170	FC5710XCGL.....	163	FC6582.....	155	FC784.....	161
FC108SL.....	122	FC1402.....	186	FC32XESL.....	171	FC5710XE.....	162	FC65XC.....	167	FC785.....	136
FC109.....	121	FC1404.....	187	FC32XG.....	170	FC5710XESL.....	163	FC65XE.....	167	FC787.....	161
FC109SL.....	122	FC1408.....	186	FC32XGSL.....	171	FC5710XG.....	162	FC65XG.....	167	FC788.....	136
FC10XC.....	170	FC1408SL.....	187	FC32XJ.....	170	FC5710XGSL.....	163	FC65XJ.....	167	FC789.....	193
FC10XE.....	170	FC1409.....	176	FC32XJSL.....	171	FC5710XJ.....	162	FC65XN.....	167	FC791.....	161
FC10XG.....	170	FC141.....	173	FC32XN.....	170	FC5710XJSL.....	163	FC65XR.....	167	FC792.....	136
FC10XJ.....	170	FC1411.....	186	FC32XNSL.....	171	FC5710XN.....	162	FC66.....	161	FC794.....	122
FC10XN.....	170	FC141SL.....	174	FC32XR.....	170	FC5710XNSL.....	163	FC668.....	124	FC796.....	143
FC10XR.....	170	FC143.....	141	FC32XRSL.....	171	FC5710XR.....	162	FC670.....	193	FC797.....	149
FC113.....	130	FC143SL.....	141	FC3487SL.....	186	FC5710XRSL.....	163	FC678.....	173	FC798.....	152
FC113SL.....	131	FC144.....	141	FC3487XCGL.....	167	FC5720.....	176	FC678SL.....	174	FC800.....	137
FC114.....	130	FC1442SL.....	152	FC3487XESL.....	167	FC5720SL.....	177	FC685L.....	177	FC801.....	122
FC114SL.....	131	FC144SL.....	141	FC3487XGSL.....	167	FC5720XC.....	162	FC685LXC.....	162	FC803.....	193
FC115.....	130	FC145.....	141	FC3487XJSL.....	167	FC5720XCGL.....	163	FC685LXE.....	162	FC807.....	185
FC115SL.....	131	FC147.....	142	FC3487XNSL.....	167	FC5720XCGL.....	162	FC685LXG.....	162	FC807SL.....	137
FC116.....	173	FC147SL.....	143	FC3487XRSL.....	167	FC5720XE.....	162	FC685LXJ.....	162	FC807XC.....	167
FC118.....	130	FC148.....	151	FC369.....	130	FC5720XESL.....	163	FC685LXN.....	162	FC807XE.....	167
FC11SL.....	161	FC148SL.....	152	FC38.....	124	FC5720XG.....	162	FC685LXR.....	162	FC807XG.....	167
FC1200.....	184	FC149.....	151	FC38SL.....	125	FC5720XGSL.....	163	FC685R.....	177	FC807XJ.....	167
FC1200SL.....	185	FC149SL.....	152	FC43.....	125	FC5720XJ.....	162	FC685RXC.....	162	FC807XN.....	167
FC1201.....	183	FC150.....	152	FC43SL.....	125	FC5720XJSL.....	163	FC685RXE.....	162	FC807XR.....	167
FC1201SL.....	185	FC151.....	152	FC44.....	161	FC5720XN.....	162	FC685RXG.....	162	FC808.....	196
FC1202.....	183	FC152.....	151	FC44SL.....	161	FC5720XNSL.....	163	FC685RXJ.....	162	FC808SL.....	122
FC1202SL.....	185	FC156.....	151	FC45.....	124	FC5720XR.....	162	FC685RXN.....	162	FC809.....	196
FC1203.....	183	FC16.....	124	FC46SL.....	125	FC5720XRSL.....	163	FC685RXR.....	162	FC80920.....	193
FC1204.....	176	FC160.....	193	FC47SL.....	193	FC572SL.....	145	FC691.....	176	FC809203.....	185
FC1204SL.....	176	FC163.....	143	FC47XCSL.....	171	FC573SL.....	145	FC691XC.....	162	FC809203XC.....	167
FC1205.....	176	FC164.....	122	FC47XESL.....	171	FC574.....	145	FC691XE.....	162	FC809203XE.....	167
FC1205SL.....	176	FC1645.....	159	FC47XGSL.....	171	FC581.....	145	FC691XG.....	162	FC809203XG.....	167
FC1205XC.....	162	FC1646.....	158	FC47XGSL.....	171	FC583SL.....	146	FC691XJ.....	162	FC809203XJ.....	167
FC1205XE.....	162	FC1646SL.....	159	FC47XJSL.....	171	FC585.....	145	FC691XN.....	162	FC809203XN.....	167
FC1205XG.....	162	FC1647.....	158	FC47XNSL.....	171	FC60.....	197	FC691XR.....	162	FC809203XR.....	167
FC1205XJ.....	162	FC1647XRSL.....	171	FC47XRSL.....	171	FC6093.....	138	FC704.....	187	FC80920XC.....	170
FC1205XN.....	162	FC1651.....	158	FC48.....	193	FC6094.....	142	FC707.....	139	FC80920XE.....	170
FC1205XR.....	162	FC1651SL.....	159	FC48SL.....	193	FC6095.....	148	FC708.....	193	FC80920XG.....	170
FC1206.....	176	FC1652.....	158	FC48XC.....	170	FC61.....	193	FC709.....	152	FC80920XJ.....	170
FC1206SL.....	176	FC1652SL.....	159	FC48XCGL.....	171	FC61XC.....	171	FC710.....	193	FC80920XN.....	170
FC1207.....	176	FC1654.....	158	FC48XE.....	170	FC61XE.....	171	FC7125SL.....	186	FC80920XR.....	170
FC1207XC.....	162	FC1655.....	159	FC48XESL.....	171	FC61XG.....	171	FC713.....	143	FC80941.....	125
FC1207XE.....	162	FC1656SL.....	159	FC48XG.....	170	FC61XJ.....	171	FC714.....	122	FC80942.....	152
FC1207XG.....	162	FC1661.....	159	FC48XGSL.....	171	FC61XN.....	171	FC721.....	143	FC80943.....	122
FC1207XJ.....	162	FC18.....	184	FC48XJ.....	170	FC61XR.....	171	FC735.....	149	FC80945.....	161
FC1207XN.....	162	FC18SL.....	185	FC48XJSL.....	171	FC62.....	193	FC736.....	134	FC80947.....	149
FC1207XR.....	162	FC18XC.....	167	FC48XRSL.....	170	FC626.....	151	FC745.....	155	FC80949.....	143
		FC18XCGL.....	167	FC48XNSL.....	171	FC62XC.....	170				

FC80952.....	127	FC85700XC.....	162	FC8675SL.....	186	FC92XJSL.....	167	S1006.....	134	S1209.....	187
FC80953.....	130	FC85700XE.....	162	FC8678.....	173	FC92XN.....	167	S100SL.....	195	S1209SL.....	189
FC80954.....	139	FC85700XG.....	162	FC8678SL.....	174	FC92XNSL.....	167	S100XCSL.....	172	S1211.....	187
FC80955.....	134	FC85700XJ.....	162	FC8685L.....	177	FC92XR.....	167	S100XESL.....	172	S1211SL.....	189
FC80956.....	137	FC85700XN.....	162	FC8685LXC.....	162	FC92XRSL.....	167	S100XGSL.....	172	S1212.....	187
FC80957.....	141	FC85700XR.....	162	FC8685LXE.....	162	FC06184SL.....	186	S100XJSL.....	172	S128.....	187
FC809SL.....	149	FC8571.....	145	FC8685LXG.....	162	FC06184XCSL.....	167	S100XNSL.....	172	S128XC.....	168
FC812SL.....	134	FC85710.....	176	FC8685LXJ.....	162	FC06184XESL.....	167	S100XRSL.....	172	S128XE.....	168
FC813SL.....	152	FC85710XC.....	162	FC8685LXN.....	162	FC06184XJSL.....	167	S1027.....	137	S128XG.....	168
FC814.....	124	FC85710XE.....	162	FC8685LXR.....	162	FC06184XNSL.....	167	S104.....	194	S128XJ.....	168
FC8141.....	187	FC85710XG.....	162	FC8685R.....	177	FC06184XRSL.....	167	S104XC.....	171	S128XN.....	168
FC8144.....	186	FC85710XJ.....	162	FC8685RXC.....	162	FC06185SL.....	186	S104XE.....	171	S128XR.....	168
FC8145.....	186	FC85710XN.....	162	FC8685RXE.....	162	FC06185XCSL.....	167	S104XG.....	171	S130.....	174
FC8145SL.....	187	FC85710XR.....	162	FC8685RXG.....	162	FC06185XESL.....	167	S104XJ.....	171	S130SL.....	174
FC8149.....	151	FC85720.....	176	FC8685RXJ.....	162	FC06185XJSL.....	167	S104XN.....	171	S131.....	174
FC814SL.....	131	FC85720XC.....	162	FC8685RXN.....	162	FC06185XNSL.....	167	S104XR.....	171	S132.....	174
FC815SL.....	139	FC85720XE.....	162	FC8685RXR.....	162	FC06185XRSL.....	167	S105.....	194	S132SL.....	175
FC816.....	121	FC85720XG.....	162	FC8691.....	176	FC06186SL.....	186	S108.....	187	S1350.....	178
FC81645.....	159	FC85720XJ.....	162	FC8691XC.....	162	FC06186XCSL.....	167	S1089.....	188	S137.....	175
FC81646.....	158	FC85720XN.....	162	FC8691XE.....	162	FC06186XESL.....	167	S1089SL.....	189	S138SL.....	162
FC81646SL.....	159	FC85720XR.....	162	FC8691XG.....	162	FC06186XJSL.....	167	S108XC.....	168	S139.....	128
FC81649.....	159	FC8572SL.....	145	FC8691XJ.....	162	FC06186XNSL.....	167	S108XE.....	168	S139SL.....	129
FC81651.....	158	FC8573SL.....	145	FC8691XN.....	162	FC06186XRSL.....	167	S108XG.....	168	S140.....	194
FC81651SL.....	159	FC8574.....	145	FC8691XR.....	162	FC06188SL.....	186	S108XJ.....	168	S1400.....	190
FC81652.....	158	FC8579.....	145	FC8704.....	187	FC06188XCSL.....	167	S108XN.....	168	S1400SL.....	191
FC81652SL.....	159	FC8581.....	145	FC8707.....	139	FC06188XESL.....	167	S108XR.....	168	S1401.....	178
FC81653.....	159	FC8583SL.....	146	FC8708.....	193	FC06188XJSL.....	167	S11.....	197	S1401SL.....	178
FC81654.....	158	FC860.....	197	FC8721.....	143	FC06188XNSL.....	167	S1100.....	197	S1402.....	190
FC81654SL.....	159	FC861.....	193	FC8735.....	149	FC06188XRSL.....	167	S115.....	189	S1404.....	191
FC816SL.....	128	FC861XC.....	171	FC8736.....	134	FC06189SL.....	186	S1170SL.....	189	S1405.....	191
FC817.....	130	FC861XE.....	171	FC8745.....	155	FC06189XCSL.....	167	S1170XCSL.....	168	S1405SL.....	191
FC818SL.....	143	FC861XG.....	171	FC8752.....	185	FC06189XESL.....	167	S1170XESL.....	168	S1406.....	191
FC82.....	184	FC861XJ.....	171	FC8867SL.....	152	FC06189XJSL.....	167	S1170XGSL.....	168	S1407.....	191
FC820.....	148	FC861XN.....	171	FC89701.....	151	FC06189XNSL.....	167	S1170XJSL.....	168	S1408.....	190
FC821.....	142	FC861XR.....	171	FC8971.....	174	FC06189XRSL.....	167	S1170XNSL.....	168	S1409.....	178
FC822.....	127	FC862.....	196	FC8972.....	174	FC06190SL.....	186	S1170XRSL.....	168	S140STC.....	196
FC828.....	184	FC86220.....	193	FC900.....	133	FC06190XCSL.....	167	S118.....	194	S140XC.....	171
FC82XC.....	167	FC862203.....	185	FC900SL.....	134	FC06190XESL.....	167	S118XC.....	171	S140XE.....	171
FC82XE.....	167	FC862203XC.....	167	FC901.....	133	FC06190XJSL.....	167	S118XE.....	171	S140XG.....	171
FC82XG.....	167	FC862203XE.....	167	FC901SL.....	134	FC06190XNSL.....	167	S118XG.....	171	S140XJ.....	171
FC82XJ.....	167	FC862203XG.....	167	FC902.....	133	FC06190XRSL.....	167	S118XJ.....	171	S140XN.....	171
FC82XN.....	167	FC862203XJ.....	167	FC902SL.....	134	FC06575.....	155	S118XN.....	171	S140XR.....	171
FC82XR.....	167	FC862203XN.....	167	FC903.....	133	<b>Smooth-Star®</b>		S118XR.....	171	S141.....	187
FC8310.....	184	FC862203XR.....	167	FC904.....	134	19020T.....	191	S12.....	128	S1411.....	191
FC8310SL.....	186	FC86220XC.....	170	FC905.....	138	19020T.....	195	S120.....	197	S141STC.....	196
FC8311.....	184	FC86220XE.....	170	FC905SL.....	139	19055T.....	129	S1200.....	187	S141XC.....	168
FC8311SL.....	186	FC86220XG.....	170	FC906.....	139	19080T.....	126	S1200SL.....	189	S141XE.....	168
FC8313.....	184	FC86220XJ.....	170	FC906SL.....	139	19200T.....	191	S1201.....	187	S141XG.....	168
FC8313SL.....	186	FC86220XN.....	170	FC907.....	139	19200T.....	195	S1201SL.....	189	S141XJ.....	168
FC8316.....	184	FC86220XR.....	170	FC907SL.....	139	19210T.....	195	S1202.....	187	S141XN.....	168
FC8318.....	185	FC86241.....	125	FC908.....	139	19220T.....	191	S1202SL.....	189	S141XR.....	168
FC8319.....	185	FC86242.....	152	FC909.....	139	19220T.....	195	S1203.....	187	S1442SL.....	153
FC832.....	185	FC86243.....	122	FC910.....	148	19520T.....	129	S1204.....	177	S154.....	139
FC8320.....	185	FC86245.....	161	FC910SL.....	149	19720T.....	144	S1204SL.....	178	S154SL.....	140
FC8321.....	185	FC86247.....	149	FC911.....	148	19730T.....	144	S1205.....	177	S155.....	143
FC8321XC.....	167	FC86249.....	143	FC911SL.....	149	19740T.....	140	S1205SL.....	178	S155SL.....	144
FC8321XE.....	167	FC86252.....	127	FC912.....	148	19750T.....	140	S1205XC.....	163	S156.....	152
FC8321XG.....	167	FC86253.....	131	FC912SL.....	149	19800T.....	126	S1205XE.....	163	S160.....	152
FC8321XJ.....	167	FC86254.....	139	FC913.....	149	19810T.....	126	S1205XG.....	163	S160SL.....	153
FC8321XN.....	167	FC86255.....	134	FC914.....	149	19820T.....	126	S1205XJ.....	163	S161.....	152
FC8321XR.....	167	FC86256.....	137	FC915.....	149	85919SL.....	141	S1205XN.....	163	S161SL.....	153
FC8322.....	184	FC86257.....	141	FC916.....	149	AVRT.....	138	S1205XR.....	163	S162.....	152
FC8323.....	185	FC86500.....	154	FC917.....	149	AXRT.....	160	S1206.....	177	S163.....	153
FC8324.....	185	FC86500SL.....	155	FC92.....	184	BSRT.....	123	S1206SL.....	178	S1645.....	160
FC832XC.....	167	FC86533.....	155	FC925.....	174	CNRT.....	150	S1207.....	177	S1646.....	159
FC832XE.....	167	FC86536.....	155	FC92SL.....	186	FWRT.....	135	S1207XC.....	163	S1646SL.....	160
FC832XG.....	167	FC86550.....	154	FC92XC.....	167	KNRT.....	153	S1207XE.....	163	S1647.....	159
FC832XJ.....	167	FC86550SL.....	155	FC92XCSL.....	167	PBRT.....	157	S1207XG.....	163	S1650.....	160
FC832XN.....	167	FC86560.....	155	FC92XE.....	167	RSRT.....	147	S1207XJ.....	163	S1651.....	159
FC832XR.....	167	FC86560SL.....	155	FC92XESL.....	167	S10.....	194	S1207XN.....	163	S1651SL.....	160
FC8529.....	145	FC86570.....	155	FC92XG.....	167	S100.....	197	S1207XR.....	163	S1652.....	159
FC8545SL.....	146	FC86580.....	155	FC92XGSL.....	167	S1000.....	150	S1208.....	187	S1652SL.....	159
FC85700.....	176	FC86580SL.....	155	FC92XJ.....	167	S1001.....	153	S1208SL.....	189	S1653.....	160



S1654.....	159	S2104SL.....	178	S296XR.....	172	S4813XE.....	163	S5720XESL.....	164	S6027.....	125
S1655.....	160	S2105.....	177	S30.....	194	S4813XJ.....	163	S5720XG.....	164	S6029.....	139
S1656.....	159	S2106.....	188	S308SL.....	189	S4813XN.....	163	S5720XGSL.....	164	S602SL.....	140
S1656SL.....	160	S2107.....	188	S308XCSL.....	168	S4813XR.....	163	S5720XJ.....	164	S6030.....	143
S1658.....	159	S2108.....	188	S308XESL.....	168	S4814.....	178	S5720XJSL.....	164	S6031.....	132
S1661.....	160	S210SL.....	195	S308XGSL.....	168	S4814XC.....	163	S5720XN.....	164	S6032.....	122
S17.....	150	S210XCSL.....	172	S308XJSL.....	168	S4814XE.....	163	S5720XNSL.....	164	S6034.....	175
S198.....	190	S210XESL.....	172	S308XNSL.....	168	S4814XJ.....	163	S5720XR.....	164	S6035.....	174
S198SL.....	191	S210XGSL.....	172	S308XRSL.....	168	S4814XN.....	163	S5720XRSL.....	164	S6036.....	152
S20.....	140	S210XJSL.....	172	S30XC.....	171	S4814XR.....	163	S5725.....	179	S604.....	128
S200.....	197	S210XNSL.....	172	S30XE.....	171	S4816.....	178	S5725XC.....	164	S6041.....	194
S2000.....	180	S210XRSL.....	172	S30XG.....	171	S4816XC.....	163	S5725XE.....	164	S6041XC.....	171
S2000SL.....	180	S211.....	128	S30XJ.....	171	S4816XE.....	163	S5725XG.....	164	S6041XE.....	171
S2000SL-2C.....	178	S213.....	139	S30XN.....	171	S4816XJ.....	163	S5725XJ.....	164	S6041XG.....	171
S2000SL-4C.....	178	S214.....	143	S30XR.....	171	S4816XN.....	163	S5725XN.....	164	S6041XJ.....	171
S2000XC.....	165	S2150.....	178	S31.....	197	S4816XR.....	163	S5725XR.....	164	S6041XN.....	171
S2000XCSL.....	165	S220.....	197	S310.....	122	S506.....	146	S572SL.....	147	S6041XR.....	171
S2000XCSL-2C.....	163	S2200.....	180	S32.....	189	S507.....	146	S5730.....	179	S6042.....	188
S2000XCSL-4C.....	163	S2250.....	177	S32XC.....	168	S508.....	146	S573SL.....	146	S6042XC.....	168
S2000XE.....	165	S236.....	189	S32XE.....	168	S529.....	146	S574.....	146	S6042XE.....	168
S2000XESL.....	165	S237.....	189	S32XG.....	168	S5425.....	174	S575.....	146	S6042XG.....	168
S2000XESL-2C.....	163	S241.....	128	S32XJ.....	168	S5425SL.....	175	S577.....	146	S6042XJ.....	168
S2000XESL-4C.....	163	S243.....	175	S32XN.....	168	S543.....	146	S579.....	146	S6042XN.....	168
S2000XG.....	165	S255.....	189	S32XR.....	168	S545SL.....	147	S581.....	146	S6042XR.....	168
S2000XGSL.....	165	S256.....	195	S34.....	161	S549.....	146	S583SL.....	147	S6043.....	161
S2000XJ.....	165	S2600.....	172	S3487SL.....	190	S5700.....	179	S585.....	146	S6045.....	128
S2000XJSL.....	165	S2610.....	194	S3487XCSL.....	168	S5700SL.....	179	S5870SL.....	144	S6046.....	150
S2000XJSL-2C.....	163	S2610XC.....	171	S3487XESL.....	168	S5700XC.....	163	S600.....	197	S6047.....	125
S2000XJSL-4C.....	163	S2610XE.....	171	S3487XGSL.....	168	S5700XCSL.....	164	S6000.....	122	S6049.....	139
S2000XN.....	165	S2610XJ.....	171	S3487XJSL.....	168	S5700XE.....	163	S6000SL.....	123	S604SL.....	129
S2000XNSL.....	165	S2610XN.....	171	S3487XNSL.....	168	S5700XESL.....	164	S6002.....	122	S605.....	190
S2000XNSL-2C.....	163	S2610XR.....	171	S3487XRSL.....	168	S5700XG.....	163	S6002SL.....	123	S6050.....	143
S2000XNSL-4C.....	163	S262.....	188	S35.....	128	S5700XGSL.....	164	S6006.....	132	S6051.....	132
S2000XR.....	165	S2620.....	159	S369.....	132	S5700XJ.....	163	S6006SL.....	132	S6052.....	123
S2000XRSL.....	165	S262XC.....	168	S37.....	150	S5700XJSL.....	164	S6008.....	132	S6054.....	175
S2000XRSL-2C.....	163	S262XE.....	168	S38.....	125	S5700XN.....	163	S6008SL.....	132	S6055.....	174
S2000XRSL-4C.....	163	S262XG.....	168	S4070SL.....	150	S5700XNSL.....	164	S6009.....	132	S6056.....	152
S20042.....	152	S262XJ.....	168	S41.....	140	S5700XR.....	163	S6009SL.....	132	S605SL.....	190
S2009.....	178	S262XN.....	168	S416SL.....	150	S5700XRSL.....	164	S601.....	194	S605XC.....	169
S2009SL.....	178	S262XR.....	168	S42.....	144	S5705.....	179	S6010.....	132	S605XCSL.....	169
S2010.....	177	S2630.....	134	S426.....	149	S5705XC.....	164	S6012.....	132	S605XE.....	169
S2010SL.....	178	S263SL.....	190	S43.....	152	S5705XE.....	164	S6013.....	123	S605XESL.....	169
S2010XC.....	163	S263XCSL.....	168	S430.....	150	S5705XG.....	164	S6014.....	132	S605XJ.....	169
S2010XCSL.....	163	S263XESL.....	168	S430SL.....	150	S5705XJ.....	164	S601SL.....	195	S605XJSL.....	169
S2010XE.....	163	S263XGSL.....	168	S454.....	150	S5705XN.....	164	S601XC.....	171	S605XN.....	169
S2010XESL.....	163	S263XJSL.....	168	S4570SL.....	123	S5705XR.....	164	S601XCSL.....	172	S605XNSL.....	169
S2010XG.....	163	S263XNSL.....	168	S4800.....	197	S571.....	146	S601XE.....	171	S605XR.....	169
S2010XGSL.....	163	S263XRSL.....	168	S4810.....	180	S5710.....	179	S601XESL.....	172	S605XRSL.....	169
S2010XJ.....	163	S2640.....	156	S4810SL.....	180	S5710SL.....	179	S601XGSL.....	172	S606.....	190
S2010XJSL.....	163	S2650.....	128	S4810XC.....	165	S5710XC.....	163	S601XJ.....	171	S6061.....	174
S2010XN.....	163	S2660.....	140	S4810XCSL.....	165	S5710XCSL.....	164	S601XJSL.....	172	S6062.....	190
S2010XNSL.....	163	S2670.....	146	S4810XE.....	165	S5710XE.....	163	S601XN.....	171	S6062SL.....	191
S2010XR.....	163	S289.....	194	S4810XESL.....	165	S5710XESL.....	164	S601XNSL.....	172	S6063.....	187
S2010XRSL.....	163	S289E.....	161	S4810XJ.....	165	S5710XG.....	163	S601XR.....	171	S6063STC.....	196
S205.....	197	S289ESL.....	162	S4810XJSL.....	165	S5710XGSL.....	164	S601XRSL.....	172	S6063XC.....	168
S2050.....	177	S289XC.....	171	S4810XN.....	165	S5710XJ.....	163	S602.....	140	S6063XE.....	168
S206.....	194	S289XE.....	171	S4810XNSL.....	165	S5710XJSL.....	164	S6021.....	194	S6063XG.....	168
S206E.....	161	S289XG.....	171	S4810XR.....	165	S5710XN.....	163	S6021XC.....	171	S6063XJ.....	168
S206XC.....	171	S289XJ.....	171	S4810XRSL.....	165	S5710XNSL.....	164	S6021XE.....	171	S6063XN.....	168
S206XE.....	171	S289XN.....	171	S4812.....	178	S5710XR.....	163	S6021XG.....	171	S6063XR.....	168
S206XG.....	171	S289XR.....	171	S4812SL.....	178	S5710XRSL.....	164	S6021XJ.....	171	S606SL.....	190
S206XJ.....	171	S291.....	140	S4812XC.....	163	S5715.....	179	S6021XN.....	171	S606XC.....	169
S206XN.....	171	S291SL.....	140	S4812XCSL.....	163	S5715XC.....	164	S6021XR.....	171	S606XCSL.....	169
S206XR.....	171	S292.....	144	S4812XE.....	163	S5715XE.....	164	S6022.....	188	S606XE.....	169
S2070SL.....	162	S292SL.....	144	S4812XESL.....	163	S5715XG.....	164	S6022XC.....	168	S606XESL.....	169
S210.....	197	S294.....	128	S4812XJ.....	163	S5715XJ.....	164	S6022XE.....	168	S606XJ.....	169
S2100.....	180	S294SL.....	129	S4812XJSL.....	163	S5715XN.....	164	S6022XG.....	168	S606XJSL.....	169
S2101.....	188	S296.....	195	S4812XN.....	163	S5715XR.....	164	S6022XJ.....	168	S606XN.....	169
S2101SL.....	189	S296XC.....	172	S4812XNSL.....	163	S5720.....	179	S6022XN.....	168	S606XNSL.....	169
S2102.....	188	S296XE.....	172	S4812XR.....	163	S5720SL.....	179	S6022XR.....	168	S606XR.....	169
S2103.....	177	S296XG.....	172	S4812XRSL.....	163	S5720XC.....	164	S6023.....	161	S606XRSL.....	169
S2103SL.....	178	S296XJ.....	172	S4813.....	178	S5720XCSL.....	164	S6025.....	128	S607.....	190
S2104.....	177	S296XN.....	172	S4813XC.....	163	S5720XE.....	164	S6026.....	149	S6071.....	141

S6071SL.....	141	S6126XJSL.....	169	S758SL.....	126	S81645.....	160	S82107XJ.....	163	S8313SL.....	189
S6072.....	141	S6126XNSL.....	169	S770.....	194	S81646.....	159	S82107XN.....	163	S83141.....	126
S6073.....	141	S6126XRSL.....	169	S771.....	123	S81646SL.....	160	S82107XR.....	163	S83142.....	153
S6073SL.....	141	S6127SL.....	138	S773.....	150	S81649.....	160	S82200.....	180	S83143.....	123
S6074.....	141	S6128SL.....	175	S774.....	144	S81650.....	160	S82200XC.....	165	S83145.....	162
S6075.....	141	S6130SL.....	126	S80.....	194	S81651.....	159	S82200XE.....	165	S83147.....	150
S6076.....	141	S6131SL.....	135	S8000.....	180	S81651SL.....	160	S82200XG.....	165	S83149.....	144
S6077.....	141	S6132SL.....	153	S8000-12.....	177	S81652.....	159	S82200XJ.....	165	S83152.....	128
S607SL.....	190	S6134SL.....	132	S8000-18.....	177	S81652SL.....	160	S82200XN.....	165	S83153.....	132
S607XC.....	169	S626.....	152	S8000-9.....	178	S81653.....	159	S82200XR.....	165	S83154.....	140
S607XCSL.....	169	S63.....	188	S8000SL.....	180	S81654.....	159	S82250.....	177	S83155.....	135
S607XE.....	169	S6500.....	156	S8000XC.....	165	S81654SL.....	160	S822XC.....	168	S83156.....	138
S607XESL.....	169	S6500SL.....	157	S8000XCSL.....	165	S817.....	132	S822XE.....	168	S83157.....	141
S607XJ.....	169	S6520.....	156	S8000XE.....	165	S818.....	194	S822XG.....	168	S8316.....	188
S607XJSL.....	169	S6532.....	156	S8000XESL.....	165	S81828.....	187	S822XJ.....	168	S8317.....	189
S607XN.....	169	S6534.....	156	S8000XG.....	165	S818XC.....	171	S822XN.....	168	S8318.....	188
S607XNSL.....	169	S6536.....	156	S8000XGSL.....	165	S818XE.....	171	S822XR.....	168	S8319.....	188
S607XR.....	169	S6550.....	156	S8000XJ.....	165	S818XG.....	171	S82600.....	172	S832.....	189
S607XRSL.....	169	S6550SL.....	157	S8000XJSL.....	165	S818XJ.....	171	S82610.....	194	S8320.....	189
S608.....	190	S6560.....	156	S8000XN.....	165	S818XN.....	171	S82610XC.....	171	S8321.....	188
S6080.....	194	S6565.....	156	S8000XNSL.....	165	S818XR.....	171	S82610XE.....	171	S8321XC.....	168
S6081.....	162	S6565SL.....	157	S8000XR.....	165	S81929P.....	194	S82610XJ.....	171	S8321XE.....	168
S6082.....	144	S6568.....	156	S8000XRSL.....	165	S81929PXC.....	171	S82610XN.....	171	S8321XG.....	168
S6084.....	150	S6570.....	157	S807.....	189	S81929PXE.....	171	S82610XR.....	171	S8321XJ.....	168
S6085.....	123	S6572.....	156	S807XC.....	168	S81929PXG.....	171	S82620.....	159	S8321XN.....	168
S608XC.....	169	S6575.....	156	S807XE.....	168	S81929PXJ.....	171	S82630.....	134	S8321XR.....	168
S608XE.....	169	S6576.....	156	S807XG.....	168	S81929PXN.....	171	S82640.....	156	S8322.....	188
S608XJ.....	169	S6577.....	156	S807XJ.....	168	S81929PXR.....	171	S82650.....	128	S8323.....	188
S608XN.....	169	S6580.....	156	S807XN.....	168	S81932P.....	137	S82660.....	140	S8324.....	188
S608XR.....	169	S6580SL.....	157	S807XR.....	168	S81933P.....	122	S82670.....	146	S832XC.....	168
S609.....	134	S6582.....	156	S808.....	187	S81935P.....	125	S828.....	187	S832XE.....	168
S6090.....	149	S668.....	125	S808SL.....	189	S81936P.....	128	S829.....	174	S832XG.....	168
S6091.....	143	S682.....	174	S80XC.....	171	S81937P.....	132	S829SL.....	174	S832XJ.....	168
S6091SL.....	144	S685L.....	179	S80XE.....	171	S81938P.....	139	S82SL.....	189	S832XN.....	168
S6092.....	139	S685LXC.....	164	S80XG.....	171	S81939P.....	134	S82XC.....	168	S832XR.....	168
S6092SL.....	140	S685LXE.....	164	S80XJ.....	171	S81940P.....	141	S82XCSL.....	168	S833.....	128
S6093.....	139	S685LXG.....	164	S80XN.....	171	S81941P.....	143	S82XE.....	168	S837.....	150
S6094.....	143	S685LXJ.....	164	S80XR.....	171	S81942P.....	149	S82XESL.....	168	S84586SL.....	126
S6095.....	149	S685LXN.....	164	S810.....	197	S81983.....	141	S82XG.....	168	S84800.....	197
S6097.....	188	S685LXR.....	164	S81000.....	197	S82.....	188	S82XGSL.....	168	S84810.....	180
S6100.....	134	S685R.....	179	S81086SL.....	195	S820.....	149	S82XJ.....	168	S84810SL.....	180
S6100SL.....	135	S685RXC.....	164	S81086XCSL.....	172	S8200.....	197	S82XJSL.....	168	S84810XC.....	165
S6101.....	134	S685RXE.....	164	S81086XESL.....	172	S8201.....	197	S82XN.....	168	S84810XCNSL.....	165
S6101SL.....	135	S685RXG.....	164	S81086XGSL.....	172	S8202SL.....	190	S82XNSL.....	168	S84810XE.....	165
S6102.....	134	S685RXJ.....	164	S81086XJSL.....	172	S8204SL.....	190	S82XR.....	168	S84810XESL.....	165
S6102SL.....	135	S685RXN.....	164	S81086XNSL.....	172	S8207SL.....	190	S82XRSL.....	168	S84810XJ.....	165
S6103.....	134	S685RXR.....	164	S81086XRSL.....	172	S821.....	143	S830.....	194	S84810XJSL.....	165
S6104.....	134	S691.....	179	S811.....	188	S82103.....	177	S830XC.....	171	S84810XN.....	165
S6105.....	134	S691XC.....	164	S81100.....	197	S82103XC.....	163	S830XE.....	171	S84810XNSL.....	165
S6106.....	134	S691XE.....	164	S81186SL.....	189	S82103XE.....	163	S830XG.....	171	S84810XR.....	165
S6107.....	134	S691XG.....	164	S8120.....	197	S82103XG.....	163	S830XJ.....	171	S84810XRSL.....	165
S6108.....	134	S691XJ.....	164	S81208.....	187	S82103XJ.....	163	S830XN.....	171	S84812.....	178
S6111.....	123	S691XN.....	164	S81225.....	174	S82103XN.....	163	S830XR.....	171	S84812SL.....	178
S6113.....	126	S691XR.....	164	S8132.....	174	S82103XR.....	163	S831.....	197	S84812XC.....	163
S6117.....	144	S704.....	191	S8132SL.....	175	S82104.....	177	S8310.....	188	S84812XCNSL.....	163
S6119.....	153	S707.....	140	S814.....	125	S82105.....	177	S8310SL.....	189	S84812XE.....	163
S6121.....	137	S708.....	195	S8140.....	194	S82105XC.....	163	S8311.....	188	S84812XESL.....	163
S6123.....	126	S709.....	152	S81401.....	178	S82105XE.....	163	S8311SL.....	189	S84812XJ.....	163
S6124SL.....	190	S7125SL.....	190	S81405STC.....	196	S82105XG.....	163	S83120.....	194	S84812XJSL.....	163
S6124XCSL.....	169	S721.....	144	S8140XC.....	171	S82105XJ.....	163	S831203.....	189	S84812XN.....	163
S6124XESL.....	169	S735.....	150	S8140XE.....	171	S82105XN.....	163	S831203XC.....	168	S84812XNSL.....	163
S6124XJSL.....	169	S736.....	135	S8140XG.....	171	S82105XR.....	163	S831203XE.....	168	S84812XR.....	163
S6124XNSL.....	169	S745.....	156	S8140XJ.....	171	S82106.....	177	S831203XG.....	168	S84812XRSL.....	163
S6124XRSL.....	169	S751SL.....	195	S8140XN.....	171	S82106XC.....	163	S831203XJ.....	168	S84813.....	178
S6125SL.....	190	S751XCNSL.....	172	S8140XR.....	171	S82106XE.....	163	S831203XN.....	168	S84813XC.....	163
S6125XCSL.....	169	S751XESL.....	172	S8141.....	191	S82106XG.....	163	S831203XR.....	168	S84813XE.....	163
S6125XESL.....	169	S751XGSL.....	172	S8144.....	191	S82106XJ.....	163	S83120XC.....	172	S84813XJ.....	163
S6125XJSL.....	169	S751XJSL.....	172	S8145.....	190	S82106XN.....	163	S83120XE.....	172	S84813XN.....	163
S6125XNSL.....	169	S751XNSL.....	172	S8145SL.....	191	S82106XR.....	163	S83120XG.....	172	S84813XR.....	163
S6125XRSL.....	169	S751XRSL.....	172	S8149.....	152	S82107.....	178	S83120XJ.....	172	S84814.....	178
S6126SL.....	190	S752.....	189	S814SL.....	126	S82107XC.....	163	S83120XN.....	172	S84814XC.....	163
S6126XCSL.....	169	S755.....	197	S815.....	125	S82107XE.....	163	S83120XR.....	172	S84814XE.....	163
S6126XESL.....	169	S757SL.....	150	S816.....	122	S82107XG.....	163	S8313.....	188	S84814XJ.....	163

S84814XN.....	163	S85720XR.....	164	S8601.....	194	S8691XJ.....	164	S90XG.....	171	S989.....	161
S84814XR.....	163	S85720XRSL.....	164	S8601SL.....	195	S8691XN.....	164	S90XJ.....	171	S991.....	137
S84816.....	178	S85725.....	179	S8601XCSSL.....	172	S8691XR.....	164	S90XN.....	171	S992.....	194
S84816XC.....	163	S85725XC.....	164	S8601XESL.....	172	S8704.....	191	S90XR.....	171	S994.....	162
S84816XE.....	163	S85725XE.....	164	S8601XGSL.....	172	S8707.....	140	S91.....	128	S995.....	137
S84816XJ.....	163	S85725XG.....	164	S8601XJSL.....	172	S8708.....	195	S912.....	149	S997.....	123
S84816XN.....	163	S85725XJ.....	164	S8601XNSL.....	172	S8721.....	144	S916.....	125	S999.....	144
S84816XR.....	163	S85725XN.....	164	S8601XRSL.....	172	S8735.....	150	S916SL.....	126	SART.....	132
S84886SL.....	178	S85725XR.....	164	S8602.....	140	S8736.....	135	S91SL.....	129		
S84886XCSSL.....	163	S8572SL.....	147	S8602SL.....	140	S8745.....	156	S92.....	188		
S84886XESL.....	163	S85730.....	179	S8604.....	128	S8752.....	189	S925.....	174		
S84886XGSL.....	163	S85730XC.....	164	S8605.....	190	S880.....	194	S926.....	125		
S84886XJSL.....	163	S85730XE.....	164	S8605SL.....	190	S880SL.....	195	S92SL.....	178		
S84886XNSL.....	163	S85730XG.....	164	S8605XC.....	169	S880XC.....	171	S92XC.....	168		
S84886XRSL.....	163	S85730XJ.....	164	S8605XE.....	169	S880XCSSL.....	172	S92XE.....	168		
S8508.....	146	S85730XN.....	164	S8605XJ.....	169	S880XE.....	171	S92XG.....	168		
S8529.....	146	S85730XR.....	164	S8605XN.....	169	S880XESL.....	172	S92XJ.....	168		
S8545SL.....	147	S8573SL.....	146	S8605XR.....	169	S880XG.....	171	S92XN.....	168		
S85700.....	179	S8574.....	146	S8606.....	190	S880XGSL.....	172	S92XR.....	168		
S85700SL.....	179	S8579.....	146	S8606SL.....	190	S880XJ.....	171	S93.....	197		
S85700XC.....	163	S8581.....	146	S8606XC.....	169	S880XJSL.....	172	S930.....	126		
S85700XCSSL.....	164	S8583SL.....	147	S8606XE.....	169	S880XN.....	171	S930SL.....	126		
S85700XE.....	163	S85892.....	122	S8606XJ.....	169	S880XNSL.....	172	S9320.....	194		
S85700XESL.....	164	S85892SL.....	123	S8606XN.....	169	S880XR.....	171	S93203.....	189		
S85700XG.....	163	S85893.....	132	S8606XR.....	169	S880XRSL.....	172	S93203XC.....	168		
S85700XGSL.....	164	S85893SL.....	132	S8607.....	190	S881.....	188	S93203XE.....	168		
S85700XJ.....	163	S85895.....	149	S8607SL.....	190	S881SL.....	190	S93203XG.....	168		
S85700XJSL.....	164	S85895SL.....	150	S8607XC.....	169	S881XC.....	168	S93203XJ.....	168		
S85700XN.....	163	S85896.....	143	S8607XE.....	169	S881XCSSL.....	168	S93203XN.....	168		
S85700XNSL.....	164	S85896SL.....	144	S8607XJ.....	169	S881XE.....	168	S93203XR.....	168		
S85700XR.....	163	S85897.....	134	S8607XN.....	169	S881XESL.....	168	S9320XC.....	172		
S85700XRSL.....	164	S85898.....	134	S8607XR.....	169	S881XG.....	168	S9320XE.....	172		
S85705.....	179	S85898SL.....	135	S8608.....	190	S881XGSL.....	168	S9320XG.....	172		
S85705XC.....	164	S85900.....	137	S8608XC.....	169	S881XJ.....	168	S9320XJ.....	172		
S85705XE.....	164	S85900SL.....	138	S8608XE.....	169	S881XJSL.....	168	S9320XN.....	172		
S85705XG.....	164	S85902.....	149	S8608XJ.....	169	S881XN.....	168	S9320XR.....	172		
S85705XJ.....	164	S85902SL.....	150	S8608XN.....	169	S881XNSL.....	168	S9341.....	126		
S85705XN.....	164	S85905.....	123	S8608XR.....	169	S881XR.....	168	S9342.....	153		
S85705XR.....	164	S85906.....	137	S8609.....	134	S881XRSL.....	168	S9343.....	123		
S8571.....	146	S85907.....	125	S86500.....	156	S882.....	188	S9345.....	162		
S85710.....	179	S85908.....	140	S86500SL.....	157	S884SL.....	162	S9347.....	150		
S85710SL.....	179	S85909.....	144	S86520.....	156	S887.....	128	S9349.....	144		
S85710XC.....	163	S85910SL.....	195	S86533.....	156	S887SL.....	129	S9352.....	128		
S85710XCSSL.....	164	S85910XCSSL.....	172	S86536.....	156	S888.....	125	S9353.....	132		
S85710XE.....	163	S85910XESL.....	172	S86550.....	156	S888SL.....	126	S9354.....	140		
S85710XESL.....	164	S85910XGSL.....	172	S86550SL.....	157	S891.....	139	S9355.....	134		
S85710XG.....	163	S85910XJSL.....	172	S86560.....	156	S891SL.....	140	S9356.....	137		
S85710XGSL.....	164	S85910XNSL.....	172	S86560SL.....	157	S892.....	143	S9357.....	141		
S85710XJ.....	163	S85910XRSL.....	172	S86570.....	157	S892SL.....	144	S95.....	128		
S85710XJSL.....	164	S85911SL.....	138	S86580.....	156	S893.....	132	S960.....	197		
S85710XN.....	163	S859125SL.....	123	S86580SL.....	157	S894.....	122	S962.....	137		
S85710XNSL.....	164	S85914SL.....	126	S8675SL.....	190	S894SL.....	123	S962SL.....	138		
S85710XR.....	163	S85915SL.....	129	S867SL.....	153	S895.....	132	S964.....	137		
S85710XRSL.....	164	S85916SL.....	132	S8682.....	174	S895SL.....	132	S964SL.....	138		
S85715.....	179	S85917SL.....	140	S8682SL.....	175	S896.....	195	S966.....	137		
S85715XC.....	164	S85918SL.....	135	S8685L.....	179	S896XC.....	172	S968.....	137		
S85715XE.....	164	S85920SL.....	150	S8685LXC.....	164	S896XE.....	172	S97.....	149		
S85715XG.....	164	S85922SL.....	144	S8685LXE.....	164	S896XG.....	172	S970.....	137		
S85715XJ.....	164	S85924SL.....	190	S8685LXG.....	164	S896XJ.....	172	S971.....	174		
S85715XN.....	164	S85925SL.....	190	S8685LXJ.....	164	S896XN.....	172	S972.....	123		
S85715XR.....	164	S85926SL.....	190	S8685LXN.....	164	S896XR.....	172	S973.....	132		
S85720.....	179	S85927SL.....	123	S8685LXR.....	164	S897.....	197	S975.....	122		
S85720SL.....	179	S85928SL.....	175	S8685R.....	179	S89701.....	152	S975SL.....	123		
S85720XC.....	164	S85930SL.....	150	S8685RXC.....	164	S8971.....	174	S976.....	137		
S85720XCSSL.....	164	S85931SL.....	132	S8685RXE.....	164	S8972.....	174	S976SL.....	138		
S85720XE.....	164	S85932SL.....	140	S8685RXG.....	164	S898.....	190	S977.....	125		
S85720XESL.....	164	S85934SL.....	144	S8685RXJ.....	164	S898SL.....	191	S979.....	122		
S85720XG.....	164	S8600.....	197	S8685RXN.....	164	S90.....	194	S980.....	137		
S85720XGSL.....	164	S8600XC.....	171	S8685RXR.....	164	S902.....	152	S981.....	125		
S85720XJ.....	164	S8600XE.....	171	S8691.....	179	S902SL.....	153	S982.....	139		
S85720XJSL.....	164	S8600XJ.....	171	S8691XC.....	164	S90SL.....	180	S983.....	143		
S85720XN.....	164	S8600XN.....	171	S8691XE.....	164	S90XC.....	171	S985.....	137		
S85720XNSL.....	164	S8600XR.....	171	S8691XG.....	164	S90XE.....	171	S988.....	137		



## Profiles™

100	.....	216	104XE.....	212	1644SLHD.....	211	263SLHDXX.....	212	607HDXE.....	212	959HDXR.....	212
104	.....	216	104XG.....	212	1650HD.....	211	263SLHDXR.....	212	607HDXJ.....	212	959HDXRSL.....	213
105	.....	216	104XJ.....	212	1651HD.....	211	289EHD.....	211	607HDXN.....	212	959SLHD.....	216
108	.....	214	104XN.....	212	1651SL.....	211	289ESLHD.....	211	607HDXR.....	212	961HD.....	214
118	.....	216	104XR.....	212	1657HD.....	211	289HD.....	216	608HD.....	214	961HDXC.....	212
128	.....	214	1055HD.....	203	1657SLHD.....	211	289HDXC.....	212	608HDXC.....	212	961HDXE.....	212
130	.....	213	1089SLHD.....	215	1659HD.....	211	289HDXE.....	212	608HDXE.....	212	961HDYG.....	212
131	.....	213	108XC.....	212	1660HD.....	211	289HDXG.....	212	608HDXJ.....	212	961HDYJ.....	212
137	.....	213	108XE.....	212	1662HD.....	211	289HDXJ.....	212	608HDXN.....	212	961HDXN.....	212
139	.....	204	108XG.....	212	19020T.....	215	289HDXN.....	212	608HDXR.....	212	961HDXR.....	212
198	.....	215	108XJ.....	212	19020T.....	216	289HDXR.....	212	609HD.....	205	965HD.....	204
310	.....	203	108XN.....	212	19055T.....	204	294HD.....	204	610SL.....	207	965SLHD.....	204
369	.....	205	108XR.....	212	19080T.....	204	294SLHD.....	204	613HD.....	206	966SLHD.....	210
571	.....	208	1101HD.....	216	19200T.....	215	296HD.....	216	615HD.....	206	967HD.....	209
610	.....	206	1101XCHD.....	212	19200T.....	216	296HDXC.....	213	615SLHD.....	207	967SLHD.....	209
620	.....	207	1101XEHD.....	212	19210T.....	216	296HDXE.....	213	6184SL.....	215	968HD.....	205
626	.....	209	1101XGHD.....	212	19220T.....	215	296HDXG.....	213	6185SL.....	215	969HD.....	216
916	.....	203	1101XJHD.....	212	19220T.....	216	296HDXJ.....	213	6186SL.....	215	971SLHD.....	205
1006	.....	205	1101XNHD.....	212	19520T.....	204	296HDXN.....	213	620SL.....	208	978HD.....	216
1027	.....	206	1101XRHD.....	212	19720T.....	208	296HDXR.....	213	623HD.....	207	980HD.....	216
1028	.....	209	1102HD.....	213	19730T.....	208	296SLHD.....	216	625HD.....	207	980HDXC.....	212
1200	.....	214	1107HD.....	206	19740T.....	207	296SLHDXC.....	213	625SLHD.....	208	980HDXE.....	212
1201	.....	214	1110HD.....	211	19750T.....	207	296SLHDXE.....	213	626SL.....	210	980HDXG.....	212
1202	.....	214	1111HD.....	207	19800T.....	204	296SLHDXG.....	213	627HD.....	209	980HDXJ.....	212
1203	.....	214	1112HD.....	206	19810T.....	204	296SLHDXJ.....	213	628HD.....	209	980HDXN.....	212
5425	.....	213	1113HD.....	209	19820T.....	204	296SLHDXN.....	213	628SLHD.....	210	980HDXR.....	212
03142HD	.....	209	1114HD.....	204	198SL.....	215	296SLHDXR.....	213	630HD.....	209	982HD.....	214
1001HD	.....	203	1115HD.....	205	203HD.....	216	309HD.....	203	631HD.....	209	982HDXC.....	212
1002HD	.....	205	1116HD.....	205	205HD.....	216	310SL.....	203	632SL.....	215	982HDXE.....	212
1004HD	.....	213	1117HD.....	203	206EHD.....	211	311HD.....	203	6500HD.....	210	982HDXG.....	212
1005HD	.....	216	1118HD.....	209	206HD.....	216	311SLHD.....	203	6500SL.....	210	982HDXJ.....	212
1006SL	.....	205	1119HD.....	203	206HDXC.....	212	369SL.....	205	6520HD.....	210	982HDXN.....	212
1007HD	.....	205	1120HD.....	207	206HDXE.....	212	371HD.....	205	6560HD.....	210	982HDXR.....	212
1007SLHD	.....	205	1121HD.....	213	206HDXG.....	212	371SLHD.....	205	6565HD.....	210	984HD.....	213
1008HD	.....	205	1122HD.....	214	206HDXJ.....	212	374HD.....	205	6565SLHD.....	210	985HD.....	211
1009HD	.....	205	1123HD.....	214	206HDXN.....	212	416SL.....	209	6568HD.....	210	988HD.....	206
1009SLHD	.....	205	1123HDXC.....	212	206HDXR.....	212	426HD.....	209	6570HD.....	210	989HD.....	207
100SL	.....	216	1123HDXE.....	212	2109HD.....	214	430HD.....	209	6570SLHD.....	210	991HD.....	203
100XCSL	.....	213	1123HDXG.....	212	210HD.....	216	430SLHD.....	209	6572HD.....	210	996HD.....	204
100XESL	.....	213	1123HDXJ.....	212	210SLHD.....	216	454HD.....	209	6578HD.....	210	999HD.....	209
100XGSL	.....	213	1123HDXN.....	212	210SLHDXC.....	213	4572SLHD.....	215	6580SLHD.....	210	AVRT.....	206
100XJSL	.....	213	1123HDXR.....	212	210SLHDXE.....	213	508HD.....	208	6582HD.....	210	AXRT.....	211
100XNSL	.....	213	115HD.....	214	210SLHDXG.....	213	5425SL.....	213	6720HDXCSL.....	212	BSRT.....	203
100XRSL	.....	213	118XC.....	212	210SLHDXJ.....	213	544HD.....	208	6720HDXESL.....	212	CNRT.....	209
1011HD	.....	205	118XE.....	212	210SLHDXN.....	213	546SLHD.....	208	6720HDXGSL.....	212	FWRT.....	205
1020HD	.....	216	118XG.....	212	210SLHDXR.....	213	576HD.....	208	6720HDXJSL.....	212	KNRT.....	210
1021HD	.....	211	118XJ.....	212	2110HD.....	214	578HD.....	208	6720HDXNSL.....	212	PBRT.....	210
1022HD	.....	207	118XN.....	212	2111HD.....	214	582HD.....	208	6720HDXRSL.....	212	RSRT.....	208
1024HD	.....	209	118XR.....	212	211HD.....	204	584SLHD.....	208	6720SLHD.....	215	SART.....	205
1025HD	.....	203	1200SL.....	215	236HD.....	215	588HD.....	208	704HD.....	215		
1027SL	.....	206	1201SL.....	215	237HD.....	215	601HD.....	216	707HD.....	206		
1031HD	.....	206	1202SL.....	215	243HD.....	213	601XCHD.....	213	708HD.....	216		
1031SLHD	.....	206	128XC.....	212	255HD.....	214	601XEHD.....	213	721HD.....	208		
1032HD	.....	207	128XE.....	212	256HD.....	216	601XJHD.....	213	735HD.....	209		
1032SLHD	.....	207	128XG.....	212	262HD.....	214	601XNHD.....	213	736HD.....	205		
1034HD	.....	206	128XJ.....	212	262HDXC.....	212	601XRHD.....	213	745HD.....	210		
1035HD	.....	207	128XN.....	212	262HDXE.....	212	6023HD.....	214	752HD.....	214		
1037HD	.....	203	128XR.....	212	262HDXG.....	212	602HD.....	206	916SL.....	204		
1037SLHD	.....	203	130SL.....	213	262HDXJ.....	212	604HD.....	204	926HD.....	203		
1038HD	.....	206	132HD.....	213	262HDXN.....	212	605HD.....	214	930HD.....	203		
1038SLHD	.....	206	132SLHD.....	213	262HDXR.....	212	605HDXC.....	212	930SLHD.....	204		
1039HD	.....	206	138SL.....	211	263HD.....	214	605HDXE.....	212	956SLHD.....	204		
1039SLHD	.....	207	139SL.....	204	263HDXC.....	212	605HDXJ.....	212	959HD.....	216		
1040HD	.....	207	1400SLHD.....	215	263HDXE.....	212	605HDXN.....	212	959HDXC.....	212		
1040SLHD	.....	207	1403HD.....	215	263HDXG.....	212	605HDXR.....	212	959HDXCSL.....	213		
1041HD	.....	207	1405HD.....	215	263HDXJ.....	212	606HD.....	214	959HDXE.....	212		
1041SLHD	.....	208	1405SLHD.....	215	263HDXN.....	212	606HDXC.....	212	959HDXESL.....	213		
1042HD	.....	203	1406HD.....	215	263HDXR.....	212	606HDXE.....	212	959HDXG.....	212		
1044HD	.....	206	1408HD.....	215	263SLHD.....	215	606HDXJ.....	212	959HDXGSL.....	213		
1045HD	.....	207	1411HD.....	215	263SLHDXC.....	212	606HDXN.....	212	959HDXJ.....	212		
1047HD	.....	206	1643HD.....	211	263SLHDXE.....	212	606HDXR.....	212	959HDXJSL.....	213		
104XC	.....	212	1643SLHD.....	211	263SLHDXG.....	212	607HD.....	214	959HDXN.....	212		
			1644HD.....	211	263SLHDXJ.....	212	607HDXC.....	212	959HDXNSL.....	213		

## Traditions

800	.....	221
808	.....	218
810	.....	221
818	.....	220
828	.....	218
829	.....	218
896	.....	220
8132	.....	218
8145	.....	219
8206	.....	220
8317	.....	219
8321	.....	219
8322	.....	219
8323	.....	219
8324	.....	219
8704	.....	220
8708	.....	220
8752	.....	219
100SL	.....	220
100XCSL	.....	217
100XESL	.....	217
100XGSL	.....	217
100XJSL	.....	217

100XNSL	217	TS104	220	TS263XC	217
100XRSL	217	TS104XC	217	TS263XCSSL	217
1200SL	219	TS104XE	217	TS263XE	217
1201SL	219	TS104XG	217	TS263XESL	217
1202SL	219	TS104XJ	217	TS263XG	217
130SL	218	TS104XN	217	TS263XGSL	217
19020T	220	TS104XR	217	TS263XJ	217
19200T	220	TS105	220	TS263XJSL	217
19210T	220	TS108	218	TS263XN	217
19220T	220	TS108XC	217	TS263XNSL	217
198SL	220	TS108XE	217	TS263XR	217
6184SL	219	TS108XG	217	TS263XRSL	217
6184XCSSL	217	TS108XJ	217	TS289	220
6184XESL	217	TS108XN	217	TS289XC	217
6184XJSL	217	TS108XR	217	TS289XE	217
6184XNSL	217	TS115	219	TS289XG	217
6184XRSL	217	TS118	220	TS289XJ	217
6185SL	219	TS118XC	217	TS289XN	217
6185XCSSL	217	TS118XE	217	TS289XR	217
6185XESL	217	TS118XG	217	TS296	220
6185XJSL	217	TS118XJ	217	TS296SL	220
6185XNSL	217	TS118XN	217	TS296XC	217
6185XRSL	217	TS118XR	217	TS296XCSSL	217
6186SL	219	TS1200	218	TS296XE	217
6186XCSSL	217	TS1201	218	TS296XESL	217
6186XESL	217	TS1202	218	TS296XG	217
6186XJSL	217	TS1203	218	TS296XGSL	217
6186XNSL	217	TS128	218	TS296XJ	217
6186XRSL	217	TS128XC	217	TS296XJSL	217
632SL	219	TS128XE	217	TS296XN	217
632XCSSL	217	TS128XG	217	TS296XNSL	217
632XESL	217	TS128XJ	217	TS296XR	217
632XGSL	217	TS128XN	217	TS296XRSL	217
632XJSL	217	TS128XR	217	TS704	220
632XNSL	217	TS130	218	TS708	220
632XRSL	217	TS131	218	TS752	219
818SL	220	TS132	218		
818XC	217	TS132SL	218		
818XCSSL	217	TS137	218		
818XE	217	TS1405SL	220		
818XESL	217	TS1408	219		
818XG	217	TS1411	220		
818XGSL	217	TS198	219		
818XJ	217	TS206	220		
818XJSL	217	TS206XC	217		
818XN	217	TS206XE	217		
818XNSL	217	TS206XG	217		
818XR	217	TS206XJ	217		
818XRSL	217	TS206XN	217		
8206XC	217	TS206XR	217		
8206XE	217	TS210	221		
8206XG	217	TS210SL	220		
8206XJ	217	TS210XCSSL	217		
8206XN	217	TS210XESL	217		
8206XR	217	TS210XGSL	217		
828SL	219	TS210XJSL	217		
829SL	218	TS210XNSL	217		
8321XC	217	TS210XRSL	217		
8321XE	217	TS214	221		
8321XG	217	TS236	219		
8321XJ	217	TS237	219		
8321XN	217	TS243	218		
8321XR	217	TS255	219		
86184SL	219	TS256	220		
86185SL	219	TS262	219		
86186SL	219	TS262XC	217		
896XC	217	TS262XE	217		
896XE	217	TS262XG	217		
896XG	217	TS262XJ	217		
896XJ	217	TS262XN	217		
896XN	217	TS262XR	217		
896XR	217	TS263	219		
TS100	221	TS263SL	219		

## Fire

### Fiber-Classic Mahogany Collection.

FMF100	224
FMF134	224
FMF205	224
FMF220	224
FMF31	224
FMF60	224
FMF600	224
FMF755	224
FMF8100	224
FMF860	224

### Fiber-Classic Oak Collection.

FCF100	224
FCF134	224
FCF160	224
FCF31	224
FCF755	224
FCF808	224
FCF809	224
FCF8100	224
FCF8160	224
FCF862	224

### Smooth-Star.

SSF100	225
SSF11	225
SSF1100	224
SSF120	224
SSF160	225
SSF200	225
SSF205	225
SSF220	224
SSF31	225
SSF4800	225
SSF600	225
SSF755	225
SSF8100	225
SSF81100	224
SSF8120	224
SSF8160	225
SSF8200	225
SSF8205	225
SSF8220	224
SSF831	225
SSF84800	225
SSF8600	225
SSF93	224
SSF960	225

### Profiles.

100	226
1005HD	226
203HD	226
205HD	226
210HD	226
969HD	226
978HD	226

### Traditions

TS100	226
TS210	226
TS214	226

### Steel Edge

SE100	226
SE1005HD	226
SE210HD	226
SE514	226
SE969HD	226
SE978HD	226

## Pulse®

### Ari

S2AX	232
S2CL	232
S2PB	232
S2RS	232
S2SG	232
S2SN	232
S2XC	232
S2XE	232
S2XG	232
S2XJ	232
S2XN	232
S2XR	232
S83AX	232
S83CL	232
S83PB	232
S83RS	232
S83SG	232
S83SN	232
S83XC	232
S83XE	232
S83XG	232
S83XJ	232
S83XN	232
S83XR	232

### Línea

S1AV	233
S1AX	234
S1BL	232
S1BS	232
S1CL	234
S1LAV	233
S1LAX	234
S1LBL	232
S1LBS	232
S1LCL	234
S1LPB	234
S1LRS	233
S1LSA	233
S1LSG	233
S1LSN	233
S1LXC	234
S1LXE	234
S1LXG	234
S1LXJ	234
S1LXN	234
S1LXR	234
S1PB	234
S1RAV	233
S1RAX	234
S1RBL	233
S1RBS	232
S1RCL	234
S1RPB	234
S1RRS	234
S1RS	233
S1RSA	233
S1RSG	233
S1RSN	233
S1RXC	234
S1RXG	234
S1RXJ	234
S1RXN	234
S1RXR	234
S1SA	233
S1SG	233
S1SN	233
S1XC	234
S1XE	234
S1XG	234
S1XJ	234

S1XN	234
S1XR	234
S81AX	234
S81BL	232
S81BS	232
S81CL	234
S81LAX	234
S81LBL	232
S81LBS	232
S81LCL	234
S81LPB	234
S81LRS	233
S81LSA	233
S81LSG	233
S81LXC	234
S81LXE	234
S81LXG	234
S81LXJ	234
S81LXN	234
S81LXR	234
S81PB	234
S81RAX	234
S81RBL	233
S81RBS	232
S81RCL	234
S81RPB	234
S81RRS	234
S81RS	233
S81RSA	233
S81RSG	233
S81RXC	234
S81RXE	234
S81RXG	234
S81RXJ	234
S81RXN	234
S81RXR	234
S81SA	233
S81SPB	233
S81SG	233
S81XC	234
S81XE	234
S81XG	234
S81XJ	234
S81XN	234
S81XR	234

### Echo

S4AX	236
S4CL	237
S4LAX	236
S4LCL	237
S4LPB	234
S4LXC	237
S4LXE	237
S4LXG	237
S4LXJ	237
S4LXN	237
S4LXR	237
S4PB	234
S4RAX	236
S4RCL	237
S4RPB	234
S4RXC	237
S4RXE	237
S4RXG	237
S4RXJ	237
S4RXN	237
S4RXL	237
S4XC	237
S4XE	237
S4XG	237
S4XJ	237
S4XN	237
S4XR	237

S5AX.....	236	S811RXN.....	238	S86PB.....	235	<b>Sidelites</b>	
S5CL.....	237	S811RXR.....	238	S86RAX.....	236	S10AXSL.....	240
S5LAX.....	236	S811XCL.....	238	S86RCL.....	237	S10CLSL.....	240
S5LCL.....	237	S811XE.....	238	S86RPB.....	235	S10PBSL.....	239
S5LPB.....	234	S811XG.....	238	S86RXC.....	237	S10XCGL.....	240
S5LXC.....	237	S811XJ.....	238	S86RXE.....	237	S10XESL.....	240
S5LXE.....	237	S811XN.....	238	S86RXG.....	237	S10XGSL.....	240
S5LXG.....	237	S811XR.....	238	S86RXJ.....	237	S10XJSL.....	240
S5LXJ.....	237	S84AX.....	236	S86RXN.....	237	S10XNSL.....	240
S5LXN.....	237	S84CL.....	236	S86RXR.....	237	S10XRSL.....	240
S5LXR.....	237	S84LAX.....	236	S86XC.....	237	S1651SL.....	239
S5PB.....	235	S84LCL.....	237	S86XE.....	237	S4570SL.....	239
S5RAX.....	236	S84LPB.....	234	S86XG.....	237	S4AXSL.....	240
S5RCL.....	237	S84LXC.....	237	S86XJ.....	237	S4CLSL.....	240
S5RPB.....	235	S84LXE.....	237	S86XN.....	237	S4PBSL.....	239
S5RXC.....	237	S84LXG.....	237	S86XR.....	237	S4XCGL.....	240
S5RXE.....	237	S84LXJ.....	237	S8AX.....	236	S4XESL.....	240
S5RXG.....	237	S84LXN.....	237	S8CL.....	238	S4XCGL.....	240
S5RXJ.....	237	S84LXR.....	237	S8LAX.....	236	S4XJSL.....	240
S5RXN.....	237	S84LPB.....	234	S8LCL.....	238	S4XNSL.....	240
S5RXR.....	237	S84RAX.....	236	S8LPB.....	235	S4XRSL.....	239
S5XC.....	237	S84RCL.....	237	S8LXC.....	238	S572SL.....	239
S5XE.....	237	S84RPB.....	234	S8LXE.....	238	S5AXSL.....	239
S5XG.....	237	S84RXC.....	237	S8LXG.....	238	S5CLSL.....	240
S5XJ.....	237	S84RXE.....	237	S8LXJ.....	238	S5PBSL.....	239
S5XN.....	237	S84RXG.....	237	S8LXN.....	238	S5XCGL.....	240
S5XR.....	237	S84RXJ.....	237	S8LXR.....	238	S5XESL.....	240
S810AX.....	237	S84RXN.....	237	S8PB.....	235	S5XCGL.....	240
S810CL.....	238	S84RXC.....	237	S8RAX.....	236	S5XJSL.....	240
S810LAX.....	237	S84XC.....	237	S8RCL.....	238	S5XNSL.....	240
S810LCL.....	238	S84XE.....	237	S8RPB.....	235	S5XRSL.....	240
S810LPB.....	235	S84XG.....	237	S8RXC.....	238	S601SL.....	239
S810LXC.....	238	S84XJ.....	237	S8RXE.....	238	S601XCSL.....	239
S810LXE.....	238	S84XN.....	237	S8RXG.....	238	S601KESL.....	239
S810LXG.....	238	S84XR.....	237	S8RXJ.....	238	S601XGSL.....	239
S810LXJ.....	238	S85AX.....	236	S8RXN.....	238	S601XJSL.....	239
S810LXN.....	238	S85CL.....	237	S8RXR.....	238	S601XNSL.....	239
S810LXR.....	238	S85LAX.....	236	S8XC.....	238	S601XRSL.....	239
S810PB.....	235	S85LCL.....	237	S8XE.....	238	S602SL.....	239
S810RAX.....	237	S85LPB.....	234	S8XG.....	238	S604SL.....	239
S810RCL.....	238	S85LXC.....	237	S8XJ.....	238	S6127SL.....	239
S810RPB.....	235	S85LXE.....	237	S8XN.....	238	S6130SL.....	239
S810RXC.....	238	S85LXG.....	237	S8XR.....	238	S6134SL.....	239
S810RXE.....	238	S85LXJ.....	237	S9AX.....	236	S6500SL.....	239
S810RXG.....	238	S85LXN.....	237	S9CL.....	238	S81086SL.....	239
S810RXJ.....	238	S85LXR.....	237	S9LAX.....	236	S81086XCSL.....	239
S810RXN.....	238	S85PB.....	235	S9LCL.....	238	S81086XESL.....	239
S810RXR.....	238	S85RAX.....	236	S9LPB.....	235	S81086XGSL.....	239
S810XC.....	238	S85RCL.....	237	S9LXC.....	238	S81086XJSL.....	239
S810XE.....	238	S85RPB.....	235	S9LXE.....	238	S81086XNSL.....	239
S810XG.....	238	S85RXC.....	237	S9LXG.....	238	S81086XRSL.....	239
S810XJ.....	238	S85RXE.....	237	S9LXJ.....	238	S810AXSL.....	240
S810XN.....	238	S85RXG.....	237	S9LXN.....	238	S810CLSL.....	240
S810XR.....	238	S85RXJ.....	237	S9LXR.....	238	S810PBSL.....	239
S811AX.....	237	S85RXN.....	237	S9PB.....	235	S810XCSL.....	240
S811CL.....	238	S85RXC.....	237	S9RAX.....	236	S810XESL.....	240
S811LAX.....	237	S85XC.....	237	S9RCL.....	238	S810XGSL.....	240
S811LCL.....	238	S85XE.....	237	S9RPB.....	235	S810XJSL.....	240
S811LPB.....	235	S85XG.....	237	S9RXC.....	238	S810XNSL.....	240
S811LXC.....	238	S85XJ.....	237	S9RXE.....	238	S810XRSL.....	240
S811LXE.....	238	S85XN.....	237	S9RXG.....	238	S811AXSL.....	240
S811LXG.....	238	S85XR.....	237	S9RXJ.....	238	S811CLSL.....	240
S811LXJ.....	238	S86AX.....	236	S9RXN.....	238	S811PBSL.....	239
S811LXN.....	238	S86CL.....	237	S9RXC.....	238	S811XCSL.....	240
S811LXR.....	238	S86LAX.....	236	S9XC.....	238	S811XESL.....	240
S811PB.....	235	S86LCL.....	237	S9XE.....	238	S811XGSL.....	240
S811RAX.....	237	S86LPB.....	235	S9XG.....	238	S811XJSL.....	240
S811RCL.....	238	S86LXC.....	237	S9XJ.....	238	S811XNSL.....	240
S811RPB.....	235	S86LXE.....	237	S9XN.....	238	S811XRSL.....	240
S811RXC.....	238	S86LXG.....	237	S9XR.....	238	S81651SL.....	239
S811RXE.....	238	S86LXJ.....	237			S84586SL.....	239
S811RXG.....	238	S86LXN.....	237			S84AXSL.....	240
S811RXJ.....	238	S86LXR.....	237			S84CLSL.....	240
						S84PBSL.....	239
						S84XCSL.....	240
						S84XESL.....	240
						S84XGSL.....	240
						S84XJSL.....	240
						S84XNSL.....	240
						S84XRSL.....	240
						S8572SL.....	239
						S85927SL.....	239
						S85931SL.....	239
						S85932SL.....	239
						S85AXSL.....	239
						S85CLSL.....	240
						S85PBSL.....	239
						S85XCSL.....	240
						S85XESL.....	240
						S85XGSL.....	240
						S85XJSL.....	240
						S85XNSL.....	240
						S85XRSL.....	240
						S86500SL.....	239
						S86AXSL.....	239
						S86CLSL.....	240
						S86PBSL.....	239
						S86XCSL.....	240
						S86XESL.....	240
						S86XGSL.....	240
						S86XJSL.....	240
						S86XNSL.....	240
						S86XRSL.....	240
						S9AXSL.....	240
						S9CLSL.....	240
						S9PBSL.....	239
						S9XCGL.....	240
						S9XESL.....	240
						S9XCGL.....	240
						S9XJSL.....	240
						S9XNSL.....	240
						S9XRSL.....	240





Top: Pulse Linea, Geometric Glass with Flat Lite Frame, Doors – FCM81RXG, FCM81LXG  
Bottom: Pulse Ari, Pembridge Glass with Flat Lite Frame, Door – S83PB





# Tools of the Trade

Check out these helpful resources for dealers, builders and remodelers.


## Architectural Home Styles Guide

Get inspired to choose entry doors by design with our interactive guide to popular home styles. [homestyles.thermatru.com](http://homestyles.thermatru.com).



## Education Center

Learn from the experts in fiberglass doors and test your door IQ on a variety of topics at [thermatru.com/learning](http://thermatru.com/learning).



## National Home Valuation Study

A stylish new Therma-Tru entry door can increase your home's perceived value by 4.2% or \$18,750 on average.\* Learn more and download promotional materials at [thermatru.com/curbappeal](http://thermatru.com/curbappeal).




## DoorWays™ App

The power to create the perfect entrance is at your fingertips – it's easier than ever to design and visualize entrances at [thermatru.com/doorways](http://thermatru.com/doorways).




## Consumers Digest Best Buy

Order free, ready-to-use promotional material to promote Classic-Craft and Fiber-Classic in your showroom at [thermatru.com/consumersdigest](http://thermatru.com/consumersdigest).



## Trade Professionals Online


Find everything from selling tools and training materials to technical information at [thermatru.com/professionals](http://thermatru.com/professionals).



\*Not based on actual home sales. Not a guarantee of investment returns, increase in value or selling price. Based on a nationwide survey of consumers' estimates of perceived home value based on exterior appearance. Results may vary based on region and home style. Therma-Tru's "National Home Valuation Study" was commissioned by Therma-Tru in 2015 and conducted by TNS, and independent provider of internet-based research.

Apple and the Apple logo are trademarks of Apple Inc., registered in the U.S. and other countries. App Store is a service mark of Apple Inc. Google Play and the Google Play logo are trademarks of Google LLC.






Download our DoorWays™ App and visualize the perfect entry for any home and style.



thermatru.com  
 1-800-THERMA-TRU (843-7628)  
 1750 Indian Wood Circle  
 Maumee, OH 43537



- BOISE, ID
- BOZEMAN, MT
- DENVER, CO
- ONTARIO, CA
- PHOENIX, AZ
- SACRAMENTO, CA
- SALT LAKE CITY, UT
- SPOKANE, WA
- TACOMA, WA
- WILSONVILLE, OR



www.orepac.com

Cover: Classic-Craft American Style Collection, Low-E Glass with SDLs, Door – CCA82350, Finish – Raven  
 Top: Smooth-Star, Clear Glass with SDLs, Doors – S82105, Finish – Onyx

©2020 Therma-Tru Corp. All rights reserved. THERMA-TRU and the Therma-Tru Logo are trademarks of Therma-Tru Corp. Registered trademarks are registered in the U.S. and may be registered internationally. Therma-Tru Corp. is an operating company of Fortune Brands Home & Security, Inc. The Best Buy Seal and other licensed materials are registered certification marks and trademarks of Consumers Digest Communications, LLC, used under license. For award information, visit ConsumersDigest.com. ENERGY STAR is a government program that helps consumers protect the environment through superior energy efficiency and is a registered trademark of the U.S. Department of Energy and the U.S. Environmental Protection Agency.

Part #MAFL2020 HESB / JAN 2020