


Profiles & Traditions Steel Doors Full Glass



Axis Glass

Key

- No Stile Lines
- Flush-Glazed Glass
- Vented Sidelite
- Black Nickel
- Brushed Nickel
- Brass
- Wrought Iron
- XK.....Reeded
- XG.....Geometric
- XE.....Satin Etch
- XC.....Chord
- XJ.....Chinchilla
- XR.....Rainglass
- XN.....Granite
- Low-E
- CL.....Clear
- FF.....Flat Frame
-20-Minute Fire-Rated
-90-Minute Fire-Rated
-4.25" Flat Simulated Divided Lites
-5.5" Flat Simulated Divided Lites
-4.25" & 5.5" Flat Combo Simulated Divided Lites
-1.6" Flat Simulated Divided Lites
-Removable Wood Grilles
-Fixed Grilles
-Flat Lite Frame

FLAT PROFILE GRILLES BETWEEN GLASS

- GBGFW ...Flat White Grilles Between Glass
- GBGFA....Flat Almond Grilles Between Glass
- GBGFB....Flat Bronze Grilles Between Glass
- GBGFK....Flat Black Grilles Between Glass

CONTOUR PROFILE GRILLES BETWEEN GLASS

- GBGCW ...Contour White Grilles Between Glass
- GBGCA....Contour Almond Grilles Between Glass
- GBGCB....Contour Bronze Grilles Between Glass
- GBGCK....Contour Black Grilles Between Glass

SIMULATED DIVIDED LITES

- Simulated Divided Lites
-1.125" Flat Simulated Divided Lites
-3.5" Flat Simulated Divided Lites

Maple Park.



Profiles
1006
6'8": 3'6"

Traditions
TS962
6'8": 3'0", 2'10", 2'8"

Saratoga™



Profiles
610
6'8": 3'6"

Traditions
TS610
6'6": 2'10"
6'8": 3'0", 2'10", 2'8", 2'6"

Axis.



Profiles
1651HD
6'8": 3'6"

Traditions
TS1651
6'6": 2'10"
6'8": 3'0", 2'10", 2'8", 2'6"

Privacy SDL



Profiles
118XK
6'8": 3'6"

Traditions
TS118XK
6'8": 3'0", 2'10", 2'8"

Privacy SDL



Profiles
128XE-SDL
6'8": 3'6"

Traditions
TS128XE-SDL
6'6": 2'10"
6'8": 3'0", 2'10", 2'8"

Privacy



Profiles
118XE
6'8": 3'6"

Traditions
TS118XE
6'6": 2'10"
6'8": 3'0", 2'10", 2'8"

Privacy SDL



Profiles
128XR-SDL
6'8": 3'6"

Traditions
TS128XR-SDL
6'6": 2'10"
6'8": 3'0", 2'10", 2'8"

Privacy



Profiles
118XR
6'8": 3'6"

Traditions
TS118XR
6'6": 2'10"
6'8": 3'0", 2'10", 2'8"

Low-E / Clear SDL



128-SDL
6'8": 3'6"

Profiles
128-SDLLE
6'8": 3'6"

Low-E / Clear SDL



TS128-SDL
6'6": 2'10"
6'8": 3'0", 2'10", 2'8"

Traditions
TS128-SDLLE
6'6": 2'10"
6'8": 3'0", 2'10", 2'8"

Low-E / Clear GBG Flat



128-GBGFW
6'8": 3'6"

Profiles
128-GBGFWLE
6'8": 3'6"

Low-E / Clear GBG Flat



TS128-GBGFW
6'6": 2'10"
6'8": 3'0", 2'10", 2'6"

Traditions
TS128-GBGFWLE
6'6": 2'10"
6'8": 3'0", 2'10", 2'8", 2'6"

Low-E / Clear GBG Flat



108-GBGFW
6'8": 3'6", 3'0", 2'8"

Profiles
108-GBGFWLE
6'8": 3'6"

Low-E / Clear GBG Flat



TS108-GBGFW
6'6": 2'10"
6'8": 3'0", 2'10", 2'8"

Traditions
TS108-GBGFWLE
6'6": 2'10"
6'8": 3'0", 2'10", 2'8", 2'6"

Low-E GBG Flat



Traditions
TS198-GBGFWLE
6'6": 2'10"
6'8": 3'0", 2'10", 2'8"

Profiles
198-GBGFWLE
6'8": 3'6"

Low-E / Clear Fixed Grilles



128-FXG
6'8": 3'6"

Profiles
128-FXGLE
6'8": 3'6"

Low-E / Clear Fixed Grilles



128-FXG
6'8": 3'6"

Profiles
128-FXGLE
6'8": 3'6"

Low-E / Clear Fixed Grilles



TS128-FXG
6'6": 2'10"
6'8": 3'0", 2'10",
2'8", 2'6"

Traditions
TS128-FXGLE
6'6": 2'10"
6'8": 3'0", 2'10", 2'8"

Low-E / Clear Fixed Grilles



108-FXG
6'8": 3'6"

Profiles
108-FXGLE
6'8": 3'6"

Low-E / Clear Fixed Grilles



TS108-FXG
6'6": 2'10"
6'8": 3'0", 2'10",
2'8", 2'6"

Traditions
TS108-FXGLE
6'6": 2'10"
6'8": 3'0", 2'10", 2'8"

Low-E / Clear Internal Blinds



130-RT
6'8": 3'6", 3'0", 2'8"

Profiles
130-RTLLE
6'8": 3'6", 3'0", 2'8"

Low-E / Clear Internal Blinds



TS130-RT
6'6": 2'10", 2'4"
6'8": 3'0", 2'10", 2'8",
2'6", 2'4"

Traditions
TS130-RTLLE
6'6": 2'10", 2'4"
6'8": 3'0", 2'10", 2'8", 2'6", 2'4"

Low-E / Clear



118
6'8": 3'6", 3'0", 2'8"

Profiles
118-LE
6'8": 3'6", 3'0", 2'8"


Low-E / Clear



TS118
6'6": 2'10"
6'8": 3'0", 2'10",
2'8", 2'6"

Traditions
TS118-LE
6'6": 2'10", 2'4"
6'8": 3'0", 2'10", 2'8", 2'6", 2'4", 2'0"

Profiles & Traditions Steel Doors 1/2 Glass



Maple Park Glass

Key

- No Stile Lines
 - Flush-Glazed Glass
 - Vented Sidelite
 - ◆ Black Nickel
 - Brushed Nickel
 - ◆ Brass
 - ✕ Wrought Iron
 - XK.....Reeded
 - XG.....Geometric
 - XE.....Satin Etch
 - XC.....Chord
 - XJ.....Chinchilla
 - XR.....Rainglass
 - XN.....Granite
 - ☀ Low-E
 - CL.....Clear
 - FF.....Flat Frame
 - 🔥20-Minute Fire-Rated
 - 🔥90-Minute Fire-Rated
- 34.25" Flat Simulated Divided Lites
 - 45.5" Flat Simulated Divided Lites
 - 54.25" & 5.5" Flat Combo Simulated Divided Lites
 - 61.6" Flat Simulated Divided Lites
 -Removable Wood Grilles
 - ◆Fixed Grilles
 - └Flat Lite Frame

FLAT PROFILE GRILLES BETWEEN GLASS

- GBGFW ...Flat White Grilles Between Glass
- GBGFA....Flat Almond Grilles Between Glass
- GBGFB....Flat Bronze Grilles Between Glass
- GBGFK....Flat Black Grilles Between Glass

CONTOUR PROFILE GRILLES BETWEEN GLASS

- GBGCW ...Contour White Grilles Between Glass
- GBGCA....Contour Almond Grilles Between Glass
- GBGCB....Contour Bronze Grilles Between Glass
- GBGCK....Contour Black Grilles Between Glass

SIMULATED DIVIDED LITES

- 3 Simulated Divided Lites
- 11.125" Flat Simulated Divided Lites
- 23.5" Flat Simulated Divided Lites

Salinas.



Profiles
1002HD ✕
6'8": 3'0"

Salinas.



Profiles
1115HD ✕
6'8": 3'0"

Salinas.



Traditions
TS374 ✕
6'8": 3'0", 2'10", 2'8"

Maple Park.



Profiles
1011HD ■ ■ ■ ■
6'8": 3'0", 2'8"

Maple Park.



Profiles
1116HD ■ ■ ■ ■
6'8": 3'0"

Maple Park.



Profiles
1007HD ■ ■ ■ ■
6'8": 3'0", 2'8"

Traditions
TS963 ■ ■ ■ ■
6'8": 3'0", 2'10", 2'8"

Saratoga™



Profiles
988HD ■ ■ ■ ■
6'8": 3'0"

Saratoga™



Profiles
1112HD ■ ■ ■ ■
6'8": 3'0"

Note: Product images show exterior side of door.

Saratoga™



Traditions
TS613
 6'8": 3'0", 2'10", 2'8"

Concorde™



Profiles
999HD
 6'8": 3'0"

Concorde™



Profiles
1118HD
 6'8": 3'0"

Concorde™




Traditions
TS426
 6'8": 3'0", 2'10", 2'8"

Kensington™



Profiles
631HD
 6'8": 3'0"

Kensington™



Profiles
1113HD
 6'8": 3'0"

Kensington™



Traditions
TS627
 6'8": 3'0", 2'10", 2'8"

**Privacy / Low-E / Clear
 SDL**



Traditions
TS262()-SDL
 (XK, XE, XR)
 6'8": 3'0", 2'10", 2'8"

TS262-SDLLE
 6'8": 3'0", 2'10", 2'8"

TS262-SDL
 6'8": 3'0", 2'10", 2'8"

Profiles
262HD-SDLLE
 6'8": 3'0"

262HD-SDL
 6'8": 3'0"

**Privacy / Low-E / Clear
 SDL**



Traditions
982HD-SDLLE
 6'8": 3'0", 2'8"

982HD-SDL
 6'8": 3'0", 2'8"

Profiles
982HD()-SDL
 (XE, XR)
 6'8": 3'0", 2'8"

**Privacy / Clear /Low-E
 SDL**



1123HD-SDLLE
 6'8": 3'0", 2'8"

1123HD-SDL
 6'8": 3'0", 2'8"

Profiles
1123HD()-SDL
 (XE, XR)
 6'8": 3'0", 2'8"

Privacy / Low-E / Clear



980HD-LE
 6'8": 3'0", 2'8"

980HD
 6'8": 3'0", 2'8"

Profiles
980HD()
 (XE, XR)
 6'8": 3'0", 2'8"

Privacy



Profiles
1101()HD
 (XE, XR)
 6'8": 3'0", 2'8"

Privacy / Low-E / Clear




104-LE
 6'8": 3'0", 2'8"

104
 6'8": 3'0", 2'8"

Profiles
104()
 (XE, XR)
 6'6": 2'10"
 6'8": 3'0", 2'10", 2'8"

Privacy / Low-E / Clear



TS104-LE
 6'6": 2'10"
 6'8": 3'0", 2'10",
 2'8", 2'6"

TS104
 6'6": 2'10"
 6'8": 3'0", 2'10",
 2'8", 2'6"

Traditions
TS104()
 (XK, XE)
 6'6": 2'10"
 6'8": 3'0", 2'10", 2'8"

Privacy / Low-E / Clear



Traditions
TS206()
 (XE, XR)
 6'8": 3'0", 2'10", 2'8"
TS206-LE
 6'8": 3'0", 2'10", 2'8",
 2'6" N

TS206
 6'8": 3'0", 2'10", 2'8",
 2'6" N

Profiles
206HD-LE
 6'8": 3'0", 2'8"

206HD
 6'8": 3'0", 2'8"

Profiles & Traditions Steel Doors 1/2 Glass



Profiles, Screen Vented, Door – 1004HD

Key

- No Stile Lines
- Flush-Glazed Glass
- Vented Sidelite
- ◆ Black Nickel
- Brushed Nickel
- ◆ Brass
- ✕ Wrought Iron
- XK.....Reeded
- XG.....Geometric
- XE.....Satin Etch
- XC.....Chord
- XJ.....Chinchilla
- XR.....Rainglass
- XN.....Granite
- ☀ Low-E
- CL.....Clear
- FF.....Flat Frame
- 🔥20-Minute Fire-Rated
- 🔥90-Minute Fire-Rated
- 📄4.25" Flat Simulated Divided Lites
- 📄5.5" Flat Simulated Divided Lites
- 📄4.25" & 5.5" Flat Combo Simulated Divided Lites
- 📄1.6" Flat Simulated Divided Lites
-Removable Wood Grilles
- ◆Fixed Grilles
- └Flat Lite Frame

FLAT PROFILE GRILLES BETWEEN GLASS

- GBGFW ...Flat White Grilles Between Glass
- GBGFA....Flat Almond Grilles Between Glass
- GBGFB.....Flat Bronze Grilles Between Glass
- GBGFK.....Flat Black Grilles Between Glass

CONTOUR PROFILE GRILLES BETWEEN GLASS

- GBGCW...Contour White Grilles Between Glass
- GBGCA....Contour Almond Grilles Between Glass
- GBGCB....Contour Bronze Grilles Between Glass
- GBGCK....Contour Black Grilles Between Glass

SIMULATED DIVIDED LITES

- 📄 Simulated Divided Lites
- 1 1.125" Flat Simulated Divided Lites
- 2 3.5" Flat Simulated Divided Lites

Low-E / Clear GBG Flat



Profiles
262HD-GBGFWE
6'8": 3'0", 2'8"

262HD-GBGFW
6'8": 3'0", 2'8"

Traditions
TS262-GBGFW
6'8": 3'0", 2'10", 2'8"
TS262-GBGFWE
6'8": 3'0", 2'10", 2'8"



Low-E / Clear GBG Flat



Profiles
982HD-GBGFWE
6'8": 3'0", 2'8"



982HD-GBGFW
6'8": 3'0", 2'8"

Low-E / Clear GBG Flat



Profiles
1123HD-GBGFWE
6'8": 3'0", 2'8"



1123HD-GBGFW
6'8": 3'0", 2'8"

Clear GBG Flat



Traditions
TS1408-GBGFW
6'8": 3'0", 2'10", 2'8"

Clear GBG Flat



Profiles
1405HD-GBGFW
6'8": 3'0"

Clear GBG Flat



Profiles
1406HD-GBGFW
6'8": 3'0"

Low-E / Clear Fixed Grilles



Profiles
1123HD-FXGLE
6'8": 3'0", 2'8"



1123HD-FXG
6'8": 3'0", 2'8"

Low-E / Clear Fixed Grilles



Profiles
982HD-FXGLE
6'8": 3'0", 2'8"



982HD-FXG
6'8": 3'0", 2'8"

Low-E / Clear Fixed Grilles



262HD-FXG
6'8": 3'0", 2'8"

Profiles
262HD-FXGLE
6'8": 3'0", 2'8"



Low-E / Clear Fixed Grilles



TS262-FXG
6'8": 3'0", 2'10", 2'8",
2'6" N

Traditions
TS262-FXGLE
6'8": 3'0", 2'10", 2'8", 2'6" N



Privacy / Low-E / Clear



289HD-LE
6'8": 3'0", 2'8"
289HD
6'8": 3'0"

Profiles
289HD()
(XE, XR)
6'8": 3'0"


Privacy / Low-E / Clear



TS289-LE
6'8": 3'0", 2'10", 2'8",
2'6" N
TS289
6'8": 3'0", 2'10", 2'8",
2'6" N

Traditions
TS289()
(XE, XR)
6'8": 3'0", 2'10", 2'8", 2'6" N

Low-E / Clear



Traditions
TS105-LE
6'6": 2'10",
6'8": 3'0", 2'10",
2'8", 2'6"
TS105
6'6": 2'10",
6'8": 3'0", 2'10",
2'8", 2'6"

Profiles
105
6'8": 3'0", 2'8"

Low-E / Clear Internal Blinds



Traditions
TS132-RTLE
6'8": 3'0", 2'10", 2'8",
2'6" N
TS132-RT
6'8": 3'0", 2'10", 2'8",
2'6" N

Profiles
132HD-RT
6'8": 3'0", 2'8"
132HD-RTLE
6'8": 3'0", 2'8"

Low-E / Clear Internal Blinds



984HD-RT
6'8": 3'0", 2'8"

Profiles
984HD-RTLE
6'8": 3'0", 2'8"


Low-E / Clear Internal Blinds



1121HD-RT
6'8": 3'0", 2'8"

Profiles
1121HD-RTLE
6'8": 3'0", 2'8"

Low-E / Clear Internal Blinds



Traditions
TS131-RTLE
6'6": 2'10",
6'8": 3'0", 2'10",
2'8", 2'6"
TS131-RT
6'6": 2'10",
6'8": 3'0", 2'10",
2'8", 2'6"

Profiles
131-RTLE
6'8": 3'0", 2'8"
131-RT
6'8": 3'0", 2'8"

Screen Vented



Traditions
TS243
6'8": 3'0", 2'10", 2'8"

Profiles
243HD
6'8": 3'0", 2'8"

Screen Vented




Profiles
1004HD
6'8": 3'0", 2'8"

Screen Vented



Profiles
1102HD
6'8": 3'0", 2'8"

Screen Vented



Traditions
TS137
6'6": 2'10",
6'8": 3'0", 2'10", 2'8"

Profiles
137
6'8": 3'0", 2'8"

Profiles & Traditions Steel Doors
Craftsman & Minimal Glass



Concorde Glass

Key

- No Stile Lines
 - Flush-Glazed Glass
 - Vented Sidelite
 - Black Nickel
 - Brushed Nickel
 - Brass
 - Wrought Iron
 - XK.....Reeded
 - XG.....Geometric
 - XE.....Satin Etch
 - XC.....Chord
 - XJ.....Chinchilla
 - XR.....Rainglass
 - XN.....Granite
 - Low-E
 - CL.....Clear
 - FF.....Flat Frame
 -20-Minute Fire-Rated
 -90-Minute Fire-Rated
-
-4.25" Flat Simulated Divided Lites
 -5.5" Flat Simulated Divided Lites
 -4.25" & 5.5" Flat Combo Simulated Divided Lites
 -1.6" Flat Simulated Divided Lites
 -Removable Wood Grilles
 -Fixed Grilles
 -Flat Lite Frame
-
- FLAT PROFILE GRILLES BETWEEN GLASS**
- GBGFW ...Flat White Grilles Between Glass
 - GBGFA....Flat Almond Grilles Between Glass
 - GBGFB.....Flat Bronze Grilles Between Glass
 - GBGFK.....Flat Black Grilles Between Glass
-
- CONTOUR PROFILE GRILLES BETWEEN GLASS**
- GBGCW ...Contour White Grilles Between Glass
 - GBGCA....Contour Almond Grilles Between Glass
 - GBGCB....Contour Bronze Grilles Between Glass
 - GBGCK....Contour Black Grilles Between Glass
-
- SIMULATED DIVIDED LITES**
- Simulated Divided Lites
 -1.125" Flat Simulated Divided Lites
 -3.5" Flat Simulated Divided Lites

Note: Product images show exterior side of door.

Sedona



Profiles
604HD
6'8": 3'0", 2'8"

Maple Park.



Profiles
609HD
6'8": 3'0", 2'8"

Saratoga™



Profiles
602HD
6'8": 3'0", 2'8"

Axis.



Profiles
1650HD
6'8": 3'0", 2'8"

Privacy / Low-E



601HD-LE
6'8": 3'0", 2'8"
Profiles
601()HD
(XE, XC, XJ, XR, XN)
6'8": 3'0", 2'8"

Privacy / Low-E SDL



605HD-SDLLE
6'8": 3'0", 2'8"
Profiles
605HD()-SDL
(XE, XC, XJ, XR, XN)
6'8": 3'0", 2'8"

Privacy / Low-E



606HD-SDLLE
6'8": 3'0", 2'8"
Profiles
606HD()-SDL
(XE, XC, XJ, XR, XN)
6'8": 3'0", 2'8"

Privacy / Low-E



607HD-SDLLE
6'8": 3'0", 2'8"
Profiles
607HD()-SDL
(XE, XC, XJ, XR, XN)
6'8": 3'0", 2'8"

Privacy / Low-E SDL



608HD-SDLLE
6'8":3'0", 2'8"



Profiles
608HD()-SDL
(XE, XC, XJ, XR, XN)
6'8":3'0", 2'8"



Minimal Glass

Saratoga™



Traditions
TS707
6'8":3'0"

Concorde™



Traditions
TS735
6'8":3'0"

Fixed Grilles



Traditions
TS704-FXG
6'8":3'0", 2'8"

Clear



Traditions
TS708
6'8":3'0"

Concorde™



Traditions
TS454
6'8":3'0"

Low-E GBG Flat



Traditions
TS255-GBGFWLE
6'8":3'0"



Low-E / Clear Fixed Grilles



Traditions
TS255-FXG
6'8":3'0", 2'8"

TS255-FXGLE
6'8":3'0"



Profiles
255HD-FXG
6'8":3'0"

Low-E / Clear



Traditions
TS256
6'8":3'0", 2'8"

TS256-LE
6'8":3'0"



Profiles
256HD
6'8":3'0"

256HD-LE
6'8":3'0"



Clear Fixed Grilles



Traditions
TS236-FXG
6'8":3'0", 2'10", 2'8"



Profiles
236HD-FXG
6'8":3'0", 2'8"



Axis.



Traditions
TS1643
6'8":3'0", 2'10", 2'8", 2'6" N



Privacy / Low-E / Clear



296HD-LE
6'8":3'0", 2'8"

296HD
6'8":3'0", 2'8"



Profiles
296HDXE
6'8":3'0"

Privacy / Low-E / Clear



TS296
6'8":3'0", 2'10", 2'8", 2'6" N

TS296-LE
6'8":3'0", 2'10", 2'8", 2'6" N



TS296
6'8":3'0", 2'10", 2'8", 2'6" N

Traditions
TS296()
(XE, XR)
6'8":3'0", 2'10", 2'8", 2'6" N

Profiles & Traditions Steel Doors
6'8" Solid Panel and 8'0" Full Glass
and Solid Panel



Profiles Door – 205HD, Finish – Alpine

Key

- No Stile Lines
- ▲ Flush-Glazed Glass
- Vented Sidelite
- ◆ Black Nickel
- Brushed Nickel
- ◆ Brass
- ✕ Wrought Iron
- XK.....Reeded
- XG.....Geometric
- XE.....Satin Etch
- XC.....Chord
- XJ.....Chinchilla
- XR.....Rainglass
- XN.....Granite
- ☀ Low-E
- CL.....Clear
- FF.....Flat Frame
- 🔥20-Minute Fire-Rated
- 🔥90-Minute Fire-Rated
- 📄4.25" Flat Simulated Divided Lites
- 📄5.5" Flat Simulated Divided Lites
- 📄4.25" & 5.5" Flat Combo Simulated Divided Lites
- 📄1.6" Flat Simulated Divided Lites
-Removable Wood Grilles
- ◆Fixed Grilles
- └Flat Lite Frame

FLAT PROFILE GRILLES BETWEEN GLASS

- GBGFW ...Flat White Grilles Between Glass
- GBGFA....Flat Almond Grilles Between Glass
- GBGFB....Flat Bronze Grilles Between Glass
- GBGFK....Flat Black Grilles Between Glass

CONTOUR PROFILE GRILLES BETWEEN GLASS

- GBGCW ...Contour White Grilles Between Glass
- GBGCA....Contour Almond Grilles Between Glass
- GBGCB....Contour Bronze Grilles Between Glass
- GBGCK....Contour Black Grilles Between Glass

SIMULATED DIVIDED LITES

- 📄 Simulated Divided Lites
- 📄1.125" Flat Simulated Divided Lites
- 📄3.5" Flat Simulated Divided Lites

3 Panel Scroll Top



Profiles
969HD
 6'8": 3'0"

2 Panel Square Top



Profiles
978HD
 6'8": 3'0", 2'8"

2 Panel Soft Arch



Profiles
1005HD
 6'8": 3'0", 2'8"

2 Panel Plank Soft Arch



Profiles
205HD
 6'8": 3'0", 2'8"

2 Panel Craftsman



Profiles
203HD
 6'8": 3'0", 2'8"

4 Panel Square Top



Traditions
TS214
 6'8": 3'0", 2'8"

6 Panel Flush



Profiles
210HD
 6'8": 3'0", 2'8"

Traditions
TS210
 6'8": 3'0", 2'10", 2'8",
 2'6" N

Flush Panel



Profiles
100
 6'8": 3'6", 3'0", 2'8"

Traditions
TS100
 6'6": 2'10", 2'4"
 6'8": 3'0", 2'10", 2'8",
 2'6", 2'4", 2'0"

Note: Product images show exterior side of door.

Low-E Internal Blinds



Traditions
829-RTLE
8'0": 3'0"
☀️

Low-E



Traditions
818-LE
8'0": 3'0"
☀️

8' Flush Panel



Traditions
800
8'0": 3'0"

8'0" Full Glass and Solid Panel



Pulse Steel Doors



Sedona Glass

Key

- No Stile Lines
 - Flush-Glazed Glass
 - Vented Sidelite
 - ◆ Black Nickel
 - Brushed Nickel
 - ◆ Brass
 - ✕ Wrought Iron
 - XK.....Reeded
 - XG.....Geometric
 - XE.....Satin Etch
 - XC.....Chord
 - XJ.....Chinchilla
 - XR.....Rainglass
 - XN.....Granite
 - ☀ Low-E
 - CL.....Clear
 - FF.....Flat Frame
 - 🔥20-Minute Fire-Rated
 - 🔥90-Minute Fire-Rated
- 34.25" Flat Simulated Divided Lites
 - 45.5" Flat Simulated Divided Lites
 - 54.25" & 5.5" Flat Combo Simulated Divided Lites
 - 61.6" Flat Simulated Divided Lites
 - >Removable Wood Grilles
 - ◆Fixed Grilles
 - └Flat Lite Frame

FLAT PROFILE GRILLES BETWEEN GLASS

- GBGFW ...Flat White Grilles Between Glass
- GBGFA....Flat Almond Grilles Between Glass
- GBGFB....Flat Bronze Grilles Between Glass
- GBGFK....Flat Black Grilles Between Glass

CONTOUR PROFILE GRILLES BETWEEN GLASS

- GBGCW ...Contour White Grilles Between Glass
- GBGCA....Contour Almond Grilles Between Glass
- GBGCB....Contour Bronze Grilles Between Glass
- GBGCK....Contour Black Grilles Between Glass

SIMULATED DIVIDED LITES

- 11.125" Flat Simulated Divided Lites
- 23.5" Flat Simulated Divided Lites

Sedona




Profiles
2SN ◆
6'8": 3'6"

Saratoga™



Profiles
2SG ◆
6'8": 3'6"

Axis.



Profiles
2AX ◆
6'8": 3'6"
2AX-FF ◆ └
6'8": 3'6"

Privacy / Low-E / Clear



2CL-FFLE └ ☀
6'8": 3'6", 3'0", 2'8"
2CL-LE ☀
6'8": 3'6", 3'0", 2'8"
2()-FF └
(XK, XE, XC, XR, XN)
6'8": 3'6", 3'0", 2'8"

Profiles
2()
(XK, XE, XC, XR, XN)
6'8": 3'6", 3'0", 2'8"

Salinas.



Profiles
1LSA ✕
6'8": 3'6"

Salinas.



Profiles
1SA ✕
6'8": 3'6"

Salinas.



Profiles
1RSA ✕
6'8": 3'6"

Saratoga™



Profiles
1LSG ■ ◆
6'8": 3'6"


Note: Product images show exterior side of door.

Saratoga™



Profiles
1SG
6'8": 3'6"

Saratoga™



Profiles
1RSG
6'8": 3'6"

Axis.



Profiles
1LAX
6'8": 3'6"

Axis.



Profiles
1RAX
6'8": 3'6"

Axis.



Profiles
1RAX
6'8": 3'6"

Privacy / Low-E / Clear



Profiles
1L()
(XK, XE, XR)
6'8": 3'6"

- 1L()-FF
(XK, XE, XR)
6'8": 3'6"
- 1LCL-FFLE
6'8": 3'6", 3'0", 2'8"
- 1LCL-LE
6'8": 3'6", 3'0", 2'8"
- 1LCL
6'8": 3'6", 3'0", 2'8"

Privacy / Low-E / Clear



Profiles
1()
(XK, XE, XR)
6'8": 3'6"

- 1()-FF
(XK, XE, XR)
6'8": 3'6"
- 1CL-FFLE
6'8": 3'6", 3'0", 2'8"
- 1CL-LE
6'8": 3'6", 3'0", 2'8"
- 1CL
6'8": 3'6", 3'0", 2'8"

Privacy / Low-E / Clear



Profiles
1R()
(XK, XE, XR)
6'8": 3'6"

- 1R()-FF
(XK, XE, XR)
6'8": 3'6"
- 1RCL-FFLE
6'8": 3'6", 3'0", 2'8"
- 1RCL-LE
6'8": 3'6", 3'0", 2'8"
- 1RCL
6'8": 3'6", 3'0", 2'8"

Axis.



Profiles
4LAX
6'8": 3'6"

Axis.



Profiles
4AX
6'8": 3'6"

Axis.




Profiles
4RAX
6'8": 3'6"

Axis.




Profiles
5LAX
6'8": 3'6"

Axis.




Profiles
5AX
6'8": 3'6"

Axis.



Profiles
5RAX
6'8": 3'6"

Axis.



Profiles
8LAX
6'8": 3'6"

Axis.



Profiles
8AX
6'8": 3'6"

Pulse Steel Doors



Axis Glass

Key

- No Stile Lines
 - Flush-Glazed Glass
 - Vented Sidelite
 - ◆ Black Nickel
 - Brushed Nickel
 - ◆ Brass
 - ✕ Wrought Iron
 - XK.....Reeded
 - XG.....Geometric
 - XE.....Satin Etch
 - XC.....Chord
 - XJ.....Chinchilla
 - XR.....Rainglass
 - XN.....Granite
 - ☀ Low-E
 - CL.....Clear
 - FF.....Flat Frame
 - 🔥20-Minute Fire-Rated
 - 🔥90-Minute Fire-Rated
- 34.25" Flat Simulated Divided Lites
 - 45.5" Flat Simulated Divided Lites
 - 54.25" & 5.5" Flat Combo Simulated Divided Lites
 - 61.6" Flat Simulated Divided Lites
 - >Removable Wood Grilles
 - ◆Fixed Grilles
 - └Flat Lite Frame

FLAT PROFILE GRILLES BETWEEN GLASS

- GBGFW ...Flat White Grilles Between Glass
- GBGFA.....Flat Almond Grilles Between Glass
- GBGFB.....Flat Bronze Grilles Between Glass
- GBGFK.....Flat Black Grilles Between Glass


CONTOUR PROFILE GRILLES BETWEEN GLASS

- GBGCW ...Contour White Grilles Between Glass
- GBGCA.....Contour Almond Grilles Between Glass
- GBGCB.....Contour Bronze Grilles Between Glass
- GBGCK.....Contour Black Grilles Between Glass

SIMULATED DIVIDED LITES

- 11.125" Flat Simulated Divided Lites
- 23.5" Flat Simulated Divided Lites

Axis.



Profiles
8RAX ◆
6'8": 3'6"

Axis.



Profiles
9LAX ◆
6'8": 3'6"

Axis.



Profiles
9AX ◆
6'8": 3'6"

Axis.



Profiles
9RAX ◆
6'8": 3'6"

Privacy / Low-E / Clear



Profiles
4L()-FF └
(XG, XE, XC, XR)
6'8": 3'6"

- 4LCL-FFLE └
6'8": 3'6"
- ☀
- 4LCL-LE
6'8": 3'6", 3'0", 2'8"
- ☀
- 4LCL
6'8": 3'6", 3'0", 2'8"
- 4LCL-FF └
6'8": 3'6", 3'0", 2'8"

Privacy / Low-E / Clear



Profiles
4()-FF └
(XG, XE, XC, XR)
6'8": 3'6"

- 4CL-FFLE └
6'8": 3'6"
- ☀
- 4CL-LE
6'8": 3'6", 3'0", 2'8"
- ☀
- 4CL
6'8": 3'6", 3'0", 2'8"
- 4CL-FF └
6'8": 3'6", 3'0", 2'8"

Privacy / Low-E / Clear



Profiles
4R()-FF └
(XG, XE, XC, XR)
6'8": 3'6"

- 4RCL-FFLE └
6'8": 3'6"
- ☀
- 4RCL-LE
6'8": 3'6", 3'0", 2'8"
- ☀
- 4RCL
6'8": 3'6", 3'0", 2'8"
- 4RCL-FF └
6'8": 3'6", 3'0", 2'8"


Privacy / Low-E / Clear



Profiles
5L()-FF └
(XG, XE, XC, XR)
6'8": 3'6"

- 5LCL-FFLE └
6'8": 3'6"
- ☀
- 5LCL-LE
6'8": 3'6", 3'0", 2'8"
- ☀
- 5LCL
6'8": 3'6", 3'0", 2'8"
- 5LCL-FF └
6'8": 3'6", 3'0", 2'8"

Privacy / Low-E / Clear



5CL-FFLE
6'8": 3'6"


5CL-LE
6'8": 3'6", 3'0", 2'8"

5CL
6'8": 3'6", 3'0", 2'8"

5CL-FF
6'8": 3'6", 3'0", 2'8"

Profiles
5()-FF
(XG, XE, XC, XR)
6'8": 3'6"

Privacy / Low-E / Clear



5RCL-FFLE
6'8": 3'6"


5RCL-LE
6'8": 3'6", 3'0", 2'8"

5RCL
6'8": 3'6", 3'0", 2'8"

5RCL-FF
6'8": 3'6", 3'0", 2'8"

Profiles
5R()-FF
(XG, XE, XC, XR)
6'8": 3'6"

Privacy / Low-E / Clear



9LCL-FFLE
6'8": 3'6"


9LCL-LE
6'8": 3'6", 3'0", 2'8"
6'8": 3'6"

9LCL
6'8": 3'6", 3'0", 2'8"

9LCL-FF
6'8": 3'6", 3'0", 2'8"

Profiles
9L()-FF
(XG, XE, XC, XR)
6'8": 3'6"

Privacy / Low-E / Clear



9CL-FFLE
6'8": 3'6"


9CL-LE
6'8": 3'6", 3'0", 2'8"
6'8": 3'6"

9CL
6'8": 3'6", 3'0", 2'8"

9CL-FF
6'8": 3'6", 3'0", 2'8"

Profiles
9()-FF
(XG, XE, XC, XR)
6'8": 3'6"

Privacy / Low-E / Clear



9RCL-FFLE
6'8": 3'6"


9RCL-LE
6'8": 3'6", 3'0", 2'8"
6'8": 3'6"

9RCL
6'8": 3'6", 3'0", 2'8"

9RCL-FF
6'8": 3'6", 3'0", 2'8"

Profiles
9R()-FF
(XG, XE, XC, XR)
6'8": 3'6"

Privacy / Low-E / Clear



8LCL-FFLE
6'8": 3'6"


8LCL-LE
6'8": 3'6", 3'0", 2'8"
6'8": 3'6"

8LCL
6'8": 3'6", 3'0", 2'8"

8LCL-FF
6'8": 3'6", 3'0", 2'8"

Profiles
8L()-FF
(XG, XE, XC, XR)
6'8": 3'6"

Privacy / Low-E / Clear



8CL-FFLE
6'8": 3'6"


8CL-LE
6'8": 3'6", 3'0", 2'8"
6'8": 3'6"

8CL
6'8": 3'6", 3'0", 2'8"

8CL-FF
6'8": 3'6", 3'0", 2'8"

Profiles
8()-FF
(XG, XE, XC, XR)
6'8": 3'6"

Privacy / Low-E / Clear



8RCL-FFLE
6'8": 3'6"

8RCL-LE
6'8": 3'6", 3'0", 2'8"
6'8": 3'6"

8RCL
6'8": 3'6", 3'0", 2'8"

8RCL-FF
6'8": 3'6", 3'0", 2'8"

Profiles
8R()-FF
(XG, XE, XC, XR)
6'8": 3'6"

Pulse 8'0" Steel



Chord Privacy & Textured Glass

Key

- No Stile Lines
- Flush-Glazed Glass
- Vented Sidelite
- ◆ Black Nickel
- Brushed Nickel
- ◆ Brass
- ✕ Wrought Iron
- XK.....Reeded
- XG.....Geometric
- XE.....Satin Etch
- XC.....Chord
- XJ.....Chinchilla
- XR.....Rainglass
- XN.....Granite
- ☀ Low-E
- CL.....Clear
- FF.....Flat Frame
- 🔥20-Minute Fire-Rated
- 🔥90-Minute Fire-Rated
- 📄4.25" Flat Simulated Divided Lites
- 📄5.5" Flat Simulated Divided Lites
- 📄4.25" & 5.5" Flat Combo Simulated Divided Lites
- 📄1.6" Flat Simulated Divided Lites
-Removable Wood Grilles
- ◆Fixed Grilles
- └Flat Lite Frame

FLAT PROFILE GRILLES BETWEEN GLASS

- GBGFW ...Flat White Grilles Between Glass
- GBGFA.....Flat Almond Grilles Between Glass
- GBGFB.....Flat Bronze Grilles Between Glass
- GBGFK.....Flat Black Grilles Between Glass

CONTOUR PROFILE GRILLES BETWEEN GLASS

- GBGCW ...Contour White Grilles Between Glass
- GBGCA.....Contour Almond Grilles Between Glass
- GBGCB.....Contour Bronze Grilles Between Glass
- GBGCK.....Contour Black Grilles Between Glass

SIMULATED DIVIDED LITES

- 📄 Simulated Divided Lites
- 1 1.125" Flat Simulated Divided Lites
- 2 3.5" Flat Simulated Divided Lites

Axis.



Traditions
TS83AX-FF └ ◆
8'0": 3'0"

Privacy / Low-E / Clear



Traditions
TS83(____)-FF └
(XK, XE, XC, XJ, XR, XN)
8'0": 3'0"

Low-E / Clear



Traditions
TS84CL-FFLE └ ☀
8'0": 3'0"

TS84CL-LE ☀
8'0": 3'0"

TS84CL ☀
8'0": 3'0"

TS84CL-FF └
8'0": 3'0"

Low-E / Clear



Traditions
TS84CL-FFLE └ ☀
8'0": 3'0"

TS84CL-LE ☀
8'0": 3'0"

TS84CL ☀
8'0": 3'0"

TS84CL-FF └
8'0": 3'0"

Low-E / Clear



Traditions
TS84RCL-FFLE └ ☀
8'0": 3'0"

TS84RCL ☀
8'0": 3'0"

TS84RCL-FF └
8'0": 3'0"

Low-E / Clear



Traditions
TS85LCL-FFLE └ ☀
8'0": 3'0"

TS85LCL ☀
8'0": 3'0"

TS85LCL-FF └
8'0": 3'0"

Low-E / Clear




Traditions
TS85CL-FFLE └ ☀
8'0": 3'0"

TS85CL ☀
8'0": 3'0"

TS85CL-FF └
8'0": 3'0"

Low-E / Clear




Traditions
TS85RCL-FFLE └ ☀
8'0": 3'0"

TS85RCL ☀
8'0": 3'0"


TS85RCL-FF └
8'0": 3'0"

Low-E / Clear




Traditions
TS86LCL-LE
8'0":3'0"

Low-E / Clear




Traditions
TS86CL-LE
8'0":3'0"

Low-E / Clear




Traditions
TS86RCL-LE
8'0":3'0"

Low-E / Clear




Traditions
TS811LCL-LE
8'0":3'0"

Low-E / Clear




Traditions
TS811CL-LE
8'0":3'0"

Low-E / Clear




Traditions
TS811RCL-LE
8'0":3'0"

Low-E / Clear




Traditions
TS810LCL-LE
8'0":3'0"

Low-E / Clear



Traditions
TS810CL-LE
8'0":3'0"

Low-E / Clear



Traditions
TS810RCL-LE
8'0":3'0"